SAFETY DATA SHEET

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200, the EU Directive, 91/155/EEC and other regulatory requirements.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information as defined by OSHA for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use. Whereas product labeling provides information specifically for product use as required under FIFRA 25b(2).

Issuing Date 8 Sep 2016

Revision Date 31 Jul 2017

Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	EcoSMART Wasp & Hornet Killer
Other means of identification	
UN-No.	UN1950
Synonyms	KIT041 Item # 33195
Recommended use of the chemica	al and restrictions on use
Recommended Use	Insecticide, Wasp & Hornet - Aerosol
Uses advised against	No information available
Details of the supplier of the safet	y data sheet
Supplier Name Supplier Address	EcoSMART, a division of Kittrich Corp. 1585 West Mission Blvd Pomona, CA 91766, USA
Supplier Phone Number	Phone: (714) 736-1000 Fax: (714) 736-2000
Supplier Email	DwightD@kittrich.com
Emergency telephone number	Info Trac Chemical Response System
	800-535-5053 (24 hours) / International 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Flammable Aerosols	Category 2.1

GHS Label elements, including precautionary statements

	Emergency Overview	
Signal word	Danger	
Hazard Statements		
May cause serious eye irrit		
May cause an allergic skin		
May cause respiratory irrita	tion. May cause drowsiness or dizziness	
Extremely flammable aeros	ol under pressure	
Appearance Colorless	Physical State Liquid spray Aerosol	Odor Wintergreen

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Keep away from flames and hot surfaces - no smoking Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Move exposed person to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage Store in a well-ventilated place. Keep container tightly closed Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity Not applicable

Other information

May cause mild skin irritation Repeated or prolonged skin contact may cause allergic reactions with susceptible persons PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Specific data regarding toxicity to fish and other aquatic organisms is not available for this product. Care should always be taken to prevent insecticides from entering aquifers.

Interactions with Other Chemicals

Irritants. Sensitizers. Epoxies.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-phenethyl propionate	122-70-3	0.5	-
Peppermint oil	8006-90-4	1.0	-
white mineral oil, wintergreen oil, isopropyl alcohol,	-	-	To 100%
canola oil, isopropyl myristate, carbon dioxide			

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician

Skin Contact

Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.

Inhalation

Remove to fresh air.

Ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient. Do not use dry chemical extinguishers to control fires involving nitromethane or nitroethane. Do not use straight streams.

Specific Hazards Arising from the Chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Aerosols: Level II

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk.	
Other Information	Water spray may reduce vapor; but may not prevent ignition in closed spaces.	
Environmental Precautions		
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for Containment	A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.	
Methods for cleaning up	Use clean non-sparking tools to collect absorbed material.	

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingHandle in accordance with good industrial hygiene and safety practice. Avoid breathing
vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Avoid
contact with eyes. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products

Storage

Strong oxidizing agents. Acids. Chlorinated compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	-

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection	None required for consumer use. If splashes are likely to occur: Tight sealing safety goggles.
Skin and Body Protection	Not required for consumer use. Wear protective gloves and protective clothing is recommended.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance Color

Property pН Melting / freezing point Boiling point / boiling range Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Specific Gravity** 0.86 g/mL Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition Temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing Properties** No data available

Other Information

Softening Point	
VOC Content (%)	
Particle Size	
Particle Size Distribution	

Liquid spray Aerosol Colorless No information available

Values

Not applicable (contains no water) No data available No data available 27.9°C (82.2°F) No data available No data available

No data available

No data available No data available

9%

Odor **Odor Threshold** Citrus No information available

Remarks/ Method

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Irritating to eyes. Expected to be an irritant based on components. May cause redness, itching, and pain. May cause temporary eye irritation.
Skin Contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rabbit)	= 16000 ppm (Rat) 8 h
67-63-0			

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes. Itching. Rashes. Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization		May cause sensitization of susceptible persons. May cause sensitization by skin contact. May cause sensitization by inhalation.		
Mutagenic Effects	No information	on available.		
Carcinogenicity	The table bel	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X
Group [°] 3 - Not Classifiable OSHA (Occupational Sa X - Present		ans tion of the US Department of	Eabor)	
Reproductive Toxicity	No information	on available.		
STOT - single exposure	No information	on available.		
STOT - repeated exposu	re No informatio	No information available.		
Chronic Toxicity	No known eff	No known effect based on information supplied.		
Target Organ Effects	Eyes. Skin. F	Eyes. Skin. Respiratory system. Blood. Kidney. Liver. Spleen. Systemic Toxicity.		stemic Toxicity.
Aspiration Hazard	No information	No information available.		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Specific data regarding toxicity to fish and other aquatic organisms is not available for this product. Care should always be taken to prevent insecticides from entering aquifers.

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Isopropyl alcohol 67-63-0	0.05

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. Should not be released into the environment. Dispose of contents/containers in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.		
US EPA Waste Number	D001		

California Hazardous Waste Codes 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name		California Hazardous Waste		
Isopropyl alcohol		Toxic Ignitable		
67-63-0		igilitable		
	14. TRANSPORT INFORMATION			
GROUND				
Proper Shipping Name	AEROSOL	AEROSOL		
Hazard Class	2.1	2.1		
Packing Group	NONE	NONE		
Description	LTD QTY (ORM-D), 30 K	LTD QTY (ORM-D), 30 KG GROSS MAX PER PACKAGE		
MARINE				
Proper Shipping Name	AEROSOL			
Hazard Class	2.1	2.1		
Packing Group	NONE	NONE		
Description	LTD QTY (ORM-D), 30 K	G GROSS MAX PER PACKAGE		
AIR				
Proper Shipping Name	AEROSOL	AEROSOL		
Hazard Class	2.1	2.1		
Packing Group	NONE	NONE		
Description	ID8000, CONSUMER CO	ID8000, CONSUMER COMMODITY, 9, Y963, 30 KG GROSS		
Description	UN1950, AEROSOLS, 2.1			
15. REGULATORY INFORMATION				

This SDS is prepared to meet the requirements of OSHA and the GHS, and may contain precautionary statements and signal words that are different than or in addition to the pesticide label, which is regulated through the US EPA under Federal Insecticide, Fungicide and Rodenticide Act ("FIFRA").

International Inventories

TSCA DSL

Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	15	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical NameNew JerseyMassachusettsPennsylvaniaRhode IslandIllinoisIsopropyl alcoholXXXXX67-63-0XXXXX

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm
67-63-0 (40 - 70)		Mexico: TWA 980 mg/m ³
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m ³
Marian Operational Francesure Limite Consideration		

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

A - Compressed gases B5 - Flammable aerosol D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 3	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 1	Flammability 3	Physical Hazard 0	Personal Protection
Prepared By	Kittrich Corp. 1585 West Mission Blvd Pomona, CA 91766			
Revision Date	(714) 736 31 Jul 20			

evision Date **Revision Note**

31 Jul 2017 Added new item code

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet