

Neem MAX

Ready to Use

m Houseplants



4-in-1

Fungicide, Insecticide, Miticide, and Nematicide*

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

See back booklet for additional precautionary statements, directions for use, storage and disposal statements.

*for use on listed pest and crops



- Captain Jack's™ Neem MAX For Houseplants is an effective fungicide, insecticide, miticide and nematicide
- Keep plants healthy; keep insects away
- For use on flowers, ornamental plants, and houseplants.
- No mixing, no mess

EPA Rea, No. 88760-12-4 EPA Est. No. 4-NY-1

©Bonide Products, LLC All Rights Reserved Bonide Products, LLC 6301 Sutliff Road Oriskany, NY 13424 (860) 536-8231

BN

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT Shake Well Before Use

GENERAL INFORMATION

This product is a ready to use spray. Shake well before using. This product controls listed insects on contact or by ingestion. The product acts on insects by way of repellence, antifeedant action and interference with the molting process. This product controls listed diseases by inhibiting mycelial fungal growth. The efficacy of this product is dependent on weather conditions, intensity of pest population, area of application, and physical stages of pests and crops.

CROP USES

This product may be used on bulbs, cucurbits, fruiting vegetables, leafy and brassica (cole) vegetables, legumes, root and tuber vegetables, small fruit and berries, citrus and tropical fruits, pome and stone fruits, tree nuts, herbs and spices, grass, lawn, and ornamentals

APPLICATION AND DRENCH DIRECTIONS

Apply this product as a foliar spray or as a soil drench to control listed pests. When applied as a soil drench, avoid excessive run-off. When using as a foliar application, ensure thorough coverage of plant surfaces, but avoid pooling or run off.

Avoid spraying under conditions of high humidity and high temperature (>90°F). To avoid potential leaf burn, apply the product in early morning or late evening. Always test the product on a small portion of plants for compatibility before treating the entire olants.

(1) To Control Insects or Mites: Apply this product at the first sight of insects/mites in a 7-10 day interval. For heavy insect populations, apply in a 7 day interval. This product is most effective when applied before insects or eggs are present in large numbers. (2) To Control Diseases: This product is most effective in controlling diseases when applied as a preventative before the diseases are present. Apply the product to cover all the plant tissue in a 10-14 day interval.

(3) To Control Nematodes and For Soil Use: Apply to achieve a complete coverage of the oil with a 10-14 day interval.

PESTS

This product may be used to control a variety of insects and diseases listed below

Aphids such as: Cotton Aphid, Cowpea Aphid, Pea Aphid, Green Peach Aphid

Beetles such as: Cucumber Beetle, Japanese Beetle, Spotted Cucumber Beetle

Borers such as: Peachtree Borers, Peach Twig Borers Caterpillar/Moths/Worms such as: Armyworms, Budworms, Cutworms, Diamondback Moth ,Gypsy Moth, Leafrollers Loopers, Naval Orange Worm

Grasshoppers such as: Carolina Grasshopper. Rice

Grasshopper

Flies/Gnats such as: Fruit Fly, Fungus Gnat, Walnut Husk Fly Leafhoppers such as: Grape Leafhopper, Potato Leafhopper Leafminer such as: Citrus Leafminer, Tomato Leafminer, Veoetable Leafminer

Maggots/Grubs such as: Onion Maggots, Apple Maggots
Mealy Bugs such as: Citrus Mealy Bug

Mites such as: Pacific Spider Mites, Red Spider Mite, Spider Mites, Two Spotted Spider Mite

Psyllids such as: Asian Citrus Psyllid, Pear Psyllid, Potato Psyllid
Scales such as: California Red Scale. Coffee Green Scale.

San Jose Scale, Soft Scale Thrips such as: Flower Thrip, Grape Thrip, Onion Thrip,

Thrips such as: Flower Thrip, Grape Thrip, Onion Thrip Western Flower Thrip

True Plant Bugs such as: Lygus Bug Phylloxera, Spittle Bug Stink Bug, Tomato Stink Bug Weevils such as: Black Vine Weevil, Boll Weevil , Pepper

Weevil
Wireworms such as: Field/Wheat Wireworm

Whiteflies such as: Cotton Whitefly, Silverleaf Whitefly, Greenhouse Whitefly

Foliar Fungal Diseases

Alternaria, Anthracnose, Blight (early, late, leaf), Botrytis, Black Soot, Brown rot or fruit rot, Downey Mildew, Molds, Powdery Mildew, Rust, Scab, Stem Mildew, Southern Blight, Sour Rot Granes

Soil Fungal Diseases

Fusarium Oxysporum, Pythium, Rhizoctonia Solani

Nematodes such as: Dagger Nematode, Reniform Nematode, Soybean Cyst Nematode, Lance Nematode, Root Knot

Nematode, Sting Nematode, Lesion Nematode

STORAGE AND DISPOSAL

Store in room temperature (>72°F) where possible. Do not store this product above 104°F for extended periods of time. Avoid storing below 35°F to prevent freezing. Store out of reach of children and pets and away from direct sunlight, windows, flames and other sources of heat or ignitions. Nonrefillable container. Do not reuse or refill this container. If empty. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

WARRANTY

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not filmled to warranties of merchantability and filmess for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, better to consistent with applicable law, Seller's liability or default, of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call National Pesticide Information Center at 1-800-858-7378



CAPTAIN JACK'S™ NEEM MAX FOR HOUSEPLANTS

KEEP OUT OF REACH OF CHILDREN

See label booklet for additional precautionary statements, directions for use, storage and disposal statements.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

STORAGE AND DISPOSAL

Store in room temperature (>72°F) where possible. Do not store this product above 104°F for extended periods of time. Avoid storing below 35°F to prevent freezing. Store out of reach of children and pets and away from direct sunlight, windows, flames and other sources of heat or ignitions. Nonrefillable container. Do not reuse or refill this container. If empty. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call National Pesticide Information Center at 1-800-858-7378

Distributed By: Bonide Products, LLC 6301 Sutliff Road Oriskany, NY 13424 (800) 536-8231 All R