

Ready to Use

Controls Mites, Thrips & Aphids

Safe, effective results from botanical extracts

ACTIVE INGREDIENTS: Cottonseed Oil 0.40% Clove Oil 0.20%

Garlic Oil 0.10% *Inert Ingredients: . .99.30%

*Inert ingredients: Lauric acid, Oleic acid, Sodium bicarbonate

and Water.

Ideal for bouseplants

Keep Out Of Reach Of Children CAUTION (See Back Panel for Additional Precautionary Statements) Net Contents 12 FL. OZ. (354.88 ML)

MITE-X READY TO USE

- Made from plants and plant extracts
- Safe, effective results from botanical extracts.
- Safe for use in and around the home
- Indoor and Outdoor use
- Controls mites, thrips & aphids
- Can be used on Houseplants, Herbs, Spices, Ornamentals, Greenhouse plants, Interior plants.
- Pleasant odor

Store and transport in an upright position. Buyers Guarantee Limited to Label Claims ©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 (315)736-7582

Family made in America





Bonide Mite-X Ready to Use is a pesticide for use in controlling Mites, Thrips and Aphids. Pests must come in contact with Mite-X in order to be affected. This product is exempt from registration with the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the Environmental Protection Agency. Bonide represents that the ingredients qualify for exemption from registration under FIFRA.

Bonide Mite-X will control the following mites/insects:

Mites - (including, but not limited to) Bulb mite, Cyclamen



mite. Strawberry spider mite. Pacific spider mite. European red mite, Texas Six-spotted spider mite, Two-spotted spider mite, Spruce spider mite, Southern red mite. Willamette Mite. Persea mite. Rust mite. Silver mite.

1/50 inch



1/25 inch

Aphids - (including, but not limited to) Asparagus aphid.



Bean aphid, Brown Ambrosia aphid, Buckthorn aphid, Cabbage or Turnip aphid, Green Peach aphid. Honevsuckle aphid. Leafcurl Plum aphid. Lettuce Root aphid, Melon aphid, Onion aphid, Pea aphid. Potato aphid. Tulip aphid.

1/16-1/8 inch

FOR HOUSEPLANTS, ORNAMENTALS, FLOWERS. AND ROSES:

SHAKE WELL BEFORE USING

Begin applying Mite-X as soon as insects appear, spraying directly on insects wherever possible. As a spot treatment, apply to cover both the upper and lower leaf surfaces to the point of

FOR HOUSEPLANTS, ORNAMENTALS, FLOWERS, AND ROSES Cont.:

runoff (product begins to drip off of leaf surfaces). Repeat treatment as needed to maintain insect control. Can be used on ornamental planting such as: (including, but not limited to)

HOUSEPLANTS/ORNAMENTALS

Ageratum, aluminum plant, arrowhead vine, aster, azalea, Baby's Tears, begonia, black-eyed Susan, bridal veil, broadleaf acacia, calendula, camations, Christmas cactus, chrysanthemum, coleus, daisy, daphne, dracaena, dumbcane, Easter Illy, fatshedera, ferns: asparagus, Boston, sword; ficus, fuchsia, gardenia, geranium, heliotrope, hibiscus, hoya, ice plant, inch plant, ivy. German, grape, Swedish, English; marigold, Moses in Cradle, nasturtium, nephthytis, palms, pansy, peperomia, petunia, philodendron, piggy-back plant, poinsettia, pothos, prayer plant, purple waffles, roses, rubber plant, salvia, sedum, shamrock, snake plant, snapdragon, Star-of-Bethlehem, verbena. wandering Jew. wax plant, zebra plant, ziniae.

FLOWERS

Ageratum, Allium, Artemisia, Aster, Astilbe, Baby's Breath, Balloon Flower, Bee Balm, Begonia, Bittersweet, Blasch, eyed Susan, Bleeding Heart, Calla Lily, Candytuft, Canna Lily, Caster Bean, Catmint, Chrysanthemum, Cockscomb, Colchicum, Coleus, Columbine, Coneflower, Coral Bells, Coreopsis, Cosmos, Crocus, Daffodil, Dahlia, Daisy, Daylily, Delphinium, Dusty Miller, Foxglove, Fritilaria, Geranium, Gladiola, Globe Amaranth, Hollyhock, Hosta, Hyacinth, Impatiens, Iris, Larkspur, Lenten Rose, Lily, Marigold, Nicotiana, Pansy, Paper Whites, Peony, Petunias, Phlox, Pink, Dianthus, Poppy, Primrose, Salvia, Santolina, Sedum, Shasta, Daisy, Snapdragon, Snow Drops, Straw Flower, Sunflowers, Sweet Alyssum, Tulip, Violet, Yarrow, Zinnia.

HELPFUL TIPS WHEN USING THIS PRODUCT:

- · Begin using this product as soon as insects are present.
- · Spray directly onto insects.
- Thorough spray coverage provides best insect control.
- · For severe insect infestation, rotate between an alternative

HELPFUL TIPS WHEN USING THIS PRODUCT Cont .:

product like Bonide Eight Insect Control and Mite-X every other application.

- Do not apply to stressed, wilted or newly transplanted plants.
- Mite-X has not been used on all plants under all conditions. Some injury may occur to some plants at sensitive stages of growth. Open blooms of some plants can also be damaged. Before applying to a large number of plants, test Mite-X first. on one or two plants for potential damage.

STORAGE & DISPOSAL

Store in a cool dry area inaccessible to children or pets. Store and transport in an upright position. Disposal if empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment. If Swallowed | Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an

unconscious person. PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals Caution: Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Environmental Hazards: Do not apply this product directly to water.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. For information of pesticide products (including health concerns, medical emergencies) call the National Pesticide Information Center at 1-800-858-7378.