



CONSEQUENCE™

SOLUBLE CONCENTRATE
Fungicide/Nematicide/Bactericide

READ THE LABEL BEFORE USING THE PRODUCT.

FOR USE ON ALL FOOD AND NONFOOD CROPS

For use in the field, greenhouse, shadehouse, interiorscape, nursery, packaging house or environmental controlled areas.

For use on outdoor food crops, indoor plants, turfgrass, outdoor shrubs, trees and ornamentals.

Consequence contains chitosan which is an elicitor that induces systemic acquired resistance (SAR inducer) and leads to biosynthesis/production of key defense molecules within the plant. Consequence boosts plant's ability to defend against fungal pathogens, nematodes, and pathogenic bacteria.

Active Ingredients: Chitosan 5.0%
Other Ingredient(s): Water, citric acid 95.0%
Total: 100.0%

MANUFACTURED BY

Impello Biosciences, Inc., 815 14th Street SW, Suite A160,
Loveland, CO 80537 USA 720-772-9767

NET CONTENTS: 1 gallon (3.785L)

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If in eyes	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information and chemical emergency assistance.

This product is exempt from registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) Section 25(b).

Approved for use on low-THC cannabis or medical marijuana.

PRECAUTIONARY STATEMENTS

CAUTION. May cause eye and skin irritation. Avoid contact with skin and eyes. Wear safety glasses or goggles and chemical-resistant gloves when mixing or handling product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS: Not for aquatic use. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

APPLICATION INSTRUCTIONS

When used as directed, Consequence may boost a plant's immune system enabling it to defend itself from pests and diseases. Consequence may be applied as a foliar spray, aerial application, drench, dip, in-furrow or can be applied via chemigation methods (such as center pivot, drip/trickle, sprinkler, etc.).

The product can be applied to crops at any time during the growing season including preplant, preemergence, post-emergence, and in-season, up to and including the day of harvest. It can be used on all indoor and outdoor crops against nematodes, pathogenic bacteria and fungi, and some viruses.

Apply Consequence throughout the growing season from early spring to late fall on all indoor and outdoor crops. **GROUND APPLICATION:** Apply with a minimum of 10 gallons of water per acre. Use sufficient volume for thorough and uniform crop coverage.

SOIL APPLICATION: Apply at any time during the growing season (pre or post plant). Applications may be either broadcast over an entire field, in-furrow or banded into planting rows.

AERIAL APPLICATION: Apply a minimum of 5 gallons per acre of diluted product. Avoid applications when excessive drift may occur or insufficient crop coverage. **There is no REI (Restricted Entry Interval) or PHI (Pre-harvest Interval) for this product.**

Target Pests Suppressed:

Soil diseases: All species within the following fungal genera: *Fusarium*, *Phytophthora*, *Pythium*, *Rhizoctonia*, *Sclerotinia*, and *Verticillium*.

Foliar diseases: All species within the following phytopathogenic microbial genera: *Alternaria*, *Botrytis*, *Colletotrichum*, *Monilinia*, *Pseudomonas*, and *Rhizopus*. In addition to the following diseases: Brown Rot, Canker, Downy Mildew, Fire Blight, Powdery Mildew, Red Leaf Blotch, Sooty Mold, and Spur Blight.

Nematodes: Citrus nematode, Reniform nematode, Root-knot nematode, Root-lesion nematode, Stem nematode, and Sting nematode.

Viruses: Potato Virus X and Mosaic Virus.

MIXING INSTRUCTIONS

Consequence dilutes easily and does not require agitation to keep suspended in a solution. Consequence is compatible with most chemical fungicides, insecticides and fertilizers; however it is recommended to avoid mixing with copper or sulfur-based products. **SHAKE WELL BEFORE USE.** Fill the application tank with half the volume of water. Add the ideally pre-diluted amount to the tank while maintaining agitation. Fill in the remaining amount of water and apply immediately. Do not hold the mixture for a long time without stirring. Clean the spray tank after use. Consequence is compatible with most fertilizers and crop inputs but always jar-test first. Always do a small jar test prior to tank mixing with other products. For optimal performance, maintain acid conditions of the tank mix (pH <6).

DIRECTIONS FOR USE

Apply initial application prior to onset of disease season or at any time during the season. Use higher rates and the shortest interval when disease pressure is high.

Application	Application Type	Application Rate	Frequency
Pre-plant Dip	Dip	8 fl. oz./ 100 gallons	1 application
Seed Treatment	Slurry	4 - 36 fl. oz. per 100 lbs. seed	1 application
Greenhouse, Nursery and Controlled Environments	Foliar and/or Drench	8 - 24 fl. oz./ 100 gallons	Every 7 - 14 days
Field Crops	Foliar, Aerial, Drench, In-Furrow, or Chemigation	0.5 - 1.5 gals./ acre	Every 7 - 14 days
Turf	Foliar, Drench, or Chemigation	8 - 12 fl. oz./ 1000 sq. ft.	Every 2 to 8 weeks throughout the season

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in the original container in a cool, dry area away from children and pets. **CONTAINER DISPOSAL:** Do not reuse empty container. If empty: Offer for recycling if available or discard in a sanitary landfill. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY

The recommendations and information provided on the label are the result of extensive and rigorous studies and tests. However, numerous factors beyond our control may occur during use (preparations of the mixtures, application, weather conditions, product expiration, etc.). The company guarantees composition, formulation and contents within stated storage conditions and product expiration date. The user is responsible for the damage caused (lack of effectiveness, toxicity in general, waste products, etc.) due to total or partial nonobservance of the instructions of the label.

Expiration Date: 2 years from Manufacture Date

Manufactured Date: Printed on the Container.

Batch Number: Printed on the Container.

090925 v1