# **SMITE**

- NON-TOXIC
- SUPREME QUALITY
- ENVIRONMENTALLY SAFE

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Precautionary Statements

#### MANUFACTURED BY

Supreme Growers LLC, 57 Cool Springs Road, Signal Mountain, TN 37377 • (423) 803-2500

SUPREMEGROWERS® SUPREME GROWERS LLC. ©Copyright 2010-2018

NET CONTENTS: 32 fl. oz. (946 mL)

# **Ready To Use**

# SHAKE OR MIX THOROUGHLY!

#### NATURAL PLANT OILS FOR THE CONTROL OF SPIDER MITE INFESTATIONS

SMITE is extremely effective and kills naturally. It contains oils produced by coldpressed extraction of naturally grown Geranium, Peppermint, Cottonseed, and Rosemary. Under warm conditions, SMITE will naturally biodegrade leaving minimal residue.

Spider mites are known to feed on several hundred species of plants. A single mature female can spawn a million mites in one month. Their accelerated reproductive rates allow spider mites to adapt quickly and develop resistance to normal pesticides. SMITE kills by blocking the breathing holes, resulting in death by suffocation. SMITE causes reproductive disruption among female spider mites not initially contacted by the spray. This leads to infertility, eggs that do not hatch or mites that do not develop to an adult stage.

- Effective against all spider mites and on any crop, lawn, ornamental, or turf.
- Tested on *Tetranychus Urticae*, which attacks beans, corn, peppers, potatoes, strawberries, tomatoes, and ornamentals such as roses.
- Effective for spider mite control, broadly recommended, and used in various fields, such as forestry, horticulture, lawn care, and organic farming.

## **FIRST AID**

IF SWALLOWED • Call a poison control center or doctor immediately for treatment advice. . Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. IF INHALED • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth to mouth if possible. • Call a poison control center or doctor for further treatment advice. IF IN EYES . Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. • Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING Take off contaminated clothing.
Rinse skin imme-diately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment. HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222

## **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

This product has not been registered by the United States Environmental Protection Agency. Supreme Growers represents that this product qualifies for exemption from registration under FIFRA 25(b).

SL25b07S REV042418

## Ready To Use

#### ACTIVE INGREDIENTS:

Geraniol	0.06000%
Peppermint oil	
Cottonseed oil	0.00020%
Rosemary oil	0.00002%
OTHER INGREDIENTS:*	
TOTAL:	100.00000%
*Water, Canola Oil, Polyoxyethylene Lauryl Ether	

### DIRECTIONS FOR USE SHAKE THOROUGHLY BEFORE USE!

#### For use only as a foliar spray!

Evenly apply SMITE to the top and underside of the leaves until all foliage is saturated. Start from the lowest part of the canopy and move to the top until all foliage is evenly coated.

**Phytotoxicity:** Plants may be sensitive to this product. Always test a small area on a plant before making a broad application.

Preparation: SMITE ready to use has been pre-mixed for your convenience. Shake vigorously before use.

Application: For optimum results, shake and mix vigorously, apply during the early morning or after peak sunlight and before sundown. Do not use in direct sunlight or infesse artificial lighting. Spray directly on infested foliage. Apply until all foliage is evenly covered. Apply to infested area every 5-7 days until infestation is controlled. Apply SMITE every 10-14 days to prevent insect infestation.

