

PRODUCT NAME: **WATERWORKS SP-400** (INTENDED USE) ENVIRONMENTAL LIQUIDS CONTROL**U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OSHA****SAFETY DATA SHEET**

May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.
Standard must be consulted for specific requirement

SECTION 1**MANUFACTURER'S INFORMATION**

Manufacturers Name & Address

WaterWorks America, LLC
Crown Centre
Suite 600
5005 Rockside Rd.
Independence, Ohio 44131

24 Hour Emergency Telephone Number
(440) 526-4815Information Telephone Number
(440) 526-4815Fax Number (24 Hour)
(440) 526-4907E Mail wwa@1water.com**SECTION II HAZARDOUS INGREDIENTS / IDENTITY INFORMATION**

Hazardous Components : Paints, Solvents, Carcinogens

NONE

Alloys and Metals %

NONE

Hazardous mixtures of other liquids, solids, or gases

NONE

Others %

NONE

Chemical Name & Synonyms

Acyclic acrylic/ acrylate co-polymer

Trade Name

WaterWorks Crystal® SP-400

Chemical Family

Anionic acrylic acrylate

CAS #

Acrylic 52% Acrylate 44% Water 3% 1% Proprietary
(contains nothing to change composition of material)

NFPA/HMIS:

D.O.T. Class

EPA Registration

Health - 0, Fire -1 non combustible, Reactivity - 0

Not Regulated**Not Required**

Specific Hazards

NONE**SECTION III****HAZARD IDENTIFICATION****NON HAZARDOUS**

PRODUCT NAME: **WATERWORKS SP-400** (INTENDED USE) ENVIRONMENTAL LIQUIDS CONTROL**U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OSHA****SAFETY DATA SHEET**

May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.
Standard must be consulted for specific requirements.

SECTION IV PHYSICAL DATA/ CHEMICAL CHARACTERISTICS

Physical form	Granular	Color	Off White	Odor	Mild
Boiling Point	N.A.	pH	7.0	Vapor Pres.	N.A.
Vapor Density	N.A.	Solubility in Water	Insoluble	Size	Mixture 400- 800 Microns

SECTION V FIRE AND EXPLOSION HAZARD DATA

Flash Point	N A.
Upper Explosion Limit (UEL)	N.A.
Lower Explosion Limit (LEL)	N.A.
Fire Hazard Classification OSHA/NFPA	NON COMBUSTIBLE
Extinguishing Media	This material will only burn after water has been driven off; then for dry polymer use water, dry, foam, or CO2
Special Fire Fighting Procedures	NONE- Material does not burn.
Unusual Fire and Explosion Hazards	If dried polymer burns H2O, CO2, and CO are produced

SECTION VI REACTIVITY DATA

Stability	STABLE
Conditions to Avoid	None Known
Incompatibility	Strong Oxidizers
Hazardous Decomposition	WILL NOT OCCUR
By products of thermal decomposition	CO, CO2, Water
Hazardous Polymerization	WILL NOT OCCUR
Other Reactivity Data	None Known

SECTION VII HEALTH HAZARD DATA

OSHA SUBSTANCE CONTROL COMPONENTS	NONE
TSCA TOXIC SUBSTANCE CONTROL ACT 12(b)	NONE
WHMIS HAZARD CLASSIFICATION	NONE
CARCINOGENICITY	NONE ESTABLISHED
OSHA REGULATED	NOT REGULATED
EPA SARA TITLE III (40CFR372) HAZARD CLASS	NONE
SIGNS AND SYMPTOMS OF EXPOSURE	NONE UNDER NORMAL USE
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE	NONE KNOWN
HEALTH HAZARDS	THERE ARE NO KNOWN HEALTH HAZARDS

PRODUCT NAME: **WATERWORKS SP- 400** (INTENDED USE) ENVIRONMENTAL LIQUIDS CONTROL

**U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OSHA**

SAFETY DATA SHEET

May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.
Standard must be consulted for specific requirements.

Section VIII

SPILL OR LEAK PROCEDURES

Steps to be taken in case this material
is released or spilled

THIS MATERIAL IS FOR USE OUT
DOORS. STOP LEAK IF POSSIBLE
Wipe up and wash with soap and water.

VENTILATE SPACE INVOLVED

Clean up Procedures

This material is EXTREMELY slippery. Use
caution and do not step into emulsion
as there is a danger of slips or falls.

Use dry absorbent or flush area thoroughly
with copious amounts of water. Dispose
of absorbed material in normal appropriate
waste landfill disposal site.

Other Emergency Advice

Use gloves to handle emulsion. Remove
any saturated clothing, and wash. If
exposed on skin wash with soap and water.

SECTION IX

FIRE SAFETY MEASURES

NON COMBUSTIBLE NON EXPLOSIVE

PRODUCT NAME: **WATERWORKS SP- 400** (INTENDED USE) ENVIRONMENTAL LIQUIDS CONTROL

**U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OSHA**

SAFETY DATA SHEET

May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.
Standard must be consulted for specific requirements.

SECTION X STABILITY AND REACTIVITY

Stable non corrosive, non hazardous

SECTION XI TOXICOLOGICAL INFORMATION

Eye irritant May cause slight skin irritation, Wash with soap and water.

SECTION XII ECOLOGIC INFORMATION

NO APPLICABLE DATA

SECTION XIII DISPOSAL

Dispose of per local regulation for non hazardous material

SECTION XIV TRANSPORTATION

D.O.T. HAZARD CLASSIFICATION: NONE NOT REGULATED

PRODUCT NAME: **WATERWORKS SP- 400** (INTENDED USE) ENVIRONMENTAL LIQUIDS CONTROL**U.S. DEPARTMENT OF LABOR
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OSHA****SAFETY DATA SHEET**

May be used to comply with OSHA'S Hazard Communication Standard, 29 CFR 1910.1200.
Standard must be consulted for specific requirements.

SECTION XV**REGULATIONS**

HAZARDOUS SUBSTANCE PER 40 CFR116:	NONE
D.O.T. PLACARDS:	NONE REQUIRED
POISON CONSTITUENT PER 40 CFR173:	NONE
UN/NA CODE:	NOT APPLICABLE
OSHA HAZARD CLASS:	NO OSHA HAZARDOUS PER 20CFR1910
EPA SARA TITLE III:	NONE

NOT RESTRICTED FOR INTERNATIONAL ROAD, AIR, SEA TRANSPORT (NO IATA #)**SECTION XVI****GENERAL FIRST AID**

Respiratory	Avoid breathing. Use in well ventilated area. Nothing required under normal use.
Eye Protection	Use of safety goggles recommended.
Eye Contact	Rinse immediately with water & drops.
Skin Contact	Use Rubber gloves. Wash immediately with soap and large amounts of water.
Ingestion	Call Physician. Induce vomiting. Remove stomach contents through gastric suction. Never give anything by mouth to an unconscious person.
Work/ Hygienic Practices	Use good housekeeping practices
Other Precautions	None Known