eem Fungicide Miticide Insecticide

TRUSTED SINCE 1926 BONIDE

3 garden products in one

Concentrate \

Controls blackspot, powdery mildew, rust, spider mites, aphids, whiteflies & other insect pests


For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts and vegetables

ACTIVE INGREDIENT:

TOTAL: EPA Est No. 4-NY-1 EPA Reg. No. 70051-2-4

Keep Out Of Reach Of Children
CAUTION (See back booklet for additional
Precautionary Statements and First Aid)

Net Contents 16 FL OZ (473 ML)





Veem O Fungicide Miticide Insecticide Concentrate

- ✓ Stops powdery mildew in 24 hours
- ✓ For use in and around the home and home garden
- ✓ Can be used up to day of harvest
- ✓ For Organic Gardening

For use in and around the home and home garden. EPA Reg. No. 70051-2-4

EPA Est. No. 4-NY-1

©Bonide Products, Inc. All Rights Reserved

Distributed by Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

BN

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. GENERAL INFORMATION Defends your roses against insects, diseases, and mites.

DIRECTIONS FOR USE

· Do not add adjuvants (spreaders, stickers, extenders, etc.) to this product. Stops powdery mildew in 24 hours. · Kills eggs, larvae and adult insects.

 Shake well before using. · Prevents and controls black spot on roses, anthracnose, rust and powdery mildew.

 Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment. May also be used as a dormant or delayed dormant spray to

control overwintering eggs of various insects on fruit and shade trees, shrubs, roses, and other ornamentals and vegetables.

Spray to visibly wet or until all plant surfaces are completely wet. · Do not apply to known sensitive plant species, such as

impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties

without prior testing.

potential for leaf burn. Use with care on plants with tender tissue. Check for leaf burn in small scale trials prior to use. Can be used as a leaf polish on hardy plants.

· As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the

FUNGICIDE USE For use on Fruits, Vegetables, Herbs, Spices, Roses,

Houseplants, Flowers, Trees and Shrubs, Home Lawns,

Management of Turf Diseases

This product may be used on all turf such as Kentucky bluegrass, perennial ryegrass, turf type tall fescue, Bermudagrass, Zovsia

grass, and St. Augustinegrass around the home. Refer to table for detailed application rates.

Concentration | Spray Interval Precautions Spray Target Snow Mold 1:100-1:500 14 days In Fall before first snow (1.0% - 0.2%)Dollar Spot 1:100-1:200 7-14 davs At first sign of (1.0% - 0.5%)disease Brown Patch 1:100-1:200 7-14 days At first sign of (1.0% - 0.5%)disease **Application Instructions** This product is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew. black spot, downy mildew, anthracnose, rust, leaf spot, botrytis,

needle rust, scab and flower, twig and tip blight, and alternaria. As a preventative, apply this product on a 7 to 14 day schedule until disease development is no longer present. To control disease already present, apply this product on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent

rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue

applications until disease pressure no longer exists.

per gallon of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray. **INSECTICIDE/MITICIDE USE**

Mixing Instructions Mix this product at the rate of 2 tablespoons (1 fluid ounce)

For use on Fruits, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees and Shrubs. **Application Instructions**

Apply this product at first sign of insects/mites. For control of

aphids, spider mites, scale, whiteflies, beetles, leafrollers, and other insect pests. This product is most effective when applied

every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

Mixing Instructions

Frequently mix solution as you spray.

Mix this product at the rate of 2 - 4 tablespoons (1 - 2 fluid ounces) per gallon of water. Thoroughly mix solution and spray all plant surfaces (including underside of leaves) until completely wet.

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing. Pesticide Disposal and Container Handling: If empty - Non-

STORAGE AND DISPOSAL

refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID If on skin Take off contaminated clothing. Rinse skin or clothing: immediately with plenty of water for 15-20 minutes. Hold eye open and rinse slowly and gently with If in eyes:

water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice.

a poison control center or doctor, or going for treatment.

National Pesticide Information Center: 1-800-858-7378.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate

eve irritation. Avoid contact with skin, eves or clothing, Wash

FIRST AID Cont.

Have the product container or label with you when calling

thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind

environment, do not allow pesticide to enter or full of into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Do not apply this product while bees are actively visiting the treatment area. WARRANTY

BEE HAZARD
This product is toxic to bees exposed to direct treatment.

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's

purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.