

FALL/WINTER 2026

ARBICO *organics*

Time to Plant for Your Fall and Winter Harvest

Expert Organic Solutions for Garden, Farm & Home



ARBICO 
organics
Serving Growers Since 1979.

EVERYTHING YOU NEED TO GET STARTED



ARBICO Organics® Potted Plant Pest Pack!



The Perfect Bundle To Tackle Pesky Indoor Pests.

TARGET: Mosquitoes, Fungus Gnats (*Bradysia impatiens*) Larvae, Fruit Flies (*Drasophylla*), and Thrips

DESCRIPTION: This effective kit is as easy as 1-2-3! Trap and monitor adult pests with **ARBICO Organics Yellow Pest Traps**. Brew a batch of **Mosquito Bits** to kill larvae and finally water in the **NemAttack Beads** *Steinernema feltiae* to protect your potted house plants from indoor pests. The Beneficial Nematode beads can even be watered into the soil with your Mosquito Bits "tea"!

SUGGESTED USE: Use Yellow insect traps to lure, trap and monitor insect pests in your home by placing them in or around your potted plants. Use Mosquito Bits to control fungus gnat larvae present in the soil by mixing the granules with water, allowing them to soak, and then applying the treated water directly to soil. NemaAttack Beads are dissolvable, apply to the soil surface and water them to release the Beneficial Nematodes.

3003425	Pack for 25 Plants	\$63.36
3003450	Pack for 50 Plants	\$98.38

Alaska requires a ship quote. Call for information.

Garden Maker Seed Saving Kit



Save & Share Seeds Season After Season With This Handmade Bundle.

1275245	Case, 8 tins, 8 envelopes, stakes and guide	\$40.00
----------------	---	----------------

ARBICO Organics® Root Build 240



Beneficial Mycorrhizal Fungi Help Grow Healthier Plants That More Efficiently Use Nutrients and Water.

1135001	1 oz.	\$9.00
1135002	2 oz.	\$12.50

iHORT QPlug® Propagation Kit

All You Need To Get Growing In One Package - Just Add Clones, Seedlings Or Transplants.

1430055	Propagation Kit	\$21.43
1135002	50 ct. Refill Bag (40/40 Q-Plugs)	\$20.69

SOLUTIONS FOR HEALTHY INDOOR HOUSEPLANTS



Humane Indoor Organic Fertilizer Capsules

OMRI Listed. Convenient Fertilizer Capsules For Your Indoor Plants.

1305530	Indoor Houseplant – 18pk	\$20.00
1305530	Indoor Cactus and Succulent – 18pk	\$20.00

Humane Premium Organic Fertilizer Shakers

OMRI Listed. Premium Slow-Release Fertilizer In A Convenient Shaker.

1305533	Bloom Boom 1.25 lb. shaker	\$20.00
1305532	Best In Show 1.25 lb. shaker	\$20.00

WaterWorks Crystals®

Reduce Your Watering By As Much As 75%.

2000660	3 oz. Package	\$2.99
---------	---------------	--------



Monterey Houseplant Disease Control

OMRI Listed. A Biofungicide/Bactericide in a Ready-To-Use Formula.

1455160	16 oz. RTU	\$11.99
---------	------------	---------

Dr. Earth® Final Stop® House Plant Insect Killer

OMRI Listed. Potent Insect Killer For Houseplants.

1459362	12 oz.	\$8.99
---------	--------	--------

Tank's House Plant Potting Mix

A High-Quality Mix for Healthy Houseplants.

1305519	Quart Bag	\$8.99
1305518	16 Quart Bag	\$11.99



Shop these gifts and more at
www.arbico-organics.com

PREDATORY INSECTS

Powerful generalist predators target a wide range of pest insects-stopping infestations before they start.

POWERFUL RESULTS

Two-Spotted Lady Beetle



Adalia delivers powerful, natural pest control you can trust.

This voracious predator targets aphids at every stage, with both adults and larvae feeding aggressively to keep infestations under control. Ideal for greenhouses, gardens, and field crops, providing fast, effective protection—without chemicals. Easy to apply. *Adalia* supports healthier plants, stronger yields, and a more sustainable approach to pest management.

Two-Spotted Lady Beetle - *Adalia bipunctata*



Rapid Aphid Knockdown for Active Infestations.

TARGET: All species of aphid in greenhouse, nursery, and field crops.

DESCRIPTION: When aphid populations escalate quickly, the two-spotted lady beetle delivers aggressive, curative control where it is needed most. Both larvae and adults actively predate in aphid colonies, consuming large numbers of aphids and establishing reproduction directly within infestation zones. Adults continue feeding and laying eggs for several weeks when prey is abundant, allowing colonies to build rapidly, making *Adalia bipunctata* best suited for moderate to heavy aphid pressure and targeted hotspot control.

SUGGESTED USE: Open the container and distribute evenly across the crop canopy, either by gently shaking the bottle over foliage or by placing them into universal release boxes, ensuring the carrier material remains on the leaves. Apply *Adalia* as soon as possible after receipt, as limited food availability during transport can lead to cannibalism if release is delayed.

Temperature: ~54-86°F

1101225	≈ 250 Larvae	\$87.50
1101228	≈ 1,000 Larvae	\$300.00
1101230	≈ 100 Adults	\$70.00

Overnight Shipping Required

Minute Pirate Bug - *Orius insidiosus*

Excellent General Predator In Field Crops & Greenhouses.



TARGET: Thrips, whiteflies, spider mites, aphids, psyllids, small caterpillars, insect eggs and others.

DESCRIPTION: Minute Pirate Bugs (*Orius spp.*) also known as flower bugs, are one of the most common general predators in field crops. Their diet consists of a variety of small pests. They are also known to attack adult thrips.

SUGGESTED USE (Depending upon level of infestation): Sold as adults. For maintenance, release 1 to 2 *Orius* per plant in greenhouses or 1 to 4 *Orius* per plant in hot spot areas outdoors. When treating a serious whitefly, aphid, thrips or other pest infestation, we recommend releasing up to 500 *Orius* per 250 sq. ft. area. For field crops, we recommend releasing between 100 and 2,000 *Orius* per acre, depending on the level of infestation.

Temperature: 64-82°F

Relative Humidity: Moderate ~60%

1117001	≈500 Count	\$53.00
1117003	≈1,000 Count	\$88.00
1117004	≈2,000 Count	\$154.00

Overnight Shipping Required

Assassin Bug - *Zelus renardii*



These Voracious Ambush Predators Will Stay In Your Crops & Devour A Wide Variety Of Pest Insects!



TARGET: Leafhoppers, aphids, early instar caterpillars, flies, mites in conjunction with mite predators, and most other pests.

DESCRIPTION: These hardworking ambush predators are an excellent addition to any growing area, large or small. Feasting on a variety of pests, assassin bugs stay put in order to knock out an infestation. With an approximate two-month lifespan, these generalist predators will live, eat and reproduce in the area of release. *Zelus* start eating immediately after hatching, and by the second instar they produce a resin on their legs, which turns them into a walking sticky trap. Once captured, their prey is pierced with their rostrum and a digestive enzyme is injected into the prey and the insect is quickly killed. This method of predation allows for *Zelus* to take out prey much larger than themselves. These generalist predators are voracious and can be used efficiently in gardens, fields, orchards and greenhouses.

SUGGESTED USE (Depending upon level of infestation): Use 500 eggs in a 2,000-3,000 sq. ft. area every 2-3 weeks. Release preventively or at the first sign of an infestation. For heavy infestations, release 500-1,000 eggs weekly in no more than 2,000 square feet. Release 5-10 thousand eggs biweekly per acre. Shipped as eggs, assassin bugs will typically hatch in under a week.

Temperature: 55-110°F

Relative Humidity: 10-75%

1000105	≈250 Eggs	\$25.00
1000106	≈500 Eggs	\$40.00
1000107	≈1,000 Eggs	\$65.00

Larger sizes available.

*FREE SHIPPING in the contiguous 48 states. Ships Monday - Thursday via 2nd Day.



Affordable, early-intervention pest control works across temperatures—maximize protection, spend less.

A PEST-FIGHTING POWERHOUSE

Chrysoperla spp.



Green Lacewings are a smart, economical choice for controlling soft-bodied pests in gardens and greenhouses. Their larvae are powerful predators, feeding on aphids, thrips, whiteflies, leafhoppers, mealybugs, and pest moth eggs—helping stop infestations early. For best results, release preventatively and reintroduce throughout the growing season for consistent, natural control.

ADVANTAGES

- Thrives outdoors and in warmer temperatures
- Budget-friendly options ideal for home gardens
- Available as eggs, larvae, or adults for flexible, customized control

Green Lacewing - *Chrysoperla spp.*

Referred To As "Aphid-Lions," These Generalists Have Amazing Dispersal Abilities!

TARGET: Aphids, mealybugs, spider mites, leafhopper nymphs, moth eggs, scale thrips, whiteflies and more.

DESCRIPTION: Green lacewing are available in all three life stages: egg, larva and adult. Green lacewing larvae paralyze their prey with venom and then draw out the body fluids of the pest into their large hollow jaws. Each lacewing larva will devour 200 or more pests or pest eggs a week during their two to three week developmental period.

Temperature: Minimum: 60°F Best: 75-90°F **Relative Humidity:** 30-50%

Release Rate: Every 7-10 days

GREEN LACEWING EGGS:*

1110011	≈5,000 Eggs	\$27.00
1110016	≈10,000 Eggs	\$37.80
1110012	≈25,000 Eggs	\$75.00
1110013	≈50,000 Eggs	\$123.75
1110100	≈5,000 Eggs on Cards	\$30.00
1110102	≈10,000 Eggs on Cards	\$50.00
1110105	≈25,000 Eggs on Cards	\$100.00

GREEN LACEWING LARVAE:

1110005	≈400 Larvae in Hex Frame	\$28.00
1110010	≈1,000 Larvae in Bottle	\$30.50
1110030	≈5,000 Larvae in 5 Liter Bag	\$115.00
1110032	≈10,000 Larvae in Bucket	\$210.00

GREEN LACEWING ADULTS:

1110006	≈100 Adults	\$50.00
1110004	≈250 Adults	\$90.00
1110007	≈500 Adults	\$160.00
1110019	≈1,000 Adults	\$180.00

SUGGESTED USE (Depending upon level of infestation):


Eggs	Larvae
Gardens & Greenhouses	Gardens & Greenhouses
≈1k-2k Eggs/1,000 sq. ft.	≈2-4/sq. ft.
Farms	Farms
≈2,000-40,000/Acre	≈1,000-2,000/Acre
Adults	
Gardens & Greenhouses	Farms
≈1-3/sq. ft., 100/Tree	≈200-500/Acre

Weekly Programs and Discounts Available

Larvae & Adults Require OVERNIGHT Shipping

*FREE SHIPPING in the contiguous 48 United States. Quantities of 1,000-25,000 eggs ship via USPS Priority only. Quantities of 50,000-250,000 ship via FedEx 2nd Day Air only. Expedited shipping available for an additional fee.

FREE SHIPPING does not apply to Green Lacewing Adults, Green Lacewing Larval Frames and Green Lacewing Larvae.



APHID CONTROL

Look no further for high value crop control of aphids! These parasites and predators target only aphids.

Aphid Predator - *Aphidoletes aphidimyza*

This Dynamo Insect Feeds on Over 60 Species of Aphids, is a Voracious Feeder, Quickly Reducing Populations, Scouting Out New Invading Colonies.

TARGET: Over 60 different aphids, including green peach aphids (*Myzus persicae*) and hemlock woolly adelgid (*Adelges tsugae*).

DESCRIPTION: Predacious to aphids, these insects will inject a paralyzing toxin into pest's legs and feed on aphid body contents, causing eventual death.

SUGGESTED USE (Depending upon level of infestation): Apply to existing infestations weekly, until pests subside. Use ≈1-3/10 sq. ft., ≈2-3/10 sq. ft. or ≈4,500/acre.

Temperature: Warm 64-77°F

Relative Humidity: Moderate ≈70%

1101001	≈1,000 Pupae	\$60.00
1101002	≈1,000 Pupae in 4 x 250 Blister Packs	\$65.00
1101004	≈2,000 Pupae	\$90.00
1101005	≈10,000 Pupae	\$250.00

Overnight Shipping Required



Aphidoletes aphidimyza

Aphid Parasite - *Aphelinus abdominalis*

These Ravenous Predators Will Eat & Parasitize Aphid Nymphs!

TARGET: Aphids, including potato (*Macrosiphum euphorbiae*), foxglove (*Aulacorthum solani*), green peach (*Myzus persicae*), California laurel (*Euthoracaphis umbellulariae*), cotton (*Aphis gossypii*), melon (*Aphis gossypii*), bird cherry-oat (*Rhopalosiphum padi*), cereal (*Sitobion avenae*), and alfalfa aphids (*Acyrtosiphon pisum*).

DESCRIPTION: Not great fliers, these parasitic wasps nevertheless can hunt down and destroy large numbers of aphids. These predators will not only lay their eggs in aphid nymphs, they will eat those that they don't parasitize. This secondary method of killing has a powerful effect on the aphid population and provides females with additional protein to develop more eggs. As the larvae matures inside the nymph, they feed on it, turning it into a mummy. The parasites are shipped in this stage; simply place them where the infestation is. The mature adult will chew a hole in the back of the mummy and emerge. This species is better able to handle high temperatures than the *Aphidius* species.

SUGGESTED USE (Depending upon level of infestation): Apply before the onset of infestation. Use ≈250/5,000 sq. ft. or ≈1,000-4,000/acre.

Temperature: 70-77°F

Relative Humidity: Low-High ≈60-80%

1101101	≈250 Mummies	\$92.50
1101103	≈1,000 Mummies	\$245.00

Overnight Shipping Required



Aphelinus abdominalis

Aphid Parasite - *Aphidius ervi*

This Non-Stinging Parasitic Wasp Attacks Larger Aphid Species.

TARGET: Aphids, especially potato (*Macrosiphum euphorbiae*), glasshouse potato (*Aulacorthum solani*), green peach (*Myzus persicae*), foxglove (*Aulacorthum solani*) and pea aphids (*Acyrtosiphon pisum*). Also attacks greenbug/wheat (*Shizaphis graminum*), yellow rose (*Rhodobium orientis*), English grain (*Sitobion avenae*) and other aphids.

DESCRIPTION: These mini-wasps (1/8") are vigorous fliers and will aggressively seek out aphid populations, no matter how small. Once they find the aphids, they feed on the honeydew produced by the aphids and lay their eggs inside the aphid nymphs. As the larvae feed on the nymphs from the inside, the nymph turns into a mummy. The parasites are shipped to you this stage; simply place them where the infestation is. Once mature, the adult wasp will chew its way out of the mummy and begin its own search for aphids.

SUGGESTED USE (Depending upon level of infestation): Apply to existing infestations weekly, until pests subside. Use ≈1-3/10 sq. ft. or 1-8/sq. yd.

Temperature: 64-75°F

Relative Humidity: Moderate ≈70%

1001001	≈250 Mummies	\$65.00
1001002	≈500 Mummies	\$100.00
1001003	≈1,000 Mummies	\$150.00
1001004	≈1,000 Mummies in 10 x 100 Blister Packs	\$155.00
1001005	≈5,000 Mummies	\$550.00

Overnight Shipping Required



Photo by: Alex Wild
© Alex Wild

Aphid Parasite - *Aphidius colemani*

Exceptional In Greenhouses Producing Vegetables & Ornamentals.

TARGET: Aphids, especially melon and cotton aphids (*Aphis gossypii*).

DESCRIPTION: These tiny (1/8") parasitic wasps specifically target aphids to provide food and a place to oviposit. The adults respond to alarm signals from plants to locate the aphids and, once there, they feast on the honeydew produced by the aphids. The females will then lay their eggs inside aphid nymphs. The larvae will hatch and devour the aphid from inside, turning it into a mummy. The parasites are shipped to you in this stage; simply place them where the infestation is. Once mature, the adult wasp will chew its way out of the mummy and begin hunting aphids.

SUGGESTED USE (Depending upon level of infestation): Apply to existing infestations weekly, until pests subside. Use ≈1-8/1 sq. yd. or ≈500-3,000/acre.

Temperature: 70-77°F

Relative Humidity: High ≈80%

1101302	≈500 Mummies	\$43.00
1101301	≈1,000 Mummies	\$54.00
1101300	≈1,000 Mummies in 10 x 100 Blister Packs	\$56.00
1101303	≈5,000 Mummies	\$189.00
1101305	≈5,000 Mummies in 50 x 100 Blister Packs	\$195.00
1101304	≈10,000 Mummies (2 x 5,000)	\$340.00

Overnight Shipping Required



Aphidius colemani



Plan ahead to use whitefly control before infestations become severe.



Protect Your Plants from Destructive Whiteflies

1. Inspect new plants carefully before transplanting.
2. Clean foliage and root balls with soapy water or hydrogen peroxide to eliminate hitchhiking pests.
3. Track populations early using yellow sticky traps or ribbons.
4. Release Green Lacewings preventatively to stop outbreaks before they escalate.
5. Add specialist predators and parasites for targeted infestations.
6. For fast knockdown, use low-impact sprays such as *Beauveria bassiana* (see pages 27 and 30) or neem-based products (see page 28).
7. Sanitize tools, equipment, and greenhouse structures between growing seasons.

Shop Cleaning & Sanitizing solutions online at
www.arbico-organics.com

Whitefly Parasite - *Eretmocerus eremicus*

Better Adapted To Higher Temperatures, Including Temperatures That Fluctuate Day & Night! Good For Desert Climates.

TARGET: Greenhouse whiteflies (*Trialeurodes vaporarum*), sweet potato whiteflies (*Bemisia tabaci*), silverleaf whiteflies (*Bemisia argentifolii*), and banded-winged whiteflies (*T. abutiloneus*) and others.

DESCRIPTION: The whitefly parasite (parasitoid) is a tiny wasp that host feeds and parasitizes the scale (nymphs) of whiteflies. The time from egg laying to adult emergence is approximately 22 days. Can be used with Green Lacewings.

SUGGESTED USE (Depending upon level of infestation): For prevention: use 1,000/10,000 sq. ft. Light infestations: 1,000/1,000 sq. ft. Heavy infestations: use 5,000/1,000 sq. ft. Hang squares with parasitized pupae on plant foliage at first sign of infestation. Order weekly for approximately 2-6 weeks until control is achieved. Call to set up your customized weekly program.

Temperature: Moderate 62-82°F **Relative Humidity:** Minimum 40%

1000703 ≈5,000 in 20 x 250 Blister Packs **\$94.95**

Overnight Shipping Required



Whitefly Parasite - *Encarsia formosa*

Save Your Plants From The Ravages Of Destructive Whiteflies! Good For Greenhouses.

TARGET: Greenhouse whiteflies (*Trialeurodes vaporarum*), sweet potato whiteflies (*Bemisia tabaci*) and approximately 15 other species of whitefly.

DESCRIPTION: The whitefly parasite (parasitoid) is a tiny wasp that host feeds and parasitizes the scale (nymphs) of whiteflies. The time from egg laying to adult emergence is approx. 25 days. Can also be used with Green Lacewings.

SUGGESTED USE (Depending upon level of infestation): **For prevention:**

Use 500-1,000/15,000 sq. ft. **Light infestations:** (less than 1 adult whitefly per 50-100 plants) Use 1,000-2,000/5,000-10,000 sq. ft. for minimum of 3 weeks or until control is achieved. **Heavy infestations:** Use 3,000/3,500 sq. ft. for a minimum of 3 weeks or until control is achieved. Hang squares with parasitized pupae on plant foliage at first sign of infestation. Order weekly for approximately 2-6 weeks until control is achieved. Please call to set up your customized weekly program.

Temperature: Moderate 76-85°F **Relative Humidity:** Moderate ≈50-70%

1132001	≈1,000 Count	\$32.50
1132002	≈3,000 Count	\$46.00
1132003	≈5,000 Count	\$60.00

2nd Day Shipping Required

*FREE SHIPPING in the contiguous 48 states. Ships via 2nd Day Only. Ships only on Monday, Tuesday and Wednesday.



Whitefly Predator - *Delphastus catalinae*

These Tiny Brown Beetles Consume Several Hundred Pests Daily!

TARGET: Aphids, scale, thrips, and especially greenhouse and outdoor sweet potato whiteflies and other soft-bodied insect pests.

DESCRIPTION: Females lay ≈3-4 eggs daily and adults live for approximately one month. Adult beetles capture prey with their mandibles, inject paralyzing venom & feed on pest body fluids. Shipped as adults, they should be used at the first signs of infestation.

SUGGESTED USE (Depending upon level of infestation): Upon arrival, release at sundown. May be stored at temperatures between 50-60°F for 1-2 days. Can be combined with other whitefly parasites.

Temperature: Moderate 65-90°F **Relative Humidity:** High ≈70% & Higher

1126001	≈100 Count	\$50.00
1126003	≈200 Count	\$90.00
1126002	≈1,000 Count	\$215.00

Overnight Shipping Required



Fungus gnat predators control the damaging soil developing stage. Compatible with Beneficial Nematodes.



Stop Fungus Gnats at Every Stage

Protect plant roots with our start-to-finish fungus gnat IPM strategy.

1. Monitor populations with yellow sticky traps.
2. Reduce excess moisture—improve drainage and avoid standing water.
3. Increase airflow and prune plants for better circulation.
4. Prevent and treat infestations with *Bacillus thuringiensis israelensis* (Bti) (see page 23)
5. Apply NemAttack *Steinernema feltiae* Beneficial Nematodes to target larvae and thrips.
6. Introduce rove beetles (*Dalotia coriaria*) or long-term control of soil-dwelling pests.



Rove Beetle - *Dalotia coriaria* (= *Atheta coriaria*)

For Indoor Control Of Soil Dwelling Pests!

TARGET: Fungus gnats (sciarid flies), thrips and shore flies.

DESCRIPTION: "Rove beetles" will feed on small soil-dwelling pest larvae and eggs. Adults are a brown-black color, 3-4 mm long and winged. They are predacious in all stages and develop from egg to adult in about 21 days; passing through three larval instars prior to pupation and adulthood. Adults consume about 150 pest fungus gnat eggs per day. Compatible with *Stratiolaelaps scimitus* (= *Hypoaspis miles*). Winged adults have high dispersal and colonization rates and are not recommended for outdoor use.

SUGGESTED USE (Depending upon level of infestation): Use season-long, in covered crops such as ornamentals, cucumbers, strawberries and mushrooms. Apply directly to growing medium surface. Apply approx. 1-5 predators per sq. ft. For high infestation, increase application rate and consider pairing with another suitable predator or parasite like *S. scimitus*, beneficial nematodes, or specific mite predators.

Temperature: Moderate 55-80°F **Relative Humidity:** 50-80%

1101330	≈500 Adults	\$55.00
1101331	≈1,000 Adults	\$78.00
1101332	≈3,000 Adults	\$170.00
1101334	≈5,000 Adults	\$250.00

Overnight Shipping Required

Control Fungus Gnat Larvae Using *Bacillus thuringiensis israelensis* (Bti)

A powerhouse stand alone ingredient for larval control, Bti works by itself or as a perfect companion to predatory insects and beneficial nematodes.



For additional solutions, see page 23 or shop online.

Fungus Gnat Predator - *Stratiolaelaps scimitus* (= *Hypoaspis miles*)

Stop Destructive Fungus Gnats & Thrips In Their Developing Soil Stages.

TARGET: Fungus gnats, western flower thrips, springtails, mold mites, spider mites, cactus root mealybugs, strawberry root weevils and black vine root weevils.

DESCRIPTION: This tiny brown mite naturally inhabits the top layer of soil where larvae and pupae dwell. Female predatory mites lay their eggs in soil and the nymphs and adults feed on pests.

SUGGESTED USE (Depending upon level of infestation): ≈5,000-10,000 mites treat approximately 1,000 sq. ft. Release ≈25,000-50,000/acre depending on level of infestation. Apply weekly until infestation subsides. Weekly release programs available. Please Call. Trap adult infestations using Blue Sticky Traps. Reinforce with applications of beneficial nematodes.

Temperature: Moderate 60-74°F **Soil Conditions:** Moist soil. Not too damp.

1154000	≈12,500 Count	\$21.00
1154002	≈25,000 Count	\$30.00
1154005	≈50,000 (2 x 25,000)	\$50.00
1154010	≈125,000 in 5 Liter Bag	\$130.00

Overnight Shipping Required



THRIPS CONTROL

Use these targeted predators early to prevent plant damage. Compatible with Beneficial Nematodes.

Thrips & Whitefly Predator -

Amblyseius swirskii

For Use On A Variety Of Pest Mites, Thrips & Whiteflies.

TARGET: Western flower thrips, onion thrips, broad mites, hemp russet mites, glasshouse whiteflies, tobacco whiteflies or silverleaf whiteflies.

DESCRIPTION: These predacious mites feed on various pest insects in their developing adult stages, pollen and mold. They may consume about 10 thrips or whitefly larvae a day and up to about 20 whitefly eggs per day. They will not undergo diapause, and can be used in protected crops in cooler growing areas.

SUGGESTED USE (Depending upon level of infestation): Introduce before the onset of infestation, when temperatures are no lower than 60°F. Apply at a rate of 10 mites per sq. ft. every other week as needed, or apply continuous release sachets every 2-4 weeks. Use 1 sachet per plant, or 1 per 3 plants if canopy is touching. Use sachets on sticks during propagation or where canopy cannot support hooks. Not recommended for use on infestations in tomato crops.

Temperature: Moderate 77-85°F

Relative Humidity: 70%

BULK SIZES:

1101312	≈25,000 in Tube	\$68.00
1101319	≈50,000 in Tube	\$120.00
1101311	≈125,000 in 5 Liter Bag	\$240.00

CONTROLLED RELEASE:

1101317	≈50,000 in 200 Mini Sachets w/Hooks	\$140.00
1101308	≈62,500 in 250 Mini Sachets w/Hooks	\$170.00
1101318	≈62,500 in 500 Mini Sachets on Sticks	\$245.00
1101306	≈125,000 in 500 Mini Sachets w/Hooks	\$250.00
1101316	≈125,000 in 1,000 Mini Sachets w/Hooks	\$365.00
1101314	≈125,250 in 6 x 328 ft. Strips of Sachets	\$500.00
1101315	≈250,000 in 1,000 Mini Sachets w/Hooks	\$480.00

Overnight Shipping Required



Thrips Predator - *Amblyseius cucumeris*

These Beneficial Mites Consume Vast Quantities Of Thrips.

TARGET: Prefers greenhouse and western flower thrips. They will also eat spider mites, russet mites and pollen.

DESCRIPTION: Tan colored adult females lay about 35 small white eggs throughout their lifespan of about 30 days. During the 7-10 day nymph stage, predation begins. Adults will consume about 1 pest a day. Predators are shipped as adults.

SUGGESTED USE (Depending upon level of infestation): For best results, apply before onset of thrips infestation. For prevention, use at a rate of 10-20 mites per sq. ft. at weekly intervals. Use continuous release sachets at 1 per 3 sq. ft. for 3-6 weeks. Spot treat with 10-40 mites per sq. ft. weekly until infestation subsides. Monitor with blue sticky traps (see pages 18-19).

Temperature: Moderate 66-80°F **Relative Humidity:** Moderate 65-72%

BULK SIZES:

1152230	≈20,000 in Bran only	\$22.00
1152231	≈20,000 in Vermiculite only	\$22.00
1152207	≈25,000 in Bran/Vermiculite Mix	\$35.00
1152233	≈50,000 in Bran only	\$47.00
1152224	≈50,000 in Vermiculite only	\$47.00
1152204	≈50,000 in Bran/Vermiculite Mix	\$45.00
1152205	≈100,000 in Bran only	\$60.00
1152234	≈100,000 in Vermiculite only	\$60.00
1152235	≈250,000 in Bran only	\$120.00
1152223	≈250,000 in Vermiculite only	\$120.00
1152206	≈250,000 in Bran/Vermiculite Mix	\$115.00
1152209	≈500,000 in Bran/Vermiculite Mix	\$200.00

CONTROLLED RELEASE W/HOOKS:

1152215	≈25,000 in 100 Mini Sachets w/Hooks	\$25.00
1152219	≈125,000 in 500 Mini Sachets w/Hooks	\$68.75
1152201	≈200,000 in 200 Sachets w/Hooks	\$90.00
1152221	≈200,000 in 400 Mini Sachets w/Hooks	\$80.00
1152222	≈250,000 in 1,000 Sachets w/Hooks	\$135.00
1152228	≈500,000 in 500 Mini Sachets w/Hooks	\$185.00

CONTROLLED RELEASE ON STICKS:

1152216	≈25,000 in 100 Mini Sachets on Sticks	\$25.00
1152225	≈125,000 in 500 Mini Sachets on Sticks	\$105.00
1152226	≈250,000 in 1,000 Mini Sachets on Sticks	\$150.00
1152227	≈500,000 in 2,000 Mini Sachets on Sticks	\$280.00

CONTROLLED RELEASE-SPECIALTY:

1152203	≈300,000 in 300 GEMINI Sachets	\$115.00
1152220	≈1,600,000 in 6 x 525 ft. Strips of Sachets	\$600.00

Overnight Shipping Required



NemAttack™ Sf Beneficial Nematodes

Sf Beneficial Nematodes interrupt thrips reproduction and reduce local populations leading to fewer adults and less resulting damage. Use in conjunction with predatory insects as part of an integrated pest management program. Apply with a watering can, hose end sprayer or backpack sprayer.

See pages 14-17 for more information.



MITE CONTROL

Observe your environmental conditions, then select your best defense.

Mite Predator - *Amblyseius andersoni*

Great For Pre-Emergent Control Of Pest Mite Infestations!

TARGET: Various pest mites including broad mites, cyclamen mites, two-spotted spider mites, red spider mites, tomato russet mites and rust mites.

DESCRIPTION: This predatory mite is less than 1mm long and light brown. Adult females lay about 35 eggs in a lifetime, arranging eggs onto leaf hairs. This predatory mite feeds on all stages of pest mites, thrips, pollen and honeydew.

SUGGESTED USE (Depending upon level of infestation): For best results, apply as a preventative treatment of mite infestations. Sachets allow for controlled release of mites over 4-6 weeks. Apply at a rate of 1-2 mites per sq. ft. or 1 sachet per plant. Place sachets within plant canopy. Use sachets on sticks at 1 per propagation tray or where canopy cannot hold sachet on hook. Replace sachets every four weeks for continued control.

Temperature: Moderate 42-100°F **Relative Humidity:** High if in higher temps.

BULK SIZES:

1101324	≈25,000 in Tube	\$87.50
1101327	≈50,000 in 1 Liter Bottle	\$150.00
1101321	≈125,000 in 5 Liter Bag	\$325.00

CONTROLLED RELEASE:

1101323	≈25,000 in 200 Mini Sachets w/Hooks	\$160.00
1101350	≈25,000 in 200 Mini Sachets on Sticks	\$175.00
1101325	≈62,500 in 250 Sachets w/Hooks	\$225.00
1101355	≈125,000 in 1,000 Mini Sachets on Sticks	\$720.00
1101322	≈125,250 in 6 x 328 ft. Strips of Sachets	\$670.00

Overnight Shipping Required

Mite Predator - *Galendromus occidentalis*

Excellent for Use in Hot and Dry Environments.

TARGET: Two spotted spider mites, russet mites, eriophyid mites, prunus rust mites, blister mites, European red mites; various mites.

DESCRIPTION: *Galendromus* is an active predator of mite eggs, nymphs and adults. Larvae and adults feed on all life stages of pest mites as they mature. Early stages are white, turning red or brown depending on pest host consumed. Adults feed on about 6 pest eggs or 1-3 pest adults per day. Ideal for use on fruit trees, vegetables, grapes and field crops.

SUGGESTED USE: For indoor, use ≈1,000 per 500 sq. ft., or 1 predatory mite for each 5 pest mites. For outdoor, use ≈2,000-5,000 per acre. Apply weekly or biweekly depending on infestation level.

Temperature: Hot ≈ 80-110° **Relative Humidity:** Low ≈ 30-60°

1151202	≈ 1,000	\$35.00
1151222	≈ 2,000	\$50.00
1151218	≈ 5,000	\$100.00

Overnight Shipping Required

Mite Predator - *Neoseiulus* (= *Amblyseius*) *californicus*

Good For Areas Where Temperatures Fluctuate Greatly Such As Deserts.

TARGET: Various spider mites, cyclamen mites, broad mites and russet mites.

DESCRIPTION: This tiny, ivory, pear-shaped predatory mite feeds on a variety of pests on crops including: cucumbers, tomatoes, strawberries, tropical foliage plants, and greenhouse roses. Although adults consume prey at a relatively slow rate of about one egg per day, they can survive longer under starvation conditions. During their lifetime of about 20 days, females will lay approx. 1-3 eggs per day. Eggs hatch within a few days and adulthood is reached in about 4-12 days.

SUGGESTED USE (Depending upon level of infestation): Use ≈1,000 per 4,500 sq. ft. in greenhouses to treat for broad mite. Use ≈10,000 per acre to treat for cyclamen mites on strawberries. Use weekly until infestation subsides.

Temperature: Warm 50-105°F **Relative Humidity:** 40-80%

BULK SIZES:

1151201	≈1,000 Count	\$30.00
1151213	≈2,000 Count	\$43.00
1151209	≈5,000 Count	\$65.50
1151210	≈10,000 Count (2 x 5,000)	\$106.00
1151212	≈25,000 Count	\$128.00

CONTROLLED RELEASE W/HOOKS:

1151216	≈10,000 - 100 Sachets w/Hooks	\$95.00
1151271	≈25,000 - 100 Sachets w/Hooks	\$105.00
1151215	≈25,000 - 200 Sachets w/Hooks	\$175.00
1151217	≈50,000 - 500 Sachets w/Hooks	\$295.00
1151276	≈62,500 - 250 Sachets w/Hooks	\$155.00
1151277	≈125,000 - 500 Sachets w/Hooks	\$255.00
1151278	≈125,000 - 1,000 Sachets w/Hooks	\$750.00
1151279	≈250,000 - 500 Sachets w/Hooks	\$350.00


CONTROLLED RELEASE ON STICKS:

1151295	≈25,000 - 200 Sachets on Sticks	\$190.00
1151296	≈125,000 - 1,000 Sachets on Sticks	\$720.00

CONTROLLED RELEASE-SPECIALTY:

1151292	≈25,000 - 100 Gemini Sachets	\$190.00
1151290	≈125,000 - Bugline - 6 x 328 ft. Sachet Strips	\$625.00

Overnight Shipping Required



MITE CONTROL

To determine which delivery system to select, consider pest pressure level and environmental conditions.

Mite Predator - *Neoseiulus* (= *Amblyseius*) *fallacis*

An Excellent Mite Predator For Control Of Many Different Types Of Mites.

TARGET: Two spotted spider mites, broad mites, cyclamen mites, hemp russet mites; various mites.

DESCRIPTION: This predatory mite effectively suppresses cyclamen mites in strawberry fields, broad mites in greenhouse crops, European red mites and two-spotted spider mites in orchards, spider mites on roses and vegetable crops in greenhouses and general mite problems on mint and hops in northern climates. Eggs and nymphs are difficult to see as they are small and almost transparent. Adults are pear-shaped and ivory until feeding, when they take on the red or brown coloration of their prey. Adult females consume around 2-16 pest mites per day and lay ~20-60 eggs during a 14-60 day life-cycle. The transition from egg to adult stage takes about 7-9 days.

SUGGESTED USE (Depending upon level of infestation): Good for cold climates! Use preventatively; over-winters and sustains on pollen. Release at the start and end of the season. Use ~1,000 per 4,500 sq. ft. or 10,000 per acre.

Temperature: Moderate 50-80°F **Relative Humidity:** Minimum 50%

1151400	~500 Count	\$38.00
1151401	~1,000 Count	\$52.00
1151402	~2,000 Count	\$98.00
1151404	~10,000 count	\$240.00

Overnight Shipping Required

MiteMix

A Powerful Blend of Predatory Mites for Multi-Pest Coverage.

TARGET: Cyclamen mites, broad mites, russet mites, two-spotted spider mites, red spider mites, tomato russet mites, rust mites, hemp russet mites, western flower thrips, onion thrips, glasshouse whiteflies, tobacco whiteflies, silverleaf whiteflies

DESCRIPTION: MiteMix was designed for growers facing multiple or varied pest infestations of mites, thrips and/or whiteflies. These strategic blends of 3 or 4 predator options provide control across multiple pest life stages and changing conditions in the growing environment.

INCLUDED PREDATORS: *Neoseiulus californicus* (see pg 10), *Amblyseius swirskii* (see pg 9), *Neoseiulus cucumeris* (see pg 9) and **optionally** *Amblyseius andersoni* (see pg 10). See specific pests for more information. Maximize efficiencies in your operation by applying multiple biological control agents in one application!

Temperature: ~ 68-85° **Relative Humidity:** Low ~ 40-70°

1151301	MiteMix CSC125	~125,000 Mixed Mites	\$170.00
1151300	MiteMix CSCA150	~150,000 Mixed Mites	\$180.00

Overnight Shipping Required

Mite Predator - *Phytoseiulus persimilis*

The Mite Predator With The Highest Consumption & Dispersal Rate

TARGET: Two spotted spider mites and various other mites.

DESCRIPTION: These predatory mites have high consumption rates, feeding on approx. 5-20 pests and pest eggs per day! Females will lay about 60 eggs throughout their 50-day lifespan. They will not enter a diapause stage in enclosed or greenhouse settings; making them active year round. Adults will begin feeding as soon as they are applied.

P. persimilis PLUS is reared in an innovative way to include mobile mites (adults and juveniles) as well as eggs. *P. persimilis* PLUS arrives pale and changes to orange/red after predation begins. Adults begin feeding upon dispersal. Eggs can mature in about a week (at temps between 70-80°F). The variety of life stages allow for both immediate and ongoing control as the mites mature.

P. persimilis PLUS Sachets

PLUS Controlled Release sachet mites emerge between 8 - 12 days after application. Best for preventative use. PLUS RAPID Release sachets are used for hot spot treatment with emergence around 3-5 days.

SUGGESTED USE (Depending upon level of infestation):

Level/Type	Bulk	Sachets
Low Infestation	1-3 Mites per sq.ft.	1 Controlled Release Sachet per 50 sq.ft.
Moderate Infestation/ Speckling	5+ Mites per sq.ft.	1 Rapid Release Sachet per 20 sq.ft.
Webbing/Outbreak	10+ Mites per sq.ft. after knockdown/cleaning	1 Rapid Release Sachet per 10 sq.ft.
Outdoor Crops	20,000 - 200,000 Mites per acre depending on infestation level	
Clones		1 Sachet per plant

Temperature: Moderate: 68-81°F **Relative Humidity:** High: 60-90%

P. PERSIMILIS PLUS BULK SIZES:

1151255	PLUS ~ 25,000	\$78.00
1151256	PLUS ~ 50,000	\$137.50

P. PERSIMILIS PLUS CONTROLLED RELEASE:

1151235	PLUS ~5,000 in 50 sachets w/hooks	\$54.00
1151236	PLUS ~10,000 in 100 sachets w/hooks	\$105.00
1151230	PLUS ~25,000 in 250 sachets w/hooks	\$230.00
1151231	PLUS ~50,000 in 500 sachets w/hooks	\$400.00

P. PERSIMILIS PLUS RAPID RELEASE:

1151245	PLUS RAPID ~5,000 in 50 sachets w/hooks	\$50.00
1151246	PLUS RAPID ~10,000 in 100 sachets w/hooks	\$95.00
1151240	PLUS RAPID ~25,000 in 250 sachets w/hooks	\$225.00
1151241	PLUS RAPID ~50,000 in 500 sachets w/hooks	\$387.00

Overnight Shipping Required



Photo by: Dr. Art Agnello, Cornell University



Photo by: BioBee Sde Eliyahu Ltd., © BioBee

MITE CONTROL

Review the release rates of each predator to select the amount needed for your area.

Spider Mite Destroyer - *Feltiella acarisuga*

We Recommend This Predator When Spider Mite Infestations Are Widespread.

TARGET: Two spotted spider mites, carmine spider mites, European red mites; various mites.

DESCRIPTION: The larvae of this tiny gall-midge feeds on two-spotted spider mites and various other species of spider mites. Recommended to be used with *P. persimilis* when spider mite infestations are severe to rapidly knock back the pest mites. *Feltiella* works best on plants that have hairy stems. Adults do not prey on spider mites, but search for colonies and deposit eggs next to them. Eggs hatch in 2 days and larvae feed on all stages of spider mites for 4-6 days. The entire life cycle is about 15 days.

SUGGESTED USE (Depending upon level of infestation): For light infestations, introduce <1/1,000 sq. ft. or 500/acre every 7 days, for at least 3 weeks. For heavy infestations, introduce 2-3/1,000 sq. ft. or 1,000/acre every 7 days, for at least 3 weeks.

Temperature: Moderate 60-77°F **Relative Humidity:** High 50-90%

1155701 ≈250 Count \$85.00

Overnight Shipping Required



Spider Mite Destroyer - *Stethorus punctillum*

Predatory In Both Larval & Adult Stages.
Consumes All Life Stages Of Spider Mites.

TARGET: Two spotted spider mites, European red mites, spruce spider mites, southern red mites; various mites.

DESCRIPTION: Using smell, this tiny ladybug is an effective locator and as an adult will consume more than 40 mites per day. Females lay up to 15 eggs per day. Development to the adult stage takes around 18 days at a temperature of 70°F and the total lifespan of the predator is about 9 weeks. They are known to survive temperatures over 100°F in field crops.

SUGGESTED USE (Depending upon level of infestation): Use 100 adults per 300 sq. ft. of infested area. Release adult beetles into mite infested areas and look for signs of reproduction (larvae, pupae, and adults) after four weeks. This predator is more mobile than spider-mite predators (predatory mites) but takes longer to establish, so releases of spider-mite predators should also be made into mite infested areas.

Temperature: Moderate 73-77°F **Relative Humidity:** High 60%

1113310 ≈100 Count \$140.00

1113312 ≈200 count (2 x 100) \$240.00


Subject to seasonal availability.

Overnight Shipping Required



YOUR SPIDER MITE CONTROL PROGRAM

Spider mites can wreak havoc on crops, but controlling them doesn't have to be stressful, or chemical-heavy!



Follow these five steps for easy, effective management:

1. Be Prepared

Monitor susceptible crops and watch for early signs of stress. Healthy plants with proper spacing and adequate moisture are less attractive to pests.

2. Spot the Damage

Look for stippling (yellow-brown spots), curling leaves, leaf drop, and webbing. To confirm, shake leaves over white paper, reddish-brown specks indicates mites.

3. Identify the Culprit

Knowing the species of pest mite helps target control. Use a hand lens or microscope, or call us for help.

4. Take Action

- **Sanitation:** Clean surfaces and inspect plants before planting.
- **Optimize Growing Conditions:** Reduce stress with proper watering and organic fertilizers.
- **Knockdown Sprays:** Use non-synthetic options like Neem Oil, Pyrethrins, or Azadirachtin. Repeat every 3 days until controlled.
- **Biological Control:** After knockdown, release beneficial insects like *P. persimilis* or *N. californicus* for ongoing protection.

5. Monitor & Maintain

Keep checking plants and relax knowing you're ready for the next battle.

If You're Unsure Where to Start,
Call One of Our Specialists at
1-800-827-2847

ARBICO Organics is here to help.
Your ally in pest control!



MOTH EGG/CATERPILLAR CONTROL

Timing is KEY. Release *Trichogramma* moth egg parasites when eggs are present to control before emergence.

Moth Egg Parasites - *Trichogramma spp.*

Prevent Caterpillar Damage On Crops!

TARGET: The egg stages of more than 200 Lepidopteran pests including: codling moths, borers, loopers, webworms, cutworms, bollworms, tomato hornworms and corn earworms.

DESCRIPTION: *Trichogramma spp.* lay their eggs in the pest eggs, killing them. Adults emerge 2-3 days after release. They live 7-75 days depending on temperature and moisture. *Trichogramma* are shipped in the parasitized host egg.

Trichogramma Hanging Tabs/Cards: Cards and tabs are the fastest way to introduce *Trichogramma* into the growing area. Eggs arrive on hanging cards for easy and targeted application in the plant canopy.

Trichogramma Hanging Dispensers: Dispensers are uniquely designed for early introduction and preventative use before high pest pressure. They are designed to have 4 waves of releases for longer control. This format is more resistant to predator damage and is more weather resistant.

Trichogramma Capsules: Capsules also provide 4 waves of *Trichogramma* releases and are best used preventatively. They are designed for use by automation (drone, tractor), but also great for hard-to-reach areas. These sturdy capsules have precision release holes for wasps to emerge while keeping other pests out.

SUGGESTED USE (Depending upon level of infestation): Use ≈1 tab/3,000 sq. ft. Release at first flight of moths and every 7-10 days thereafter until infestation subsides. **DISPENSERS/CAPSULES:** 50,000-200,000 parasites/acre. Use 3 dispensers/capsules to treat up to 3,000 sq. ft. Use preventatively where historically pests have been seen, or as early in the pest lifecycle as possible (eggs must be present).

Temperature: Minimum 50°F **Relative Humidity:** Moderate

Trichogramma pretiosum

A protean parasitoid that works across a variety of growing environments.

BULK:

1131055 ≈1,000,000 **\$250.00**

CONTROLLED RELEASE - DISPENSERS:

1131059 ≈7,500 - 3 Dispensers **\$22.00**
1131060 ≈12,500 - 5 Dispensers **\$25.00**
1131061 ≈25,000 - 10 Dispensers **\$37.50**
1131062 ≈62,500 - 25 Dispensers **\$50.00**
1131065 ≈125,000 - 50 Dispensers **\$90.00**

CONTROLLED RELEASE - CAPSULES:

1131077 ≈5,000 - 5 Capsules **\$20.00**
1131078 ≈10,000 - 10 Capsules **\$30.00**
1131070 ≈30,000 - 30 Capsules **\$37.50**
1131071 ≈60,000 - 60 Capsules **\$60.00**
1131075 ≈90,000 - 90 Capsules **\$67.50**

FREE SHIPPING



Moth Egg Parasites



Cabbage looper larvae and damage.

Trichogramma brassicae

For low lying crops, cole crops; cabbage loopers and European Corn Borer.

CARDS:

1131910 ≈10,000 (3 Tabs) **\$22.00**
1131903 ≈20,000 (6 Tabs) **\$25.00**
1131911 ≈100,000 - 1 Card (30 Tabs) **\$46.00**

BULK EGGS:

1131950 ≈100,000 **\$40.00**
1131955 ≈1,000,000 **\$250.00**

CONTROLLED RELEASE - DISPENSERS:

1131960 ≈7,500 - 3 Dispensers **\$22.00**
1131961 ≈12,500 - 5 Dispensers **\$25.00**
1131962 ≈25,000 - 10 Dispensers **\$37.50**
1131963 ≈62,500 - 25 Dispensers **\$54.00**

CONTROLLED RELEASE - CAPSULES:

1131969 ≈13,500 - 5 Capsules **\$20.00**
1131970 ≈27,000 - 10 Capsules **\$25.00**
1131971 ≈67,500 - 25 Capsules **\$47.25**
1131972 ≈135,000 - 50 Capsules **\$67.50**

Trichogramma minutum

East of the Rockies; budworms, leafrollers and codling moths.

CARDS:

1129001 ≈10,000 (3 Tabs) **\$22.00**
1129003 ≈20,000 (6 Tabs) **\$25.00**
1129010 ≈100,000 - 1 Card (30 Tabs) **\$46.00**

BULK EGGS:

1129050 ≈100,000 **\$40.00**
1129051 ≈200,000 (2 x 100k) **\$70.00**
1129052 ≈500,000 (5 x 100k) **\$150.00**
1129055 ≈1,000,000 **\$250.00**

Trichogramma platneri

West of the Rockies, orchards and tall crops.

CARDS:

1130001 ≈10,000 (3 Tabs) **\$22.00**
1130003 ≈20,000 (6 Tabs) **\$25.00**
1130030 ≈100,000 - 1 Card (30 Tabs) **\$46.00**

BULK EGGS:

1130050 ≈100,000 **\$40.00**
1130051 ≈200,000 (2 x 100k) **\$70.00**
1130052 ≈500,000 (5 x 100k) **\$150.00**
1130055 ≈1,000,000 (10 x 100k) **\$250.00**


FREE SHIPPING in the contiguous 48 states. Ships Monday - Thursday via 2nd Day. Please allow for a minimum of 24 hours to process orders. Orders received after 8:00 AM on Thursday will ship the following Monday. Upgraded Overnight shipping will incur a \$20 upcharge. DISPENSERS/CAPSULES: May require 1 week lead time. See website for more information.

Call 1-800-827-2847 or Order
Online www.arbico-organics.com

WHAT ARE BENEFICIAL NEMATODES?

Beneficial Nematodes are live, microscopic organisms (non-segmented roundworms) that occur naturally in soil throughout the world.

They are parasitic to insect pests that typically have a developing (larval or pupal) stage of life in the soil; however, they have been known to also parasitize above ground stages of adults, nymphs and larvae.



HOW DO BENEFICIAL NEMATODES WORK?



Infective juveniles seek hosts in soil.



Nematodes reproduce and feed on host.



New infective juveniles.

Beneficial Nematodes are applied to soil where they locate pests, enter through orifices or body walls and infect pests with toxic bacteria. Once inside, it is not the nematode that actually kills the pest, but bacteria inside the nematode.

The bacteria kills pests within 24 to 48 hours. Beneficial Nematodes then feed on bacteria and host insect tissue. Adult stages of Beneficial Nematodes produce hundreds of thousands of new juveniles.

New infective juveniles emerge loaded with "pest killer" bacteria and begin their search for a new host. As long as there is a suitable host, the Beneficial Nematodes will continue to parasitize. They can be used around and will not harm mammals, aquatic life, birds, reptiles or amphibians.

WHY DO I NEED BENEFICIAL NEMATODES?

- To control grubs and over 200 other pests.
- They are your first line of defense against pests that develop in the soil.
- Can also be used as a foliar drench for severe infestations.

Apply To Soil For Control Of Target Pests:

- | | | |
|----------------|-------------|--------------|
| • Beetle Grubs | • Rootworms | • Leafminers |
| • Flies | • Thrips | • Worms |
| • Fungus Gnats | • Weevils | • And More! |



Caterpillars

Fungus Gnats



Thrips

Grubs, & More!



HOW DO I CHOOSE THE RIGHT BENEFICIAL NEMATODES?

Use the Selection Chart on the next page to choose the proper species by pest(s). If you are unsure which option to use or your target pest is not listed, please call and one of our bio-control specialists can assist you. Remember Beneficial Nematodes control soil-dwelling life stages.

- ▲ = NemaSeek™ *Heterorhabditis bacteriophora* (Hb)
- = NemAttack™ *Steinernema feltiae* (Sf)
- = NemAttack™ *Steinernema carpocapsae* (Sc)
- ✱ = NemAttack™ *Steinernema riobrave* (Sr)
- ◆ = NemaSeek™ *Steinernema kraussei* (Sk)
- ◊ = NemaSeek™ *Heterorhabditis indica* (Hi)

Beneficial Nematodes (Sf and Sc) are also available in encapsulated beads. Encapsulated beads are shelf stable and do not require mixing. When water is applied, the beads release the Beneficial Nematodes into the substrate.



WHEN & HOW OFTEN SHOULD BENEFICIAL NEMATODES BE APPLIED?

Use beneficial nematodes whenever larvae or grubs are present. As pest larvae feed on plant roots beneath the soil surface, severe damage can be done before you realize you have a pest dilemma. If adult insects are present, their eggs, nymphs, larvae and pupa will soon be developing.

FOR TREATMENT: Apply nematodes every 7-10 days until pest infestation subsides.

FOR PREVENTION: Apply at least 2-4 times per year in the spring, summer, fall and winter as needed. Nematodes should be applied when *soil* temperatures are 42° - 95° F.

WHEN WILL I SEE RESULTS?

Beneficial Nematodes are considered to be one of the most lethal parasites known to kill plant pests. Depending upon the pest(s) you are treating and the method of application, it can take from 2-30 days for you to see results.

It is important to remember that Beneficial Nematodes disintegrate pests from the inside out. You will not see dead insect bodies as you would with a chemical knockdown. Instead you will notice less of the pest(s) over time.

Like all insects and organisms, some nematodes will survive the winter in a dormant state; however, we recommend re-applying at least 2-4 times on an annual basis to ensure that your pests do not get out of hand again.



BENEFICIAL NEMATODES

1. Use the selection chart below to find your pest and identify the species for control.

Pest	Variety	Pest	Variety	Pest	Variety	Pest	Variety
Ants (Queen)	▲	Colorado Potato Beetle	▲	Greater Wax Moth	✱	Root Weevils	▲ ●
Armyworm	● ✱	Corn Earworm	● ■ ✱	Grubs	▲ ●	Scarabs	▲
Artichoke Plume Moth	●	Corn Rootworm	▲	Humpbacked Flies	■	Sciarids	■
Asparagus Beetle	▲	Cotton Bollworm	●	Indian Meal Moth	✱	Shore Flies	■
Bagworm	▲	Cranberry Girdler	●	Iris Borer	▲	Small Hive Beetle	✱ ●
Banana Moth	▲	Cranberry Root Weevil	▲	Japanese Beetle	▲ ✱	Sod Webworm	●
Banana Weevil	▲	Crane Flies	■	Large Pine Weevil	●	Strawberry Root Weevil	● ■ ✱
Beet Armyworm	● ■	Cucumber Beetle	● ■ ▲	Leafminers	● ■	Sugarcane Stalk Borer	▲
Berry Root Weevil	▲	Cutworm	●	May/June Beetles	▲ ✱	Sweet Potato Weevil	■ ▲
Billbug	▲	Diaprepes Root Weevils	✱	Mint Flea Beetle	●	Termites (Subterranean)	■ ✱
Black Cutworm	● ■ ✱	Fall Armyworm	●	Mint Root Borer	●	Thrips	■
Black Vine Weevil	● ▲ ✱ ◆	Flea Beetle	▲	Mole Crickets	● ✱	Ticks	■ ▲
Bluegrass Weevil	●	Flea (Larvae, Pupae)	●	Navel Orangeworm	●	Tobacco Budworm	●
Cabbage Maggot	■	Flea (Adult)	▲	Onion Maggot	■	Tobacco Cutworm	■
Carrot Weevils	▲	Fly Larvae	●	Pink Bollworm	✱	Vine Borers	▲
Caterpillars	●	Fruit Flies	● ■	Plum Curculio	✱	Webworm	●
Chafer (European, masked)	▲ ✱	Fungus Gnats	■ ▲ ●	Raspberry Crown Borer	■	Western Flower Thrips	■ ●
Citrus Root Weevil	▲ ✱	Gall Midges	▲	Red Flower Beetle	✱	Wireworm	●
Codling Moth	● ■	Grape Root Borers	▲	Root Maggots	■	Wood Borers	●

2. Match the symbols for the best single or combination of species to combat your pest(s).

NemaSeek™ *Heterorhabditis bacteriophora* (Hb) Beneficial Nematodes

NemaSeek *H. bacteriophora* actively seek out larval pests and is most effective against sedentary pests, such as queen ants, asparagus beetles, bagworms, banana moths, banana weevils, berry root weevils, bill bugs, borers, carrot weevils, chafers, fleas, grubs and more!



NemaSeek™ *Heterorhabditis indica* (Hi) Beneficial Nematodes

NemaSeek *H. indica* actively seek out larval pests and has been shown to be effective against small hive beetle, fungus gnats, root weevil, western flower thrips and select grubs.



NemAttack™ *Steinernema feltiae* (Sf) Beneficial Nematodes

NemAttack *S. feltiae* nematodes are known to wait for passing pests, such as cabbage maggot, humpbacked flies, onion maggots, pill worm, raspberry crown borer, root maggots, sciarids, shore flies, thrips and more!



NemAttack™ *Steinernema riobrave* (Sr) Beneficial Nematodes

These nematodes are known to wait for passing pests. NemAttack *S. riobrave* is most effective against grubs of various beetles, citrus weevil and other weevil grubs, small hive beetle and more.



NemAttack™ *Steinernema carpocapsae* (Sc) Beneficial Nematodes

These nematodes are known to wait for passing pests. NemAttack *S. carpocapsae* is most effective against mobile pests such as fleas, cutworm, fly larvae, termites and more!



NemaSeek™ *Steinernema kraussei* (Sk) Beneficial Nematodes

NemaSeek actively seek out larval pests in the soil. *S. kraussei* has been shown to be effective at cooler soil temperatures (37-86°F) against the developing stage of weevils (especially black vine weevils) and sawflies.



3. For a variety of pests, a combination or Triple Threat pack may be the best choice!

Beneficial Nematodes



SINGLE SPECIES		
SKU	Size	Price
NemaSeek <i>Heterorhabditis bacteriophora</i>		
1220300	≈5 million	\$40.00
1220301	≈10 million	\$47.25
1220302	≈50 million	\$79.20
1221703	≈250 million	\$208.00
1221706	≈500 million	\$283.50
NemAttack <i>Steinernema feltiae</i>		
1220309	≈5 million	\$40.00
1220310	≈10 million	\$47.25
1220311	≈50 million	\$79.20
1221701	≈250 million	\$208.00
1221704	≈500 million	\$283.50
NemAttack <i>Steinernema carpocapsae</i>		
1220319	≈5 million	\$40.00
1220320	≈10 million	\$47.25
1220321	≈50 million	\$79.20
1221702	≈250 million	\$208.00
1221705	≈500 million	\$283.50
NemAttack <i>Steinernema riobrave</i>		
1220410	≈5 million	\$45.00
NemaSeek <i>Steinernema kraussei</i>		
1220420	≈5 million	\$40.00
1220421	≈10 million	\$47.25
1220422	≈50 million	\$79.20
1220423	≈250 million	\$208.00
1220424	≈500 million	\$283.50
NemaSeek <i>Heterorhabditis indica</i>		
1220200	≈5 million	\$45.00

COMBO PACKS		
SKU	Size	Price
NemaSeek Hb & NemAttack Sc		
1220331	≈10 mil. per species	\$66.00
1220332	≈50 mil. per species	\$137.50
1221699	≈250 mil. per species	\$357.00
1220335	≈500 mil. per species	\$525.00
NemaSeek Hb & NemAttack Sf		
1220333	≈10 mil. per species	\$66.00
1220334	≈50 mil. per species	\$137.50
1221700	≈250 mil. per species	\$357.00
1220336	≈500 mil. per species	\$525.00
NemAttack Sf & NemAttack Sc		
1220340	≈10 mil. per species	\$66.00
1220341	≈50 mil. per species	\$137.50
1220342	≈250 mil. per species	\$357.00
1220343	≈500 mil. per species	\$525.00

TRIPLE THREAT COMBO		
SKU	Size	Price
NemaSeek Hb, NemAttack Sf & NemAttack Sc		
1220328	≈5 mil. per species	\$67.00
1220330	≈10 mil. per species	\$88.00
1220329	≈50 mil. per species	\$156.20
1220327	≈250 mil. per species	\$425.25
1220326	≈500 mil. per species	\$735.00

SIZE & COVERAGE CHART

QUANTITY	COVERAGE
≈5 mil. nematodes	Treats ≈1,600 sq. ft.
≈10 mil. nematodes	Treats ≈3,200 sq. ft.
≈50 mil. nematodes	Treats ≈1 acre
≈250 mil. nematodes	Treats ≈5 acres
≈500 mil. nematodes	Treats ≈10 acres

Application rates vary based on pest, infestation levels and environment. For specific coverage recommendations, please call **800-827-2847**.

OMRI Listed Beneficial Nematodes



OMRI LISTED SINGLE SPECIES		
SKU	Size	Price
NemaSeek Pro Hb Beneficial Nematodes		
4004010	≈10 million	\$57.20
4004050	≈50 million	\$99.00
4004250	≈250 million	\$262.50
4004500	≈500 million	\$341.25
NemAttack Pro Sf Beneficial Nematodes		
4006010	≈10 million	\$57.20
4006050	≈50 million	\$99.00
4006250	≈250 million	\$262.50
4006500	≈500 million	\$341.25

OMRI LISTED SINGLE SPECIES		
SKU	Size	Price
NemAttack Pro Sc Beneficial Nematodes		
4005010	≈10 million	\$57.20
4005050	≈50 million	\$99.00
4005250	≈250 million	\$262.50
4005500	≈500 million	\$341.25

TRIPLE COMBO		
SKU	Size	Price
NemaSeek Pro Hb Beneficial Nematodes, NemAttack Pro Sf Beneficial Nematodes & NemAttack Pro Sc Beneficial Nematodes		
4007010	≈10 mil. per species	\$137.50
4007050	≈50 mil. per species	\$247.5
4007250	≈250 mil. per species	\$661.50
4007500	≈500 mil. per species	\$924.00




NemAttack Beads Encapsulated Beneficial Nematodes

SINGLE SPECIES			SINGLE SPECIES		
SKU	Size	Price	SKU	Size	Price
NemAttack Beads <i>Steinernema feltiae</i>			NemAttack Beads <i>Steinernema carpocapsae</i>		
5001005	≈5 million	\$40.00	5002005	≈5 million	\$40.00
5001010	≈10 million	\$47.25	5002010	≈10 million	\$47.25
5001020	≈20 million	\$62.92	5002020	≈20 million	\$62.92
5001040	≈40 million	\$94.60	5002040	≈40 million	\$94.60

Free shipping in the contiguous 48 United States. 2nd day shipping required for the 5 million - 50 million sizes. Expedited shipping available for an additional fee. The 250 million & 500 million sizes require next day shipping during summer months, 2-day shipping otherwise. Orders ship Monday - Thursday; excluding holidays.

PEST INSECT TRAPS

Monitoring and identifying pests with traps is the first line of defense for the best intervention.



ARBICO Organics® Blue Insect Traps

Add Blue To Your Pest Control Arsenal & Cover All Your Bases.

TARGET: Thrips, leafminers.

DESCRIPTION: ARBICO Organics Blue Pest Traps are 5" x 6" gridded adhesive traps that are the perfect shade of blue to make them irresistible to Thrips and Leafminers. The color lures them in and the sticky surface holds them tight. These traps have adhesive on both sides to grab insects no matter which direction they're coming from. If you are monitoring, the gridded surface and bright color allow for easy identification and counting. When used in conjunction with the ARBICO Organics Yellow Sticky Traps, you will have the right colors to attract most common insect pests. There is a very low risk to beneficials, but some may become caught by accident.

SUGGESTED USE: For use indoors and outdoors to trap and monitor insect pests. Traps may be hung virtually anywhere, placed on the ground or anchored to a stake (not included). If hung, traps should be slightly above the plant canopy. Avoid hanging too close to sprinklers.

- For trapping in the greenhouse or garden, use roughly one trap per 10-25 square feet.
- For monitoring, use roughly 4-6 traps per acre.

1254551	ARBICO Organics Blue Insect Traps - 5 Pack	\$5.79
1254552	ARBICO Organics Blue Insect Traps - 10 Pack	\$10.99
1254553	ARBICO Organics Blue Insect Traps - 25 Pack	\$27.59
1254554	ARBICO Organics Blue Insect Traps - 50 Pack	\$54.99
1254560	ARBICO Organics Blue Insect Traps - 100 Pack	\$104.99

Blue & Yellow Sticky Ribbon Rolls

Blue Is For Thrips & Leafminers, Yellow Is For Aphids & Whiteflies.

TARGET: Western Flower Thrips, Bean Thrips, Spinach Leafminers, California Laurel Aphid, Greenhouse Whitefly, Mexican Bean Beetle and more.

DESCRIPTION: These sticky ribbon rolls are an effective way to trap and monitor insects in large growing areas. Install around the perimeter of your garden or greenhouse and, since they are double-sided, they will trap insects coming and going. They can also be placed along the ground to catch crawling insects. Blue attracts thrips and leafminers and yellow attracts aphids, whiteflies and other soft-bodied insects. Pheromone lures or essential oils can be added to increase catch potential.

SUGGESTED USE: For best results, install the trap at the time of planting as a preventative treatment. Rolls can remain in place until the trapping surface is fully covered with insects or debris. It can be wrapped around fenceposts or stakes that are driven into the ground, or it can be attached to greenhouse posts with staples or string.

1254420	Blue Sticky Ribbon Roll - 6" W x 328' L	\$60.00
1253220	Yellow Sticky Ribbon Roll - 6" W x 328' L	\$60.00
1254425	Sticky Ribbon Roll Bundle - 6" W x 328' L (1 of ea.)	\$115.00

Tanglefoot® Tangle-Trap® Sticky Coating

Create New Or Re-Use Old Traps To Control & Monitor Pest Insects.

TARGET: Ants, flies, beetles and other insects.

DESCRIPTION: This versatile brush-on adhesive is ready-to-use to control and monitor pest insects. It can be used to re-coat old traps for continued use or to coat new traps. Apply to commercially made traps or create your own from almost any non-porous material. This clear and odorless product will not interfere with any color attractants or lures you may choose to use.

SUGGESTED USE: For ease of use, use at temperatures above 60°F. Apply a thin (1/16" or 1.6 mm) coating to trap surface. Tie up your trap or attach to a stake and place in desired location in your garden, greenhouse, yard, orchard or field. Suspending traps in the air will help to avoid accidental contact with children or pets.

1266020	Sticky Coating - 8 oz. Brush-On Can	\$12.99
---------	-------------------------------------	---------



PEST INSECT TRAPS

Using sticky traps is the easiest way to passively control plant pests such as aphids and whiteflies.



ARBICO Organics® Yellow Insect Traps

Monitoring + Trapping = Effective Pest Control.

TARGET: Use against aphids, bean beetles, california laurel aphids, flea beetles, fungus gnats, greenhouse whiteflies, leafminers, psyllids, shore flies, silverleaf whiteflies, sweet potato whiteflies and more.

DESCRIPTION: ARBICO Organics Yellow Insect Traps are 5" x 6" gridded, 2-sided adhesive traps for a wide range of crawling and flying insect pests. Insects are drawn in by the bright color and are caught on the glue. Once they are trapped, the gridded surface makes it easy to count just how many have landed. Having the insects immobilized on the trap also makes it easy to identify them. There is a very low risk to beneficials, but some may become caught by accident.

SUGGESTED USE: For use indoors and outdoors to trap and monitor insect pests. Traps may be hung virtually anywhere, placed on the ground or anchored to a stake (not included). If hung, traps should be slightly above the plant canopy. Avoid hanging too close to sprinklers.

- For trapping in the greenhouse or garden, use roughly one trap per 10-25 square feet.
- For monitoring, use roughly 4-6 traps per acre.

1254501	ARBICO Organics Yellow Insect Traps - 5 Pack	\$5.79
1254502	ARBICO Organics Yellow Insect Traps - 10 Pack	\$10.99
1254503	ARBICO Organics Yellow Insect Traps - 25 Pack	\$27.59
1254504	ARBICO Organics Yellow Insect Traps - 50 Pack	\$54.99
1254510	ARBICO Organics Yellow Insect Traps - 100 Pack	\$104.99



Yellow Sticky Tape

Longer Length Tape To Cover Even More Area.

TARGET: Whiteflies, aphids, leafhoppers, fungus gnats, froghoppers (spittlebugs), flies and more.

DESCRIPTION: When you have an insect population in a large area that you need to monitor and trap, this sticky tape is the choice for you. It will work well against aphids, thrips, flies, gnats and many others. Pre-coated with adhesive on both sides, this yellow tape is 530' long and comes in 4 convenient widths (2", 6", 10" & 12"), making it perfect for a variety of locations. You'll also find that the extra thick cardboard flanges and heavy duty plastic plugs make these rolls easy to work with and the product easy to dispense. You can loop these along the perimeter of fields, inside greenhouses, barns, corrals, stalls or any other area where you need insect control. Any unwanted pests or other residue can be removed with vegetable oil or CitraSolv® (available online).

SUGGESTED USE: Loop along the perimeter of fields, inside greenhouses, barns, corrals, stalls or any other area where you need insect control.

1259610	Yellow Sticky Tape - 2" wide x 530' long	\$50.00
1259611	Yellow Sticky Tape - 6" wide x 530' long	\$100.00
1259612	Yellow Sticky Tape - 10" wide x 530' long	\$150.00
1259613	Yellow Sticky Tape - 12" wide x 530' long	\$200.00

*Larger quantities available.



Economical Trap Options



Sticky Traps

1254001	Package of 5 Yellow Traps	\$5.50
1254101	Package of 5 Blue Traps	\$5.50

Stiky Strips

1254301	Stiky Strips Traps - 9 pk	\$5.49
1254302	Stiky Strips Traps - 9 pks, Bundle of 5	\$25.00
1254303	Stiky Strips Traps - 9 pks - Bundle of 10	\$43.92

Stiky Plant Stakes

1254320	10 pk	\$3.95
1254321	3 - 10 pks	\$10.25
1254322	5 - 10 pks	\$14.75

BEETLE & GRUB CONTROL

Treat soil in lawns and gardens in the fall to prevent overwintering beetle grubs.



NemaSeek™ Hb & NemAttack™ Sr Beneficial Nematodes

Control Soil Pests in Turf & Garden.

Beneficial Nematodes are one of nature's most powerful weapons available for managing Japanese Beetle infestations. Along with parasitizing the beetles in their larval, underground damaging stages, they also parasitize the larval states of other pest grubs, weevils, fleas, leafminers and more. Apply with a watering can, hose end sprayer or backpack sprayer. See pages 14-17 for more information.

FREE
SHIPPING

NemaSeek *Heterorhabditis bacteriophora*

1220300	≈5 million	\$40.00
1220301	≈10 million	\$47.25
1220302	≈50 million	\$79.20

NemAttack *Steinernema riobrave*

1220410	≈5 million	\$45.00
---------	------------	---------



grubGONE!® G



OMRI Listed. Targeted Grub Control in Grass & Ornamentals.

TARGET: Grubs/Larvae of: Annual bluegrass

weevil (*Listronotus maculicollis*) Asiatic Garden beetle (*Maladera castanea*) European chafer (*Rhizotrogus majalis*) Green June beetle (*Cotinis nitida*) Japanese Beetles (*Popillia japonica*), May or June beetle (*Phyllophaga* sp.) Northern masked chafer (*Cyclocephala borealis*) Oriental beetle (*Anomala orientalis*) Southern masked chafer (*Cyclocephala lurida*) and Black Turfgrass Ataenius (*Ataenius spretulus*)



DESCRIPTION: This organic biopesticide uses the naturally occurring soil bacterium *Bacillus thuringiensis* subsp. *galleriae*, Strain SDS-502 to thoroughly control several of the most damaging of invasive grub species. grubGONE! G is effective against 1st instar grubs; but (unlike many other Bt products) it is equally effective against 2nd and 3rd instar stages. This versatility means grubGONE! G can be used early and mid-season as a preventative remedy or as a curative treatment in the Fall to control 2nd and 3rd instar grubs.

SUGGESTED USE: 10 lb. bag covers over 4,000 sq ft. Uniformly broadcast grubGONE! G over the area being treated. Maintain adequate soil moisture for optimum performance, without letting it become too wet or dry. Apply when insects are present. Additional applications may be made no earlier than 7 days after the preceding application. Apply 2 lb. 5 oz. to 3 lb. 7 oz. of product per 1,000 sq. ft. of turf grass.

1216100 grubGONE! G – 10 lb. bag **\$69.99**

Cannot be shipped to the following states: HI, PR

*Larger sizes available for commercial and agricultural use.

Not recommended for edible vegetable gardens or any variety of food crop
beetleGONE! tlc can be used as a soil drench for edible crop grub control.

JAPANESE BEETLE CONTROL

Milky Spore Powder

Specific, Long Lasting Larval Control.

TARGET: Japanese beetle grubs

DESCRIPTION: Contains *Bacillus popilliae* bacterium, lethal to soil-borne grub stages of Japanese beetles. Grubs that normally feed on roots of grass and vegetables will ingest the bacterium, which will cause death in about 1-3 weeks. As grubs decompose they re-release bacteria spores. The spores can remain in the soil for about ten years, and in some cases up to 20 years. In warmer climates, control can occur in 1-3 years (after one application) and in cooler climates, 3-5 years. Can apply with other fertilizers, will not harm animals and can be applied to food crops. For best results, apply with NemaSeek Hb Beneficial Nematodes (see pages 14-17), which will aid in spreading the bacterium to grubs. Store in a cool dry place to maintain shelf life.

SUGGESTED USE: Use All-Purpose Dispenser Tube for easy application (see online). White chalk carries the bacterium, and the resultant treated area should resemble a checkerboard. Water within about 48 hours for about 15-20 minutes to permeate into soil and do not mow or rake until thoroughly soaked. Apply about 1 tsp., every 4 ft., in rows 4 ft. apart. 10 oz. covers ≈2,500 sq. ft., 40 oz. covers ≈1/4 acre, 50 lbs. covers ≈4.5 acres.

1216001	Milky Spore Powder - 10 oz. - Covers ≈2,500 sq. ft.	\$34.99
1216040	Milky Spore Powder - 40 oz. - Covers ≈1/4 acre	\$93.49
1216045	Milky Spore Powder - 25 lb. Drum - Covers ≈2.25 acres	\$879.00
1216052	All-Purpose Dispenser Tube	\$14.50

Cannot be shipped to the following states: CA, OR, WA

If you are unsure if Japanese Beetles have invaded your county, please contact your County Extension Agent to find out.



BEETLE & GRUB CONTROL

Control multiple damage causing life-stages with biorational solutions.

BEETLE CONTROL

beetleGONE!® tlc



Target the Pest, Not the Rest!



TARGET: Japanese Beetles (*Popillia japonica*), adult & grub Asiatic Garden Beetle (*Maladera formosae*), adult & larva Emerald Ash Borer, adult Goldspotted Oak Borer (*Agrilus auroguttatus*), adult & grub Green June Beetle (*Cotinis nitida*), adult & grub Oriental Beetle (*Anomala orientalis*), Soap berry-borer, Pepper weevil, Citrus root weevil, Strawberry Root Weevils, Pecan Weevil, Sweet potato weevil, Filbert weevils, Flea beetle

DESCRIPTION: This product is a biopesticide that uses the naturally occurring soil bacterium *Bacillus thuringiensis* subsp. *galleriae* in a water dispersible formula used for highly effective organic control of adult beetles, weevils and borers upon ingestion. Without harming bees, butterflies or ladybugs. For Organic Gardening. For use in residential gardens and landscapes.

SUGGESTED USE: beetleGONE! tlc can be applied via the following application methods: spray bottle, hand pump sprayer, pressurized backpack, ground, spot spray, and soil drench to potted plants. For all applications, a rate of 2-4 oz. of beetleGONE! tlc per gallon of water to treat 1,000 sq. ft. is recommended.

1216200	beetleGONE! tlc – 8 oz	\$34.99
1216201	beetleGONE! tlc – 1 lb	\$69.99
1216202	beetleGONE! tlc – 5 lb	\$239.99

Cannot be shipped to the following states: HI, PR

Pro's Choice - Professional Use Only. See full label for application rates and PPE requirements

GRUB & BEETLE CONTROL

AzaGuard®

This Product Works On A Wide Range Of Ornamental, Forestry, Food & Non-Food Crops.

1222204	AzaGuard - 32 oz.	\$275.00
1222206	AzaGuard - Gallon	\$1,000.00

See online for more information.



BioCeres® WP

This Versatile Biopesticide Can Be Used In A Tank Mix Or As A Stand-Alone.

1332891	BioCeres WP - 1 lb. Bag	\$87.00
---------	-------------------------	---------

See page 30 for more information.



BotaniGard® MAXX

Beauveria bassiana & Pyrethrins Make A Powerful Team!

1341040	BotaniGard MAXX - Gallon	\$365.00
---------	--------------------------	----------

See online for more information



BotaniGard® 22WP

Beauveria bassiana Mycoinsecticide Wettable Powder

1341000	BotaniGard 22WP - 1 lb.	\$106.00
---------	-------------------------	----------

See page 30 for more information.



MOSQUITO CONTROL

Create a protective mosquito barrier in your yard with botanical-based sprays.



Mosquito Barrier®

For Yards, Parks & Grass Areas – Keeps Mosquitoes Away!

TARGET: Mosquitoes, gnats and fleas.

DESCRIPTION: Liquid garlic repellent dissipates within minutes of application. Kills adults on contact and suffocates larvae in standing water within approximately 24 hours. Saturate all plants including grass, vegetables and trees. Applications last up to 4 weeks.

SUGGESTED USE: **Residential** (1/2 acre): 4 oz. Mosquito Barrier & 2 gallons of water. **Medium Areas** (1.25 acres): 1 quart Mosquito Barrier & 20 gal. of water. **Large Areas** (5 acres): 1 gallon Mosquito Barrier & 98 gallons of water.

1211001	Mosquito Barrier - Quart	\$33.99
1211002	Mosquito Barrier - Gallon	\$107.95

This product cannot be shipped to the following states: ID, KS, WY



Mosquito Magician® Outdoor Pest Control

An Essential Oil-Based Product That Offers 3-in-1 Mosquito Control.

TARGET: Mosquitoes, fleas and fire ants.

DESCRIPTION: Outdoor Pest Control is a liquid, highly concentrated product that suffocates larvae in the standing water where they breed, kills 100% of mosquitoes within 24 hours in a single treatment. Made with a combination of citronella, cedar, lemongrass, garlic, geraniol and rosemary oils, Outdoor Pest Control sprays in a very fine mist for maximum coverage and control. This has been tested and proven to kill 100% of mosquitoes in 24 hours and also have a 100% kill rate on fire ants and fleas.

- Use your own sprayer or choose from one of the Yard Sprayer Combos listed below.

SUGGESTED USE: 1 pint concentrate treats up to 16,000 sq. ft.; 1 quart concentrate treats up to 32,000 sq. ft.; 1 gallon concentrate treats up to 128,000 sq. ft. and 1 gallon RTU treats up to 4,000 sq. ft.

1211140	Outdoor Pest Control- 16 oz. Concentrate	\$27.49
1211141	Outdoor Pest Control - 32 oz. Concentrate	\$46.95
1211142	Outdoor Pest Control - Gallon Concentrate	\$119.95

Outdoor Pest Control Yard Sprayer Combos

1211138	Battery Sprayer & 2 Gallons RTU	\$84.99
1211146	Hose End Sprayer & Gallon Concentrate	\$125.95
1211148	Pump Up Sprayer & Gallon Concentrate	\$157.45

Remove standing water, eliminate debris and create barriers to prevent mosquito larvae.



Natular® DT

These Easy-to-Use Fizzy Tablets Kill Mosquito Larvae For 60 days!

TARGET: Use to kill the larvae of container breeding mosquitoes, e.g., *Aedes aegypti* and *Aedes albopictus*.

DESCRIPTION: Use this Spinosad-based product to kill mosquito larvae in standing water. These small bi-layer tablets use a dual-release action to ensure a quick kill and continuous control. The first layer is effervescent and will bubble up, dissolve and spread within 60 seconds and begin killing larvae within 24 hours. The second layer dissolves more slowly over the next 60 days. Can be applied to sites that contain fish and plants. Poses no threat to honeybees and other beneficials. Tablets may be cut in half for use in smaller areas.

SUGGESTED USE: Use 1 tablet to treat up to 50 gallons (192 liters) or 25 sq. ft. For continuous action, keep tablet immersed in water. Can be allowed to dry and rewet for use in sites that intermittently fill with water. Reapply after 60 days. Can be applied as a preventative action (pre-flood treatment) before sites fill with water.

1211250	Natular DT - 60 day tablets - 12 ct. Package	\$12.99
---------	--	---------

Cannot be shipped to the following states: ME



MOSQUITO CONTROL

Bacillus thuringiensis israelensis is an effective larvicide that can be used in almost any standing water.

Mosquito Bits®

Harness The Power Of Bti For A Clean, Quick Kill.



TARGET: Mosquito and fungus gnat larvae.

DESCRIPTION: Mosquito Bits uses the biological larvicide *Bacillus thuringiensis v. israelensis* (Bti) to quickly kill mosquito larvae in a wide range of habitats. When spread uniformly over the surface of water, the Bti will float down into the water where the larvae will consume it and die; usually within 24 hours. Bits are not harmful to people, animals or plants. Repeat after a 7-10 day interval. For Fungus Gnat control: Spread the granules over the soil until the area is covered. Moisture in the soil will dissolve the Bits. Re-apply every 3 weeks.

SUGGESTED USE: Sprinkle 1 teaspoon per 25 sq. ft. or 1 tablespoon per 75 sq. ft. (1/2 lb. per 2,178 sq. ft.) over the surface of containerized standing water. This includes bird baths, water troughs, unused swimming pools, old automobile tires, water gardens, rain barrels and more. DO NOT APPLY to finished human drinking water sources.

1211108	Mosquito Bits - 8 oz.	\$10.95
1211136	Mosquito Bits - 30 oz.	\$17.80
1211130	Mosquito Bits - 20 lbs.	\$119.00



AQUABAC® 200G Granular Bti Mosquito Control



Use This Bti Larvicide Wherever You Have Mosquitoes Breeding.

TARGET: Larval stages of mosquitoes, fungus gnats and black flies.

DESCRIPTION: AQUABAC 200G contains *Bacillus thuringiensis var. israelensis* (Bti), a bacteria that specifically targets mosquitoes and black flies in their larval stage, but is harmless to other living things. Once ingested, Bti will work quickly to damage cells and paralyze the larva. In addition, since AQUABAC 200G does not affect larva predators, they will continue their work alongside the Bti.

SUGGESTED USE: Can be applied to almost any habitat that supports mosquito or black fly larvae. Do not use directly in water sources for human consumption. Broadcast by hand or hand spreader in small areas or by standard ground or aerial dispersing methods for larger areas. If water is clear, broadcast at 2.4-10 lbs. per acre. If water is brackish, murky, polluted or full of algae, broadcast 10-12 lbs. per acre. Lasts for approximately 2 weeks.

1211150	AQUABAC Granular Bti - 40 lb. - Free Shipping*	\$195.00
---------	---	----------

*Free Shipping on 40 lb. bag only, in the contiguous 48 states.

Ships via Ground ONLY. Call for pallet pricing.



AQUABAC® Xt

Use This Powerful Biocontrol Liquid To Kill Mosquito Larvae In Water.



TARGET: Larval stages of mosquitoes, fungus gnats, aquatic midges and nuisance flies.

DESCRIPTION: This *Bacillus thuringiensis var. israelensis* (Bti) offers the same powerful pest control in a convenient liquid form. Bti is a bacteria that expressly targets mosquitoes, fungus gnats, aquatic midges and nuisance flies in their larval stages. Once ingested, it will work rapidly to damage cells and fatally paralyze the larva. AQUABAC Xt will not harm any other form of aquatic life or beneficial insects.

SUGGESTED USE: This product can be applied via conventional aerial and ground application equipment (or metered release system) in nearly any habitat that supports the targeted pest larvae. For mosquitoes, use between .25-2.0 pts./100 gals. Higher rates apply when water is polluted, adult populations are high or there is a lot of algae. Do not apply this product in any type of irrigation system or in any sources of water that are for direct human consumption. More specific application rates can be found on the package label.

1211160	AQUABAC Xt - 2.5 Gallons*	\$247.00
1211161	AQUABAC Xt - 2.5 Gallons/Case of 2*	\$419.90

*Free Shipping in the contiguous 48 states. Ships via ground ONLY. Call for pallet pricing.

Cannot be shipped to the following states: NY





WHAT ARE FLY ELIMINATORS?

The Sensible Alternative To Pesticides

Fly Eliminators are tiny $\approx 1/8"$ beneficial insects that parasitize flies in their developing pupal (cocoon) stage, before they can hatch into annoying disease-carrying adult flies. Scientifically they are referred to as Fly Parasites or Fly Parasitoids.




Adult Fly Eliminator emerging from fly pupa.

Fly Eliminators will only parasitize fly pupae and will not bother horses, cattle, livestock, pets, plants, or you.

HOW DO FLY ELIMINATORS WORK?

Adult female flies lay their eggs in decaying organic matter, especially manure. Only a few hours later, these eggs develop into microscopic larvae (maggot stage) and burrow down into the manure. The maggots grow until they form a pupa (cocoon stage).



Life cycle of the fly parasite.

Then, the female Fly Eliminators seek out the fly pupae and begin to deposit their eggs inside. The eggs grow into larvae that feed on the developing fly, stopping the adult pest fly from hatching.

Fly Eliminators reproduce in about 21 days, constantly strengthening the Fly Eliminator population. Pest flies reproduce at a faster rate than our Fly Eliminators, so we recommend they be replenished on a regular basis, approximately every 2-4 weeks.

WHY USE FLY ELIMINATORS?

Stop Flies Before They Hatch!

Break the fly lifecycle by applying Fly Eliminators to manure areas.

Prevent Stress & Annoyance

Reducing flies helps reduce animal stress which can lead to unhealthy behavior.

Mitigates Bites & Disease

Lower vector-borne diseases and parasites by reducing fly populations near animals.

WHO USES FLY ELIMINATORS?

Our customers are all types of horse owners, from the single horse owner to large breeder, including racetracks and farms with many types of animals.

- Boarding Facilities
- Dairy Facilities
- Stables
- Aquariums
- Feed Lots
- Race Tracks
- Poultry
- Kennels
- Equestrian Hobbyists
- Urban Farmers
- Zoos
- Plus more

Please be sure to account for all of your livestock and other animals. Call for special reduced pricing for large facilities, mixed livestock areas and/or custom programs.



HOW DO I USE FLY ELIMINATORS?

Your Fly Eliminators will arrive in a clear plastic bag which contains parasitized fly pupae in wood shavings.

1. When your Fly Eliminators arrive, check for any signs of hatching.
2. Store in a warm, dry place. Once the Fly Eliminators begin to hatch simply disperse them near breeding sites: manure piles; under water troughs; under bedding; corners of pens and feeding sites.
3. Cover with dirt or manure to protect your Fly Eliminators. They will then start to burrow down and search for fly pupae to lay their eggs in.
4. Repeat every 2-4 weeks.



SAVE TIME & MONEY WHEN YOU ORDER BY DEC 31!

Flies will be back again no matter where you live.

Take advantage of our best pricing when you order with VIP Pricing.



Loved by dog owners!

THE ARBICO ADVANTAGE

1. Buy Direct & Save

You're buying directly from the source! ARBICO handles your insects from pupae to packaging.

2. Customizable Programs

Build your program based on number of animals, frequency of shipments and region. Need full customization? Give us a call to build the program right for you!

3. Flexible Payment Options

Pay in full, pay-per-shipment, or pay your way! Now offering PayPal/Pay Later, Apple Pay, Google Pay, Venmo and ACH.

4. Free USPS Shipping*

USPS shipping included on programs up to 5 units.



Looking for a
one-of-a-kind gift?

ORDER TODAY!
(800) 827-2847

SPECIAL PRICING

**LOCK IN THE LOWEST
PRICES FOR 2027 PROGRAMS!**
Sign up NOW & Pay LATER!

Only \$21.95
Per Shipment for 2-5 Horses
USPS Shipping Included* in Prices!

Number of Horses/Animals	Suggested Units†	Price Per Shipment
1	1/4 Unit	\$16.99
2 - 5	1/2 Unit	\$21.95
6 - 10	1 Unit	\$34.00
11 - 15	1 1/2 Units	\$45.00
16 - 20	2 Units	\$56.95
21 - 25	2 1/2 Units	\$68.47
26 - 30	3 Units	\$78.10
31 - 35	3 1/2 Units	\$89.00
36 - 40	4 Units	\$98.99
41 - 45	4 1/2 Units	\$109.98
46 - 50	5 Units	\$115.00
51 +	Please Call 1-800-827-2847	

VIP Pricing Valid Through Dec. 31, 2026

Please be sure to account for all of your livestock and other animals. Call for special reduced pricing for large facilities, mixed livestock areas and/or custom programs.

*USPS shipping included up to 5 units.

†These are units of measurement, not warranties or guarantees of performance. The total seasonal cost of Fly Eliminators depends on the recommended number of shipments which may be different than what competitors may recommend. We recommend releasing a shipment every 2-4 weeks throughout the fly season, but releases ranging from 1-6 weeks are not uncommon. Customer experiences may vary. The quantity required and frequency of application can differ according to region, size and condition of property or stables, severity of fly problem, neighbors, manure management, number of animals and start date of program. All warranties, express or implied are disclaimed. One unit bag shown. © 2026 Arizona Biological Control, Inc.

FLY TRAPS

Fly traps are integral for total fly control. They help break the lifecycle by trapping and killing adult flies.



ARBICO Organics® Solar Fly Trap

Heavy Duty, Reusable, Portable & Lightweight Fly Trap!

TARGET: Adult flies.

DESCRIPTION: This built-to-last, rust-free, heavy duty trap goes anywhere to reduce existing fly populations, fly blooms and migrant flies. Used by gardeners, pet owners, kennels, horse owners, breeding and training facilities, dairies, poultry and swine facilities, feedlots and other places where flies are a problem. Dimensions: 12" diameter x 10.5" tall.

SUGGESTED USE: Mix the yeast bait with water and pour into container at the bottom of the trap. Within seconds flies are lured into the trap. They enter into the confinement chamber and dehydrate from exposure to the sun. When it begins to fill up with flies, just empty, hose out and reset with new bait. Comes with one packet of bait, which is enough for approx. 5 weeks. Use 1 trap for 5-10 horses.

1256001	ARBICO Organics Solar Fly Trap - Includes 1 Bait	\$108.00
1256005	ARBICO Organics Solar Fly Trap - Includes 4 Baits	\$120.00
1256002	Replacement Fly Bait	\$9.99
1259990	ARBICO Organics Solar Fly Trap - 2 Pack	\$194.00
1259991	ARBICO Organics Solar Fly Trap - 3 Pack	\$285.00
1259992	ARBICO Organics Solar Fly Trap - 4 Pack	\$360.00

Replacement parts available online.

*FREE SHIPPING via ground or US Mail ONLY.

GREAT GIFT IDEA!



Complete Your Fly Control Plan With

ARBICO ORGANICS 4-STEP FLY CONTROL

1. ARBICO Organics Fly Eliminators - Pgs 24-25

These tiny, nocturnal wasps parasitize fly pupae stopping flies before they hatch. They do not bother pets, plants or people.

2. Manure & Odor Controls

Limit fly breeding proliferation by managing manure piles, applying microbes (EM-1 pg 41) to accelerate decomposition and reduce fly attracting odors.

3. Maggot Controls

Treat breeding areas and "hot spots" to stop flies before they hatch with **Beneficial Nematodes** (see pages 14-17).

4. Adult Fly Controls

Break the fly lifecycle by trapping adults with a **Solar Fly Trap** - Our best-selling, durable aluminum trap kills hundreds of flies! Protect horses with a repellent spray such as Equiderma Horse Spray (see online).



FEATURED/NEW INSECTICIDES

Check out our newest/latest insecticides to provide efficient and effective plant pest control.



PRINCIPLE™ WP



OMRI Listed. A Superior *Beauveria bassiana* Formulation.

TARGET: Common soft-bodied insects like Whiteflies, Thrips and Aphids. Also effective on harder to control insects like Psyllids, Mealybugs, Beetles, Weevils and even Grasshoppers.

DESCRIPTION: Principle WP is an excellent choice for all kinds of growers. It's active ingredient, *Beauveria bassiana*, has been used in biocontrol for decades with great success. This exceptional low-dust, wettable powder formulation offers best-in-class efficacy combined with improved mixability for better application and use. Scant leaf residue. No risk of resistance development and no known phytotoxicity. 4-hr REI, 0-Day PHI.

SUGGESTED USE: Can be used on cannabis, hemp, turf, ornamentals, food and non-food crops in greenhouses or fields. Aerial, ground, drip, dip and spray applications. Great compatibility with other inputs. Apply at first sign of infestation. No limit to the number of applications per season. For whitefly and aphid infestations on food and non-food crops: 0.5-1 lb. per 100 gals. of water. For thrips: 1-2 lbs. per 100 gals. water. See product label or the DOCS tab on our website for more specifics.

1342000

Principle WP

\$90.00

Cannot be shipped to the following states: PR

Cannot ship via USPS.

10x lower use rate to achieve equivalent efficacy to horticultural oils.



EpiShield® O



Delivers a Powerful Punch of Essential Oils with Lower Application Rates!

TARGET: Aphids, Mealybugs, Mites, Spider Mites, Thrips and Whiteflies

DESCRIPTION: EpiShield O, an advanced miticide and insecticide, offers growers unparalleled convenience. Its concentrated blend of peppermint (15%) and clove (10%) oils ensures high pest mortality rates with minimal application. Versatile for use indoors and outdoors, it effectively suppresses mites, aphids, whiteflies, mealybugs, and thrips across a variety of crops. Lower application rates allows flexibility in timing and is perfect for spot sprays. With no known risks of resistance or residue tolerance, it's an efficient solution in agriculture and commercial settings.

SUGGESTED USES: Dilute 9-12 fl oz per 100 gallons per acre for foliar applications. Use immediately and agitate the solution regularly. Spray top and bottom of leaf canopy until wet but without runoff. Repeat applications at 5-7 day intervals as needed. See label for dip application instructions.

1332786

EpiShield O – 36 oz.

\$300.00

1332788

EpiShield O – 2.5 Gal

\$2,304.00

Cannot be shipped to the following states: PR



Cintro™ Insecticidal Soap



OMRI Listed. Contact Insecticidal Soap for Fast, Effective Control.

TARGET: Aphids, Mealybugs, Mites, Scale, Spider Mites, Thrips, Whiteflies and more.

DESCRIPTION: OMRI Listed Cintro Insecticidal Soap works by dissolving the insect's cuticle and disrupting its cell membranes, resulting in death. This contact-based solution, formulated with potassium salts of fatty acids, once dried, leaves no residual insecticidal activity. This means minimal impact on beneficial organisms and seamless integration into IPM programs. It delivers dependable contact control exactly when and where it is needed. Beneficials can be released as soon as sprays have dried.

SUGGESTED USE: Apply at the first sign of pest infestation. Use at a rate of 1-2% of solution for field and greenhouse plants. Thoroughly spray all parts of plants including underside. Insect must come in contact with liquid spray. Spray early morning, evening or when overcast. Limit 3 consecutive applications. See labels online for any/all restricted plant usage.

1247655

Cintro Insecticidal Soap – 2.5 gals

\$165.00

1247656

Cintro Insecticidal Soap – 2.5 gals – Case of 2

\$297.00

Cannot be shipped to the following states: CA,IN,PR

INSECTICIDES

Harness the power of natural resources through minerals, botanical extracts and soaps to control pests.

Garlic Barrier®

Protect Your Plants With Garlic!

TARGET: Ants, aphids, armadillos, armyworms, beetles, birds, caterpillars, deer, grasshoppers, leafhoppers, leafminers, loopers, mealybugs, mites, rabbits, sawflies, whiteflies and wireworms.

DESCRIPTION: Made from 10% garlic extract, when absorbed by plants it helps to protect them from pest insects, repelled by the smell and taste. The garlic odor diminishes about 30 minutes and will not alter taste.

SUGGESTED USE: Apply weekly. For nematode and grub control, spray seeds before planting. For foliar applications, apply before noon for best results. Mix at a rate of 1 cup/ 10 cups water to cover about 15,000 sq. ft.

1452602	Garlic Barrier - Quart	\$29.95
1452603	Garlic Barrier AG+ - Gallon**	\$98.99

**AG+ is OMRI listed and WSDA Certified. Call for larger sizes.

Cannot be shipped to the following states: AK, AL, AR, DC, DE, IA, ID, KS, KY, LA, MS, ND, SC, WA, WV, WY



Monterey Garden Insect Spray

Insect Pests Don't Stand A Chance With This Spinosad Product!

TARGET: Caterpillars, leafminers, thrips, fire ants and other pests as listed on the label.

DESCRIPTION: This OMRI listed spray is made with Spinosad and is specially formulated for use in home environments such as gardens, lawns, ornamentals, shrubs, trees and non-commercial greenhouses. The Spinosad in this spray works on insects' nervous systems, causing paralysis and death within 1-2 days. Because the insects are paralyzed, they may remain stuck on the plants and be mistaken for live insects; we recommend you check your plants 2-3 days after spraying to re-evaluate your control. Not for commercial use.

SUGGESTED USE: Apply when listed pests are present. Thoroughly spray and drench all plant foliage until wet, taking care to include undersides of leaves. Repeat applications may be made as indicated in the "Use Restrictions" section of the label.

Toxicity: This product is toxic to bees for 3 hours following treatment. This product is also toxic to aquatic invertebrates such as insects, crustaceans, mollusks and worms.

1257907	Monterey Garden Insect Spray - 32 oz. RTU	\$15.49
1257901	Monterey Garden Insect Spray Conc. - 8 oz.	\$17.49
1257900	Monterey Garden Insect Spray Conc. - Pint	\$25.99
1257905	Monterey Garden Insect Spray Conc. - Quart	\$45.49
1257910	Monterey Garden Insect Spray Conc. - Gallon	\$153.99



Monterey Neem Oil

Effective Against Indoor And Outdoor Insect Pests & Fungal Diseases!

TARGET: Use as an insecticide/miticide and/or fungicide on a wide range of ornamental plants, vegetables, trees and shrubs, as well as fruit and nut crops.

DESCRIPTION: Insecticide/Miticide Use:

Controls spider mites, aphids, whiteflies, scale, beetles, leafrollers and other insect pests. **Fungicide Use:** Effective against powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, *Botrytis*, needle rust, blights and *Alternaria*.

SUGGESTED USE: Insecticide/Miticide Use: Mix rate: 1-2 oz./gallon of water. Thoroughly spray all plant surfaces (including the undersides of leaves) until wet. **Fungicide Use:** Apply every 7-14 days; for heavy infestation, apply every 7 days. Use 1 oz./gallon of water & thoroughly spray all plant surfaces until wet. Apply on a 7-14 day schedule until control is achieved.

1555615	Monterey Neem Oil - 32 oz. RTU	\$15.99
1555616	Monterey Neem Oil - 16 oz. RTS	\$32.99
1555613	Monterey Neem Oil - 8 oz. Concentrate	\$18.49
1555614	Monterey Neem Oil - Pint Concentrate	\$32.99
1555618	Monterey Neem Oil - Gallon Concentrate	\$183.49

RTU (1555615) cannot be shipped to the following states: WY



BONIDE® Captain Jack's™ Neem Max

Powerful Cold Pressed Neem Oil In A 4-in-1 Formulation.

TARGET: Aphids, grasshoppers, beetles, leafhoppers, thrips, borers, leafminers, caterpillars, mealybugs, weevils, flies, gnat, psyllids, wireworms, whiteflies, soil fungal diseases and much more.

DESCRIPTION: Made with 70% cold pressed neem oil, this product works as a repellent, a suffocant, an anti-feedant, an insect growth regulator by disrupting the growth/molting process and as a poison if ingested. As a fungicide this product will inhibit mycelial growth by coating the spores, which prevents further spore development. This product will not kill fungal pathogens outright, it will only inhibit further develop so it is crucial to treat the area ahead of a severe infestation. Kills the eggs, larvae & adults.

SUGGESTED USE: Can be applied as a foliar spray or soil drench. Insect & mite control: Apply at 0.625-1.8% in a 7-10 day interval. Disease control: Use 1.2-1.8% with a 10-14 day interval. Soil use/nematode control: Use at 1.2-2.4% with a 10-14 day interval.

1246610	Captain Jack's Neem Max - 8 oz. Conc.	\$14.29
1246611	Captain Jack's Neem Max - 16 oz. Conc.	\$20.99

Also available in Ready to Use and Ready to Spray sizes (see online).



INSECTICIDES

Powerful sprays offer multiple benefits as insecticides, fungicides and/or miticides for broad spectrum control.

MULTI-PURPOSE

Organic JMS Stylet-Oil®

Smother Pests & Mites and Fight Fungus & Disease Every Season!

TARGET: Powdery mildew, mites, whiteflies, leafminers and insect transmitted diseases.

DESCRIPTION: Use this multi-purpose, year-round fungicide, insecticide and antiviral spray oil in greenhouses, on field crops and on fruit trees. Kills powdery mildew on contact and prevents occurrence for up to 14 days and controls mites, whiteflies and leafminers. Made from paraffinic oil and is colorless, tasteless and odorless. 4-hour re-entry interval; no pre-harvest interval.

SUGGESTED USE: For gardens, apply approx. 3 Tbsp./gal. water with a sprayer. For larger areas, apply about 1-2 gal./100 gal. water and use 25-150 gal. of dilute/acre depending on crop, timing and desired treatment. Apply weekly or bi-weekly depending on severity of condition. Begin at the onset of plant growth, fungus emergence, disease and insect infestation. See label online for detailed rates and instructions.

1274107	Organic JMS Stylet-Oil - Gallon	\$38.50
1274108	Organic JMS Stylet-Oil - 2.5 Gallons	\$60.00

*Call for freight quote. Larger sizes available.

Cannot be shipped to the following states: AL, AK, DC, GA, HI, ID, IN, KS, KY, LA, MA, MS, MT, NM, PA, PR, SC, SD, TX, UT, WI, WY

The Amazing Doctor Zymes Eliminator

Year Round Control For Pest & Mildew.

TARGET: Aphids, thrips, fungus gnats, mites, root aphids and whiteflies. Also eliminates fungus, molds and mildew.

DESCRIPTION: This OMRI listed product is made with naturally occurring organic materials and citric acid to produce a multiple action fungicide/miticide. As a miticide, it works by interfering with the pest's ability to breathe, fatally breaking down protein and organic materials in eggs and acting as a deterrent. As a fungicide, the citric acid destroys the biomass of the spores and alters the pH to create an environment hostile to growth. Best when used preventatively.

SUGGESTED USE: Dilute with warm water. Larger volume applications: 1/2 cup/gal water. For severe infestations: 1/2 cup/gal water every 3rd day. Powdery Mildew/weak solution: 0.5 oz/31.5 oz water. Soft bodied insects/medium solution: 1-1.5 oz/31 oz water. Infestations/strong solution: 2-2.5 oz/30 oz water. Preventative: seeds/transplants: 0.5-1 oz/qt water; soil amendment: 1 cup/5 gals water; foliar spray: 1/2 cup/1 gal water.

1459200	The Amazing Dr. Zymes Eliminator - Quart RTU	\$15.82
1459201	The Amazing Dr. Zymes Eliminator - Quart Conc.	\$39.69
1459202	The Amazing Dr. Zymes Eliminator - Gallon Conc.	\$142.32

Larger sizes available.

Cannot be shipped to the following states: DC, ID, IN, KS, LA, ME, MS, NE, ND, PR



Organocide® Bee Safe 3-in-1 Garden Spray

This Multi-Purpose, OMRI Listed Garden Spray Will Not Harm Bees, Ladybugs Or Butterflies.

TARGET: Soft-bodied insects, spiders and other mites, scale, powdery mildew, downy mildew, spot diseases and more.

DESCRIPTION: This unique blend of potassium sorbate, sesame oil, lecithin and edible fish oil work as an insecticide, miticide and fungicide. It contains no petroleum solvents. Organocide is effective against soft-bodied insects, spider mites and scale insects, but it also controls many common fungal diseases, like powdery mildew, downy mildew and spot diseases. Can be used on most crops grown indoors and outdoors, but do not use the concentrate indoors. 0-hr REI & 0-day.

SUGGESTED USE: Spray to run-off, making sure tops & bottoms are covered. Spray early morning or late evening and allow 3-4 hrs. for product to dry. Do not apply when temps are over 95°F. For control: 1 application. For maintenance: Once a month. Severe problems: 2 applications 3 days apart. Concentrate: Dilute 3 oz/gal water or 1 oz/gal water for severely stressed or damaged plants. Use a sprayer that puts out a fine spray.

1150050	Organocide 3-in-1 Garden Spray - 24 oz. RTU	\$12.21
1150055	Organocide 3-in-1 Garden Spray - 16 oz. Conc.	\$16.48
1150056	Organocide 3-in-1 Garden Spray - 32 oz. Conc.	\$23.78
1150058	Organocide 3-in-1 Garden Spray - Hose-End 32 oz.	\$31.87
1150059	Organocide 3-in-1 Garden Spray - Gallon Conc.	\$86.19

Larger sizes available.

Cannot be shipped to the following states: AL, AZ, CT, IN, KS, ME, MD, MI, NH, M, NC, OR, PR, RI, SD, VA, WA, WI

SuffOil-X®

OMRI Listed Pre-Emulsified Mineral Oil Suffocates Many Soft-Bodied Insects & Controls Certain Fungal Diseases.

TARGET: Aphids, cankerworms, leafhoppers, leafrollers, mealybugs, mites, plant bugs, psyllids, soft scales, webworms, whiteflies, rust and powdery mildew.

DESCRIPTION: Made with refined pre-emulsified mineral oil, this suffocant creates the best coverage with limited risk of plant damage. Using a pre-emulsified creates a lighter oil that dries faster, will not cause phytotoxicity, burn or undue stress, leaves no toxic residue on plants and dilutes easily with water.

SUGGESTED USE: Can be used with a wide variety of crops indoors or outdoors. Apply when oil will dry and evaporate in 1-2 hours and when relative humidity is less than 90%. Application rates are generally 1-2 gallons of SuffOil-X per 100 gallons of water or 20-500 gallons of spray solution per acre.

1332805	SuffOil-X - 2.5 Gallons	\$105.00
1332806	SuffOil-X - Case of 2 ct./2.5 Gals.	\$189.00



Beauveria bassiana fungus targets foliar pests such as aphids, whiteflies & others upon ingestion.

BotaniGard® 22WP *Beauveria bassiana* Strain GHA

Controls A Wide Variety Of Soft-Bodied Insects In Greenhouse, Field & Nursery.

TARGET: A wide variety of soft-bodied insects such as whiteflies, thrips, aphids, psyllids, mealybugs, scarab beetles, plant bugs and weevils.

DESCRIPTION: BotaniGard is a natural contact insecticide that contains the mycoinsecticide – *Beauveria bassiana* Strain GHA, which controls many varieties of soft-bodied insects in greenhouse, field and nursery crops.

SUGGESTED USE: Thorough coverage is required to achieve control. Apply in 7 day intervals. However, if pest population is high, it can be applied in 3-5 day intervals totaling 3 applications.

Application Rates

- For whiteflies and aphids, use .5-1 lb. of BotaniGard 22WP per 100 gallons of water.
- For thrips, use 1-2 lbs. of BotaniGard 22WP per 100 gallons of water.
- For other labeled insects, use .5 to 2 lbs. of BotaniGard 22WP per 100 gallons of water.
- Rate depends upon infestation level, consult package instructions before application.

BotaniGard 22WP

1341000 BotaniGard 22WP - 1 lb. Powder **\$99.00**
Case sizes available. **Shipping Restrictions:** Cannot ship via US Mail.



BioCeres® WP

This Versatile Biopesticide Can Be Used In A Tank Mix Or As A Stand-Alone.

TARGET: Aphids (*Aphidoidea*), whiteflies (*Aleyrodoidea*), thrips (*Thysanoptera*), plant bugs (*Lygus lineolaris*), spotted wing drosophila (*Drosophila suzukii*), borers, beetles and weevils.

DESCRIPTION: This OMRI Listed biopesticide uses the power of *Beauveria bassiana* to control insects in developing and adult stages. Upon application, the spores will adhere to and begin penetrating the insect's outer shell. Once inside the insect, the spores will continue to multiply until they reach its hemolymph (blood). When the spores encounter the blood they will begin feeding on it. Death will occur in 7 to 14 days. 0 pre-harvest interval and 4-hour REI.

SUGGESTED USE: Repeat at 5-7 day intervals as needed. Apply 1-3 lbs. per acre, according to the density of the insect population. For conventional air and ground applications, use at least 50 gallons of spray volume per acre. Thoroughly cover plant foliage with spray solution, but not to runoff.

1332891 BioCeres WP - 1 lb. Bag **\$87.00**
Case sizes available. **Cannot be shipped to the following states:** CA, HI, MS



Venerate® CG & Venerate® XC

This Unique Bioinsecticide Fits In An IPM & Resistance Management Program (RMP).

TARGET: Caterpillars, foliage feeding *Coleopteran*, aphids, whiteflies, Asian Citrus Psyllids (ACP), leafhoppers, stink bugs, mites, *Lygus* and more.

DESCRIPTION: Venerate uses killed cells of the *Burkholderia* spp. strain A396 and spent fermentation media to kill insects in fields and greenhouses. It's toxic when ingested and works on contact to cause enzymatic degradation of exoskeletal structures and fatal interference with the molting process. Not harmful to fish, birds, most beneficials and honey bees.

SUGGESTED USE: Mix with water and apply as a foliar spray. Apply 2-4 qts./acre on a 7-day interval. Smaller scale applications: 2-4 Tbsp./gal. Alternate with another product on a 7-day interval. No limit on number of applications per season. No spray buffer needed. Use of surfactant is recommended



1332957	Venerate CG - Quart	\$58.00
1332956	Venerate CG - Gallon	\$150.00
1332958	Venerate CG - 2.5 Gallons	\$350.00
1332960	Venerate XC - 2.5 Gallons	\$320.00

NoFly™ WP

This Aggressive Fungus Controls Soft-Bodied Insects & Hard-To-Kill Livestock Pests.

TARGET: Aphids, Bagrada bugs, beetles (including darkling, litter, carrion & hide), fungus gnats, gnats, grasshoppers, leaf hoppers, locust, lygus bugs, mealybugs, mites (including russet, spider & chicken), Mormon crickets, northern fowl mites, plant bugs, psyllids, red poultry mites, thrips, weevils, and whiteflies.

DESCRIPTION: This organic wettable powder mycoinsecticide contains spores of the entomopathogenic fungus *Isaria fumosorosea* strain FE 9901. This naturally occurring fungus is a common and aggressive predator of insect pests but is not a plant pathogenic organism and will not adversely affect beneficials (including bees). When the spores come into contact with the insect pest, they will immediately attach themselves to the body. As they grow, they will penetrate the host insect's body and disrupt the normal functions of the insect's internal organs and tissues. It will stop feeding within 24 hours and die in 3-7 days. Effective against all life stages of insect pest.

SUGGESTED USE: Can be used as a foliar, soil or hydroponic application. Rates for crops: Foliar: 1/2-2 lb/acre or 2-8 oz/ 11,000 sq. ft. at a minimum of 0.1% solution. Soil: 14-28 oz/100 gals water at a rate of 1 gal of solution per cu ft of growing media or 6-12 oz/5-10 gals water/yard of soil. Hydroponics: 6-16 oz/100 gals water. Rates for turf: 1/2- 2 lb/acre or 2-8 oz/11,000 sq. ft. applied at a minimum of 0.1% solution. Rates for poultry houses & livestock barns: 1-3 oz/12 gals water.

1332875	NoFly WP - 8 oz.	\$67.78
1332876	NoFly WP - 2 lbs.	\$225.99
1332877	NoFly WP - 20 lbs.	\$1,100.00

Cannot be shipped to the following states: AK, DC



INSECTICIDES

Providing broad spectrum control of plant pests through multiple modes of action.



Pyrethrum Based Contact Insecticide That Controls All Insect Life stage.

TARGET: Aphids, Mealybugs, Whiteflies, Scale, Thrips, Leafhoppers, Colorado Potato Beetle, Flea Beetle, Japanese Beetle, & Various Caterpillars.

DESCRIPTION: BioNex is a broad-spectrum, natural pyrethrum-based contact insecticide that delivers rapid knockdown of pests and is well-suited for organic and conventional programs. Featuring multiple modes of action, pyrethrins disrupt insect sodium channels for fast control, while canola oil acts as a smothering agent and spreader. Suitable for a wide range of plant and crop use. Controls adults, larvae, and eggs to help stop future outbreaks before they start. It has minimal environmental persistence when applied according to label directions and breaks down quickly.

SUGGESTED USE: This product should be used as a full coverage foliar spray, covering both upper and lower leaf surfaces. Can be applied to edible crops right up to the day of harvest for flexible pest management. This product is toxic to aquatic organisms including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively foraging the treatment area. More information can be found on the package label.

1247680	BioNex - Gallon	\$197.00
1247681	BioNex - Gallon Case of 4	\$709.20

Cannot be shipped to the following states: AL, CA, DC, HI, MD, MA, NM, NY, ND, OR, PR, SD, WI



AzaSol®

This Non-Oil Based & Water Soluble Powder Controls A Myriad Of Insect Pests.

TARGET: Whiteflies, aphids, caterpillars, mushroom flies, phorid flies, leafminers, mealybugs, psyllids, weevils and many more.

DESCRIPTION: Through a patented process, the active ingredient in Azasol, Azadirachtin, is transformed into water-soluble amorphous powder that quickly dissolves in water and won't clog equipment or leave an oily residue or discoloration on plants. When used as directed it is effective on adult insects, larvae and pupae. It will vigorously repel insects, kill them when they come in contact with the spray or feed on sprayed plants and interrupt their life cycles. Won't burn leaves or block photosynthesis. Can be injected in trees for quick results.

SUGGESTED USE: Apply as a foliar spray or soil drench to soil or soilless media. A wetting agent may be used. To repel adult flies, use fogging equipment. Use from 1-4 tsp./1000 sq. ft. depending on pest infestation levels, application method and growing environment. For optimum results, 2-3 applications made at 7-10 day intervals is recommended.

1457620	AzaSol - .25 oz.	\$23.99
1457621	AzaSol - .75 oz.	\$46.99
1457622	AzaSol - 6 oz. (8 x 0.75 oz.)	\$329.99
1457624	AzaSol - 1 lb. Bottle	\$599.00
1457625	AzaSol - 2 lb. Jug	\$1,297.00



PyGanic® Gardening

Rapid Knockdown & Kill For Outdoor Pests In Your Garden.

TARGET: Over 100 listed pests, including aphids, beetles, caterpillars, crickets, fruit flies, fungus gnats, mites and thrips.

DESCRIPTION: This updated version of PyGanic offers the same ingredients and results as the former PyGanic 1.4. Pyrethrins, the active ingredient here, is made from a daisy extract and has been used effectively for a millennia. This formulation can be applied in a variety of ways, making it easy to use no matter the size of your garden. Spraying should begin when the insects first appear, not when they are already heavily infested. Thoroughly cover all plant surfaces. This OMRI listed, NOP compliant insecticide can be used throughout your growing season and up to the day of harvest.

SUGGESTED USE: For use on outdoor gardens and growing areas. Not for use indoors. Not for use on plants grown for sale. Do not exceed the maximum application rates of 1.4 fl. oz. per 1,000 sq. ft. or 59 fl. oz. per acre.

1288710	PyGanic Gardening - 8 oz.	\$29.98
1288720	PyGanic Gardening - 32 oz.	\$67.98
1288730	PyGanic Gardening - Gallon	\$245.99



AzaGuard®

This OMRI Listed Product Works On A Wide Range Of Ornamental, Forestry, Food & Non-Food Crops.

TARGET: For controlling and repelling over 300 listed insect species, including aphids, beetles, armyworms, fungus gnats, leafhoppers, caterpillars, mealybugs, webworms, plant parasitic nematodes and root knot nematodes.

DESCRIPTION: Azadirachtin, extracted from the neem tree, is the active ingredient here. Insects are repelled by the taste and smell of neem, but azadirachtin also works as a molting/growth disruptor. This Insect Growth Regulator (IGR) disrupts the life cycle between larval, pupal and nymphal stages by impeding the metabolism of ecdysone. Ecdysone is necessary for molting, without which the insect cannot mature into its next growth stage and will, ultimately, die. NOP Compliant.

SUGGESTED USE: For Outdoor Use: apply about 8-21 fl. oz./acre.

For Indoor Use: apply 8-16 fl. oz./100 gals. Apply using a power, pump or hand-held type sprayer. Spray when pests first appear and repeat at 5-7-day intervals utilizing a sticking agent if needed.

1222204	AzaGuard - 32 oz.	\$275.00
1222206	AzaGuard - Gallon	\$1,000.00
1222208	AzaGuard - 2.5 Gals	\$2,495.00



INSECTICIDES

Reliable pest insect control can range from systemic solutions to contact insecticides.

SNS™ Systemica® Insect Killer



Delivers Multiple Modes of Action for Maximum Control.

TARGET: Ants, Aphids, Gnats, Mealybugs, Mites, Scales, and Whiteflies.

DESCRIPTION: SNS Systemica Insect Killer is an organic, OMRI-listed insecticide made from food-grade botanical extracts. It works on contact, as a barrier, as a systemic insecticide, and as a root drench. After Systemica is applied, it will kill and repel any insects it comes into contact with at that time. Simultaneously, Systemica is absorbed into plant cell walls and distributed throughout the plant. Can be used indoors and outdoors.

SUGGESTED USE: Available as a hose-end concentrate or a ready to use spray. Hose-End: Shake well before use. Attach nozzle to hose and spray desired plant foliage. RTU: Shake well before use. Do not dilute. Spray plant surface or root zone as needed. Repeat every 7-10 days.

1459110 SNS Systemica Insect Killer – Hose-End – 32 oz. **\$24.99**

1459111 SNS Systemica Insect Killer RTU – 32 oz **\$19.99**

Cannot be shipped to the following states: AL, AK, AZ, AR, CT, DE, DC, IN, IA, KY, LA, ME, MD, MS, MT, NV, NM, NC, ND, SC, SD, VA, WA, WV, WY



DES-X® Insecticidal Soap



OMRI Listed. A Fast-Acting Contact Killer For A Long List Of Insect & Mite Pests.

TARGET: Aphids, earwigs, flea hoppers, leafhoppers, mealybugs, mites, plant bugs, psyllids, rose slug larvae, sawflies, scale, spider mites, tent caterpillars, wooly aphids and whiteflies.

DESCRIPTION: This fatty acid-based insecticide is effective against adult, larval and nymph stages of target insects. It penetrates the body of the pest and causes death through disruption of the membrane and interference with normal cell functions. Can be used throughout the growing cycle but is especially useful for treating/spot-treating before the release of biological control agents. Use with care on blooms and sensitive plants. 0-day PHI and 12-hr REI.

SUGGESTED USE: For best results, apply when infestation is first noticed. Field applications: apply 2% formulation, 2 gal product/100 gal water at a rate of 75-200 gal/acre using ground spraying equipment. Spray to wet but minimize runoff. Contact all parts of plants. Repeat applications every 1-2 weeks, but do not exceed 3 consecutive applications. Do not use when plants are under stress. Do not apply to new seedlings/ transplants without determining sensitivity first. Avoid spraying in full sun.

1247660 DES-X Insecticidal Soap - 2.5 Gal. Conc. **\$160.00**

1247662 DES-X Insecticidal Soap - 2.5 Gal. Conc./Case of 2 **\$288.00**



SNS 209™ Systemic Pest Control



This NOP Compliant Insecticide Works From The Inside Out.

TARGET: For use against spider mites, whiteflies, fungus gnats, thrips, root aphids, scales and more.

DESCRIPTION: This unique product formula contains rosemeric acid, a derivative of the rosemary plant, that the plant will uptake and spread throughout its structure. The presence of this acid in the plant cells forms a barrier that insects find distasteful. Once a feeding insect comes in contact with the rosemeric acid, they retreat and look for a more suitable food source. Contact with rosemeric acid can be fatal depending on the size of the pest affected and that pest's maturity. SNS 209 stays in the plant's leaves, stems and roots and can't be diluted by the elements. This provides complete protection for all parts of the plant.

SUGGESTED USE: This product may be used as a foliar spray or as a root drench. Use daily or every few days until it begins working in 1-2 weeks. It will be effective for up to 3 weeks. Discontinue use once it starts working and then reapply every 14-28 days as needed. Do not overuse.

1459105 SNS 209 Pest Control - Pouch Conc. - Makes 5 gal. **\$7.99**

1459100 SNS 209 Pest Control - Pint Concentrate **\$24.00**

1459102 SNS 209 Pest Control - Gallon Concentrate **\$110.00**

1459103 SNS 209 Pest Control - 5 Gallon Concentrate **\$380.00**

Cannot be shipped to the following states: AL, AK, CT, DE, GA, ID, IN, IA, KS, LA, ME, MS, MT, NM, ND, PA, RI, SC, SD, UT, WV, WY



M-Pede®



A Highly Effective, Organic Insecticidal Soap.

TARGET: Adelgids, aphids, caterpillars, lace bugs, leafhoppers, leafminers, mealybugs, mole crickets, plant bugs, psyllids, scales, spider mites, thrips, whiteflies, spongy moths & chinch bugs. Curative control for powdery mildew.

DESCRIPTION: This organic foliar spray insecticide/miticide/fungicide is made from potassium salts of naturally derived fatty acids (aka insecticidal soap) and can be used on a wide range of crops grown organically or conventionally in fields, greenhouses, or interiorscapes. M-Pede works in all life stages of mites, aphids and whiteflies. Other listed insect pests, the effects are limited to early growth stages and eggs. 12-hr REI & 0-day PHI.

SUGGESTED USE: This product may be applied with most types of ground or aerial spray equipment, but **DO NOT** use with pulse/thermal fogger applicators or apply through any type of irrigation or hydroponic system. M-Pede rates as low as 0.25% v/v or as high as 4% v/v may be used. **Do not** mix with sulfur or use within 3 days of a sulfur application. To avoid any possible plant injury do not make repeat applications at less than 7-day intervals, or make more than 3 sequential applications at 7- to 14-day intervals

1247650 M-Pede - 2.5 Gallons **\$153.00**

1247652 M-Pede - 2.5 Gallons - Case of 2 **\$275.40**



Use these powerful, beneficial microbes for proactive protection & treatment of plant diseases.

RootShield® Plus Granules & RootShield® Plus WP



Use This Biological Fungicide To Eliminate Hard To Control Diseases!

TARGET: Plant pathogens and resulting diseases such as *Phytophthora*, *Rhizoctonia*, *Pythium*, *Fusarium*, *Thielaviopsis*, and *Cylindrocladium*.

DESCRIPTION: OMRI listed and EPA registered, this product will help eliminate damaging fungal pathogens by colonizing plant root systems and by boosting biological diversity of the rhizosphere. This unique product is comprised of live microbial beneficial fungi *Trichoderma harzianum* strain T-22 and the newly developed *Trichoderma virens* strain G-41, delivering an extended array of pathogen control.

SUGGESTED USE: For control and prevention of major fungal pathogens and resultant diseases on greenhouse and nursery vegetables, herbs, ornamentals, fruits, conifer tree seedlings, various trees, legumes, oil seeds and peanuts. One application will last for approximately 12 weeks, and can be used with a 0-hr REI. This product can be used in conjunction with certain other fungicides, see label and other online resources for details. For granular usage, mix about 1.5-3 lbs. to 1 cu. yd. of mix or about four 40 lb. bags to 100 cu. yds. of soil mix. For WP, use about 6 oz. of powder to 100 gal. of water. For plug trays, flats and small pot with 1-3 in. of soil, use about 100 gal. mix/800 sq. ft. For beds and pots 4-5 in. deep, use about 100 gal. mix/400 sq. ft. For azalea pots 6 in. deep, use about 100 gal. mix/1600 pots.



Phytophthora infestans on Potato plant

1332756	RootShield Plus WP - 1 lb. Bag	\$160.00
1332757	RootShield Plus WP - 3 lb. Box	\$315.00
1332755	RootShield Plus Granules - 40 lb. Bag	\$490.00

Larger sizes available.

Granular cannot be shipped to: AK,PR • WP cannot be shipped to: AK

Suppress diseases and support the overall health of your plant.

Cease® Biological Fungicide



For Control Of Soil Pathogens That Cause Fungal & Bacterial Plant Diseases.

TARGET: *Alternaria*, Anthracnose, *Botrytis*, *Didymella bryoniae* (gummy stem blight), *Entomosporium*, *Erwinia*, *Fusarium*, powdery mildew, *Pseudomonas*, *Xanthomonas*, *Rhizoctonia*, *Pythium*, *Phytophthora* and more.

DESCRIPTION: Cease is an organic contact fungicide/bactericide containing a patented strain of *Bacillus subtilis*. It works by occupying space that the invading pathogens would use and then it disrupts the germination and growth of those pathogens. OMRI listed and NOP compliant. Can be used in combination and/or rotation with other products. 0-day PHI interval and 4-hours REI. No phytotoxicity or residues on flowers or foliage.

SUGGESTED USE: Use 2-8 qts/100 gals water about once a week. See label for crop and disease-specific directions. Suitable for wet applications, but use of a spreader/sticker is recommended under those conditions.

1332724	Cease - Gallon	\$121.00
1332727	Cease - 2.5 Gallons	\$246.00
1332725	Cease - Gallon, Case of 4	\$435.60

Cannot be ship via USPS

Consequence™



An Active Ingredient with An Innovative Design Creates a Powerful Weapon Against Pathogens.

TARGET: Soil Diseases: *Fusarium*, *Phytophthora*, *Pythium*, *Rhizoctonia*, *Sclerotinia*, *Verticillium*. **Foliar Diseases:** *Alternaria*, *Botrytis*, *Colletotrichum*, *Monilinia*, *Pseudomonas*, *Rhizopus*, Brown Rot, Canker, Downy Mildew, Fire Blight, Powdery Mildew, Red Leaf Blotch, Sooty Mold, and Spur Blight. **Viruses:** Potato virus X and Mosaic viruses.

DESCRIPTION: Consequence is an evolved fungal chitosan product designed to strengthen crops and defend against a wide spectrum of pathogens. Consequence is a 25(b) EPA-exempt biopesticide, effective against nematodes as well as fungal, bacterial, and viral pathogens.

SUGGESTED USE: Consequence may be applied as a foliar spray, aerial application, ground, dip dench, in-furrow or can be applied via chemigation methods (such as center pivot, drip/trickle, sprinkler, etc.).

1305820	Consequence – 33.8 oz	\$24.00
1458204	Consequence – Gallon	\$90.00

Cannot be shipped to the following states: AK,DC,HI,PR

Call 1-800-827-2847 or Order
Online www.arbico-organics.com



DISEASE CONTROL

Some diseases can be treated foliarly to halt ongoing fungal damage.

MilStop® SP Foliar Fungicide

Excellent For Controlling Powdery Mildew & Other Fungal Diseases!

TARGET: Powdery mildew, *Alternaria* blight, Anthracnose, black spot, *Botrytis* blight, *Cercospora* leaf spot, downy mildew, *Phomopsis* blight, and *Septoria* leaf spot.

DESCRIPTION: MilStop SP is an OMRI listed foliar fungicide. This potassium bicarbonate-based fungicide kills powdery mildew on contact by pulling water from spores and their growing strands. It also inhibits enzymes involved in fungal cell wall formation by altering the pH on the leaf surface. Foliar applications provide 1-2 weeks of residual protection.

SUGGESTED USE: MilStop must be mixed with water before spraying. Field applications: Mix 2-5 lbs. per acre in a volume of water sufficient for complete coverage of plant foliage. Greenhouse applications: Mix 1.25 - 5 lbs per 100 gallons of water. (See label online for specific crops, diseases and application systems.)

1332766	MilStop SP Foliar Fungicide - 5 lbs.	\$82.00
1332767	MilStop SP Foliar Fungicide - 25 lbs.	\$330.00

Cannot be ship via USPS



ZeroTol® HC

Clean Up & Protect Your Plants With One Powerful Product.

TARGET: *Alternaria*, Anthracnose, *Aphanomyces*, molds & mildews, bacteria, spots & rots, *Erwinia*, *Phytophthora* (blights, rots), *Plasmopara*, *Pseudomonas*, *Pythium*, *Rhizoctonia*, rust, scab, smut, *Thielaviopsis*, *Xanthomonas*, wilts & blights, fungi, algae and Tobacco Mosaic virus.

DESCRIPTION: ZeroTol HC has been designed for use in hemp and cannabis production and for homeowners and hobby growers. Use this OMRI listed product on hard, non-porous surfaces to eliminate pathogens that linger there. It can also be applied to soil and directly to all kinds of plants to prevent/treat/control many common plant diseases and algae growth. Made from Hydrogen Peroxide and Peroxyacetic Acid. No strong odor or toxic residue.

SUGGESTED USE: Do not combine or mix with any other pesticide concentrates.

Do not reuse solution; make fresh daily. Surfaces/equipment: Dilute at 1:150 or .85 fl oz/gal water. Foliar: Dilute at 1:150 or .85 fl oz/gal water for initial treatment. Apply as needed for control. For prevention: Apply every 5-7 days at 1:200 or 0.64 fl oz/gal water. If disease reappears, apply every 3 days. Turf: Dilute 1.3 fl oz/gal water. 3-10 gals treats approximately 1,000 sq. ft.

1222410	ZeroTol HC - Gallon Concentrate	\$42.99
---------	---------------------------------	---------

Cannot be shipped to the following states: DC



Monterey Complete Disease Control

This Biofungicide/Bactericide Works As A Spray Or As A Drench.

TARGET: Blights, molds, spots, rots and mildews.

DESCRIPTION: This organic, broad-spectrum preventative biofungicide/bactericide contains *Bacillus amyloliquefaciens* strain D747. When used as a soil drench, this naturally occurring bacterium goes straight to the plant's roots, where it will establish itself and grow. This colonization prevents the establishment of disease-carrying bacteria and fungi in the soil. Used as a foliar spray, this bacterium will overcome any pathogenic spores present on foliage.

SUGGESTED USE: Standard mix rate: 1 tsp. /gal. of water. Foliar spray: Repeat every 7-10 days or as needed. As a soil drench: Drench the roots of transplants with approximately 4 fl. oz. immediately before transplanting. Lawns/Grassy Areas: Apply as a fine spray to the surface area. 2-5 gals/1,000 sq. ft. of lawn.

1458203	Complete Disease Control - 32 oz. RTU	\$17.99
1458204	Complete Disease Control - 32 oz. Hose-End RTS	\$40.49
1458200	Complete Disease Control - 8 oz. Concentrate	\$17.99
1458201	Complete Disease Control - Pint Concentrate	\$24.99
1458202	Complete Disease Control - Gallon Concentrate	\$129.99

SKUs 1458200, 1458201, 1458202 & 1458204 cannot be shipped to the following states: ND



Cueva® Fungicide Concentrate

Kills Fungal & Bacterial Plant Diseases With Good Ole' Copper Soap.

TARGET: *Alternaria*, anthracnose, spots, bacterial blast, bacterial cankers, specks, rots, black pod, blotch, molds, *Botrytis*, downy mildew, fireblight, fly speck, leaf smut, knots, powdery mildew, *Rhizoctonia*, rusts, scab & more.

DESCRIPTION: Organic Cueva combines a soluble copper fertilizer with a fatty acid to create a true soap in a patented flowable liquid formulation. This formula lets the product spread easily across plant surfaces and helps the copper get into fungal or bacterial cells and destroy them. As it moves across the plants and into the cells, it forms a protective layer that creates a hostile environment for pathogens.

SUGGESTED USE: On vegetables, field-grown herbs and crops, nuts, fruits, citrus and berries: Mix 0.5-2.0 gals/30-100 gals of water and apply to one acre. Begin treatment when disease first appears and reapply at 7-10 day intervals. This schedule may vary somewhat according to crop specific application needs. Use the higher rate following heavy rain or when the amount of disease is increasing rapidly. If possible, time applications so that 12 hours of dry weather follow application. Use the higher rate to control diseases that may go dormant and overwinter.

1332920	Cueva Fungicide Concentrate - 2.5 Gallons	\$143.50
---------	---	----------



DISEASE CONTROL

Regular monitoring for signs of fungal or bacterial infestation allows for quick intervention.

LALSTOP® K61 WP



Prevent Fungal Pathogens in the Root Zones of Crops.

TARGET: Fungal root diseases, *Fusarium*, *Pythium*, and *Phytophthora* species.

DESCRIPTION: LALSTOP K61 WG uses a beneficial microbe (*Streptomyces* strain K61) to prevent soil-borne pathogens like *Fusarium*, *Pythium*, and *Phytophthora* before they can cause any damage. It colonizes the roots of your plants, creating a defensive barrier that protects against damping off, wilt, and other root pathogens. It's residue-free on edible crops, OMRI Listed, and works well with other treatments.



SUGGESTED USE: Apply as a soil drench, spray, or through drip irrigation to protect seedlings, young plants, or established crops from common pathogens. Ideal for use in organic gardening, hydroponics, and commercial growing systems. Use it on field crops, greenhouse plants, fruits, turf, ornamentals, flowers, hydroponic crops, and cannabis plants.

1332986	LALSTOP K61 WP - .88 oz	\$20.00
1332983	LALSTOP K61 WP - 3.5 oz	\$70.00
1332984	LALSTOP K61 WP - 2 lbs	\$425.00

Cannot be shipped to the following states: DC

LALSTOP® G46 WG



A New Branding For An Old Favorite – Prestop WG.

TARGET: Use to control seed-borne and soil borne plant diseases such as damping-off, root and stem rot, charcoal rot and wilt. Also, certain storage diseases caused by *Helminthosporium* and *Rhizoctonia*; and foliar diseases like grapevine trunk diseases (several pathogens).



DESCRIPTION: This organic granular fungicide contains the naturally occurring fungus *Gliocladium catenulatum* Strain J1446. The mycelia and spores from this strain move into and take over the rhizosphere and aerial parts of the plant. Once there, they fight disease-causing fungal pathogens with hyperparasitism, by competing for resources, and by inhibiting pathogen growth. 4-hr REI & 0-day PHI. 1 yr shelf life.

SUGGESTED USE: For use on plants grown in soil or soil-less media indoors, outdoors, in greenhouses & in hydroponics. General use rate: 0.05% (10 grams/5 gals of water). Apply every 3-6 weeks depending on disease pressure.

1332987	LALSTOP G46 WG - 100 g packet	\$80.00
1332988	LALSTOP G46 WG - 2 lbs	\$470.00

Cannot be shipped to the following states: HI, DC

Serenade® ASO



Contains A Powerful Soil Bacterium That Controls Many Common Diseases.

TARGET: *Alternaria*, Anthracnose, Blights, *Botrytis*, Damping-Off, Downy Mildew, *Erwinia*, *Fusarium*, Leaf Spots, *Monilinia*, Phomopsis, Powdery Mildew, *Pseudomonas*, *Pythium*, *Rhizoctonia*, *Sclerotinia*, Sooty Blotch, Sour Rot, *Xanthomonas* and more.



DESCRIPTION: Designed to be applied preventatively, this OMRI listed biofungicide uses *Bacillus subtilis* QST 713 to control soil and foliar bacterial and fungal diseases. It forms a biofilm around seeds, roots and transplants; kills outright; promotes enhanced photosynthesis and healthy growth that can ward off disease. Can be applied to most common crops. Non-toxic to beneficials. 0-day PHI & 4-hr REI. No resistance risk.

SUGGESTED USE: Apply with spray equipment for ground and aerial applications and irrigation systems used for chemigation. Most effective when used preventatively. May be used with other fungicides and pesticides (with restrictions). Rate: 2-6 qts/acre or 1.28-3.8 oz/gal of water. Re-treat in 2-10 day intervals. A surfactant may improve efficacy.

1332910	Serenade ASO – 2.5 gallons	\$150.00
---------	----------------------------	----------

Regalia® CG & Regalia®



OMRI Listed Control For Both Bacterial & Fungal Diseases.

TARGET: Powdery mildew, downy mildew, white mold, early blight, shot hole, *Fusarium*, bacterial spots and specks, brown rot, *Rhizoctonia* and more.



DESCRIPTION: This biofungicide uses a plant (*Reynoutria sachalinensis*) extract to protect crops from certain soil-borne or foliar diseases and to boost production by improving overall plant health. Regalia can be used in multiple application methods on field and edible crops in conventional, sustainable and organic production. Unique FRAC P₅ classification. 4-hour REI.

SUGGESTED USE: Use early for disease prevention and overall plant health and through the season for continued disease control. Small Scale Applications: 2 Tbsp./gal. of water. Foliar Applications: Downy Mildew and White Mold: 2-4 qts/acre. Soil Applications: *Fusarium*: 3-4 qts/acre.

1332969	Regalia CG - Gallon	\$120.00
1332970	Regalia - 2.5 Gallons	\$260.00

Fusarium on Tomato Plant



TOOLS & SUPPLIES

The right tool can help achieve your goal. These options can improve or maximize your efforts.

ThermX™ -70 Natural Wetting Agent

Overcome Adverse Water Conditions!

TARGET: Increases water & fertilizer uptake.

DESCRIPTION: This natural wetting agent is derived from yucca and contains 20% saponin extracted from *Yucca schidigera*. Saponin helps plants overcome adverse water conditions and is a great sticker for other sprays. Use ThermX-70 to increase crop's ability to establish in stressed conditions and increase water and fertilizer uptake. Increases permeability in heavy clay soil and reduces salt and alkali problems by improving drainage. Stimulates root growth, extending the area irrigation reaches.

SUGGESTED USE: Wetting Agent: $\approx 1/4$ tsp./gal. water, $\approx 2-3$ oz./acre. **Soil:** $\approx 1-2$ tsp./gal. water, ≈ 16 oz./acre

1402403	ThermX-70 Natural Wetting Agent - Quart	\$27.50
1402404	ThermX-70 Natural Wetting Agent - Gallon	\$94.50
1402405	ThermX-70 Natural Wetting Agent - 5 Gallons	\$390.00
1402406	ThermX-70 Natural Wetting Agent - 55 Gallon Drum*	CALL

*Call for freight quote. Call for larger sizes.



Boogie Blue Water Filters

A Great Grow Deserves Great Water.

TARGET: Chlorine, chloramine, pesticide residue, mercury, heavy metals, dissolved solids, fluoride and other chemicals.

DESCRIPTION: Whether you are dealing with additives in municipal water, or worry about what-all is in your well water, Boogie Blue filters can help. They attach quickly and easily to your hose and use catalytic carbon and/or KDF membranes to greatly reduce chemical compounds and organic matter in your water. Basic removes up to 99% of the chlorine and Plus removes up to 87% of the chloramine in municipal waters. Available as Boogie Blue Basic, which will last for 10,000-50,000 gallons of spray volume and Boogie Blue Plus, which will last for 40,000-50,000 gallons.

SUGGESTED USE: Attach filter to any standard 3/4" hose. Before initial use, flush filter by running water through it for 1 minute or until water runs clear. When not in use, keep attached to hose or remove and keep closed at both ends. Do not leave filter under constant water pressure. When storing, do not allow filter to dry out; storing in a zip-lock type bag works well.

2000600	Boogie Blue Basic	\$28.99
2000605	Boogie Blue Plus	\$56.99



Prococo™ Coco Coir

This Compressed Coconut Coir Can Be Used in Hundreds Of Ways!

TARGET: For use in greenhouses, container plants, nurseries, gardens and landscaping as a replacement for soil and peat moss or as a soil amendment. Can also be used for animal and reptile bedding, playground mulch, in composting, liquid containment and much more.

DESCRIPTION: Made from the natural byproducts of coconut cultivation (crushed coconut husks), this premium coco coir product is renewable and sustainable. In addition to being earth-friendly, coco coir offers many advantages: it is free of bacteria and fungal spores, improves soil by slowly adding organic matter, has a low salt content and contains very little dust. It is also easy to hydrate and is resistant to mold and mildew.

Prococo is available in 3 different variations depending on your needs. Prococo Compressed **CocoPeat Block** is finely-ground coir and an excellent moisture-holder. Prococo Compressed **Chips-N-Fiber Block** contains a mixture of rolled and finely chopped husks. Prococo Compressed **CocoChip Block** is made from coarsely chopped husks allowing for excellent drainage.

1305580	Prococo Compressed CocoPeat Block - 10 lbs.	\$16.95
1305582	Prococo Compressed Chips-N-Fiber Block - 10 lbs.	\$16.95
1305581	Prococo Compressed CocoChip Block - 10 lbs.	\$16.95



LaMotte® Garden Guide Soil Test Kit

Know Your Soil & Take Action to Grow Your Best Possible Plants.

TARGET: Any gardening soil.

DESCRIPTION: This popular test kit provides quick and accurate analysis of the pH, Potassium, Phosphorus, and Nitrogen levels in soil. Knowing the composition of your soil has many benefits, including the following: it develops a baseline for healthy soil which allows for monitoring your soil throughout the growing season, protects plants by allowing for informed decisions on the use of fertilizers and supplements, saves money by reducing the use of unnecessary soil inputs, and helps to provide a healthy garden with vigorous growth

SUGGESTED USE: This easy-to-use kit comes with everything you'll need: graduated test tubes and scoops to measure the soil sample and reagents, a laminated color chart to compare your results to, an illustrated Garden Guide Manual with instructions in English, Spanish, and French, a pH Preference Guide that covers over 600 plants, trees, and shrubs, and The LaMotte Soil Handbook.

1275302	LaMotte Garden Guide Soil Test Kit	\$99.99
---------	------------------------------------	---------



Applied preventatively to lawn and hardscapes, corn gluten acts as a weed suppressant.

PRE-EMERGENT

Gluten-8™

A Liquid Pre-Emergent Herbicide That Provides Control Of Weeds In Both Turf And Beds.



TARGET: Crabgrass and other broadleaf weeds including dandelions and clover.

DESCRIPTION: Formulated from corn gluten meal, this pre-emergent delivers organic proteins into soil that prevent weeds from growing. This liquid formulation can be applied with a sprayer three weeks before or after seeding. Pre-emergents work best before weed germination in late spring.

SUGGESTED USE: Mix 32 ounces of concentrate with 1.5-2 gallons of water to treat 1,000 sq. ft., agitate before use, wait 24 hours to irrigate and do not apply if rain is expected.

1273010 Gluten-8 - Gallon
Case sizes available.

\$44.95

Sustane® Spring Weed & Feed, 9-0-0



Prevent Weeds & Feed Your Lawn With This Organic Corn Gluten Meal.



TARGET: Barnyard grass, Bermuda grass, crabgrass, creeping bentgrass, curly dock, dandelions, foxtail, lambsquarter, pigweed, plantains, purslane, redroot bigweed, smart weed and more.

DESCRIPTION: This OMRI listed corn gluten meal works wonders in 2 ways: it is a natural broadleaf pre-emergent that suppresses weeds to prevent them from establishing and it provides high levels of nitrogen to green up already established plants and turf. For use as an herbicide, apply before germination of seeds. Should not be applied to new seedlings or when laying sod.

SUGGESTED USE: Apply 6 lbs. per 1,000 sq. ft. with a broadcast spreader. Provides 0.54 lbs. of nitrogen per 1,000 sq. ft. A 30 lb. bag covers up to 5,000 sq. ft. Apply up to 20 lbs. per 1,000 sq. ft. for enhanced weed prevention.

1226810 Sustane Spring Weed & Feed - 30 lb. Bag* **\$95.00**

*Free Shipping in the contiguous 48 states. Ships via Ground ONLY.

Cannot be shipped to the following states: AL,AK,AZ,DC,FL,HI,IA,ID,IN,LA,MS,MO,MT,NE,NV,NM,OK,OR,PR,SD,TN,TX,UT,WA

Gluten-8™ Corn Gluten - Set of 2

Easy-To-Apply Liquid Weed Control Without The Effort Of Lifting A Heavy Bag Of Corn Gluten Meal.



TARGET: Pre-emergent weed control and mild nitrogen fertilizer.

DESCRIPTION: Water-soluble and derived from corn gluten meal, it provides pre-emergent control of annual grasses and broadleaf weeds without the effort of applying the granular corn gluten. This product is packaged in a container that has a hose-end spray head for a reliable application.

SUGGESTED USE: A 2 quart set of Gluten-8 represents a 40 pound bag of corn gluten meal and treats approximately 2,000 sq. ft.

1273015 Gluten-8 Liquid Corn Gluten - Set of 2 - 32 oz. Hose End **\$29.45**

Hard work over time! Corn gluten has shown most effectiveness with continued use over 2-3 seasons. Watch it work and get better year after year. Not only does it control weeds, it adds a touch of nitrogenous fertilizer. Non-toxic, effective and easy-to-use!

These eco-friendly paper products form a barrier over the soil and inhibit weed growth.

WeedGuardPlus® - Heavy Weight Rolls

This Tough Weed Block Will Hold Up Under The Elements!

TARGET: Use for weed suppression.

DESCRIPTION: This paper weed block is adaptable to nearly any size growing operation in nearly any environment. 100% biodegradable; no need to remove it. Saves time; just lay it down before planting and save yourself countless hours of weeding, spraying or disposing of materials. Or apply it on top of existing weeds and/or invasive plant roots and smother them out. Saves money; no need to buy expensive herbicides. Improves yields; your plants will have a chance to establish themselves without competing with weeds. Porous yet strong; so plants can be watered by natural rainfall or by other means. Allows air flow. Maintains this porosity through all but the most severe of weather. Can be applied by machine or by hand. These rolls are excellent for textured soils and/or those projects that are meant to be long-term. 54% heavier than the standard rolls and offers 12+ months of weed control.

SUGGESTED USE: Put in place before you install transplants or seedlings, or before you sow seeds. Simply prepare the ground, place over the soil, and cover the edges with dirt. Product may be affected by variances in weather or soil conditions.

1453851	Heavy Weight - Smooth Finish - 36" x 100'	\$49.79
1453852	Heavy Weight - Smooth Finish - 48" x 100'	\$64.49

EcoMulch Rolls

Season-Long Weed Protection With No Clean Up.

TARGET: Home gardening, commercial growers, organic growers, nurseries, seasonal landscaping, habitat restoration and more.

DESCRIPTION: This is an OMRI listed seasonal-use weed barrier paper that offers superior weed prevention from planting through harvest. Made from 100% natural, biodegradable fibers sourced from corrugated box clippings, this product will decompose slowly over the growing season. At the end of the season till any remaining paper into the soil. Adds texture and organic matter to soil. Porous to allow air, water and nutrients to pass through. Opaque to keep weeds from developing past germination. Creped finish makes it more flexible for easy application and dark color keeps soil warm.

SUGGESTED USE: Can be applied by hand, by tractor or by a mechanical mulch layer. Suitable for overhead or drip tape irrigation methods. Do not attempt application on a windy day. Put in place before you sow seeds or install transplants and seedlings. Product may be affected by variances in weather or soil conditions.

1453858	EcoMulch - 24" x 50' rolls – 2 pk - Creped	\$25.49
1453859	EcoMulch - 36" x 50' rolls – 2 pk - Creped	\$36.99



SELECTIVE

BONIDE® Captain Jack's™ Lawnweed Brew



Kills the Weeds – Not Your Lawn.

TARGET: Moss, algae, lichens, liverwort, lawn diseases (dollar spot, rust, snow mold), and common broadleaf weeds such as dandelion, clover, chickweed and thistle.

DESCRIPTION: This product offers pre-and post-emergent control using an active ingredient derived from Iron(Fe). Mixes quickly and thoroughly with water and works quickly (within hours) to kill down to the roots. Can be applied in temperatures down to 50°F and is rainfast in 3 hours. Once the spray has dried, treated areas are safe for people and animals. Do not apply to recently seeded lawns, but lawns can be reseeded 1 day after application. Gives lawns a green-up.

SUGGESTED USE: Concentrate - Mix one part with 24 parts water (5 oz. in 1 gallon of water). Apply the mixed solution at a rate of 2.5-10 gallons/1000 sq.ft., or 5-10 gallons/1000 sq.ft. in California. Any standard hand-held or backpack sprayer can be used. Thoroughly spray weeds using a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results. **Hose End Ready to Spray** - Apply this 32 oz. container to 1250 sq.ft. for standard application; apply it to 625 sq.ft. to control tough perennial weeds. **Ready to Use** - Do not dilute. Thoroughly spray weeds using a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

1453752	32 oz. Concentrate	\$24.99
1453753	32 oz. Hose-End Ready to Spray	\$26.24
1453755	Gallon Ready to Use	\$29.39

Concentrate & Ready to Spray Cannot be shipped to the following states: PR RTU Cannot be shipped to the following states: CA, HI, OH, PR



WEED CONTROL

Nonselective herbicides can be used around hardscaping and driveways. Use caution around garden and flowers.

Torched Weed Killer

This Non-Selective Oil-Based Herbicide Digs Deep To Kill The Root.

TARGET: Unwanted grasses and weeds.

DESCRIPTION: The combination of Clove Oil, Cornmint Oils and soaps offers effective control of unwanted weeds and grasses. When used as directed, Torched is safe for use our people and pets. This non-selective, post emergent herbicide works best at temperatures over 60°F and generally only takes one application (except for those especially tough weeds). It begins working on contact and does not stop until it has killed down to, and including, the root.

SUGGESTED USE: Mix 8-10 oz per gal/water. Apply when Weeds are actively growing. Re-treat if it rains within 25 hours of spraying. If needed, reapply to hard-to-kill weeds after 5 days. Protect desirable plants during application by shielding them with cardboard or plastic. If accidentally sprayed, immediately rinse the plants and surrounding area with large amounts of water.

1453890	Torched Weed Killer - Gallon	\$87.99
1453891	Torched Weed Killer - 2.5 Gallons	\$170.99



Homeplate®

A Fast-Acting Non-Selective Herbicide That's A Total Vegetation Killer.

TARGET: Common annual, biennial and perennial broadleaf weeds as well as algae and moss.

DESCRIPTION: This OMRI listed organic spray is a blend of caprylic acid and capric acid that spreads easily for thorough coverage and causes rapid weed burndown. Total kill is generally within 12-72 hours. If rain falls within 3 hrs of treatment, an additional spray may be required. For best results, use during sunny or warm conditions. Optimize your spray coverage and target small weeds. For use in and around all food and non-food crops. 24-hr REI & 0-day PHI.

SUGGESTED USE: Can be used in pre/post-planting applications, sucker control, trimming and pruning, as a harvest aid and as a desiccant. Not for use in any kind of irrigation system. Use 3% solution for weeds under 5" tall and for moss and algae. Use 3-6% solution for larger perennial weeds and grasses. Use 5-9% solution for tough to kill weeds, vines, brush and sucker control. Apply the mixed solution at 0.69-9.2 gallons/1,000 sq. ft. (35-400 gallons/acre). In situations where weed pressure is high and/or weeds are larger than 5 inches, higher volumes are advised for acceptable control. Repeat treatment as needed to control new weeds.

1453895	Homeplate - 2.5 Gallons	\$205.00
1453896	Homeplate - 2.5 Gallons (Case of 2)	\$369.00



Green Reaper Weed & Grass Killer



Eradicates Down to the Root System Using a Unique Surfactant & the Power of Salt!

TARGET: Grasses and weeds, including Ragweed, Crabgrass, Dandelion, Chickweed, Field Bindweed, Nutsedges, Smut Grass, and Purslane.

DESCRIPTION: Green Reaper is an organic, non-selective systemic and broad-spectrum herbicide used to tackle the toughest weeds. Comprised of natural minerals and plant based ingredients, formulated to wipe out tough weeds and grasses right down to the root.

SUGGESTED USE: Choose from the RTU spray (just shake and apply) or the concentrated formulation to control weeds in driveways, walkways, mulch and gravel beds, patios, pavers, fence lines, around shrubs and trees, and areas where unwanted weeds and grass are present.

1453723	Green Reaper – 24 oz. RTU	\$13.05
1453727	Green Reaper – Gallon RTU	\$65.23
1453722	Green Reaper – 16 oz. Conc	\$15.60
1453724	Green Reaper – 32 oz. Conc	\$24.67
1453725	Green Reaper – Gallon Conc	\$87.82
1453726	Green Reaper – 2.5 Gallon Conc	\$209.77

Cannot be shipped to the following states: IN, VT, WA, WI



BioSafe Weed & Grass Killer®

This Soap-Based Weed Killer Produces Visible Results Within 24 Hours.

TARGET: For control and burndown suppression of annual & perennial broadleaf and grasses. Also controls spore producing plants such as mosses and liverworts.

DESCRIPTION: BioSafe Weed & Grass Killer is a non-selective herbicide that works on contact when applied as a foliar application with a manual sprayer. For best results, cover plant leaves thoroughly and uniformly with spray. Take care to avoid contacting wanted plants. This soap product uses Ammonium Nonanoate to penetrate the cell walls of the plant to disrupt their normal functioning and cause death. This product does not move through the soil or between plants and leaves no harmful residue.

SUGGESTED USE: Do not apply this product through any type of irrigation system. Use a hand-held or hose-end sprayer that produces a uniform spray; this will cover the most leaf area for optimal weed control. A 10-13% volume to volume (V/V) dilution (13-16 fl. oz. per gal. of water) is recommended for most situations. Larger weeds, perennial weeds and some grasses may require several applications. Also available in a ready-to-use formulation.

1453822	BioSafe Weed & Grass Killer - Gallon Concentrate	\$49.99
---------	--	---------



SOIL AMENDMENTS

Including organic compost, minerals and amendments helps support all stages of plant growth.



ARBICO Organics® Compost Plus

Revitalizes Soil & Speeds Up Decomposition Of Organic Matter.

DESCRIPTION: This premium compost is product of our insectary and is a blend of fermented nitrogenous and carbonaceous material along with beneficial bacteria, insect frass and wood shavings. Use compost as a mulch and soil amendment to improve soil structure, texture, aeration, water-holding capacity and to provide additional nutrition for microorganisms.

SUGGESTED USE: For potted plants, use 3-10 tsp. per pot. Otherwise, mix 1 lb./12 sq. ft. of soil. 2 cu. ft. of compost will treat 50 sq. ft. For farms, 2-4 tons will treat 1 acre.

1305601	Compost Plus - 1 lb. Bag	\$8.90
1305602	Compost Plus - 5 lb. Bag	\$11.50
1305610	Compost Plus - 1 Cubic ft. Bag	\$17.00
1305603	Compost Plus - (2) 1 Cubic ft. Bags	\$28.00
1305607*	Compost Plus - 1/2 Ton Pickup Truck Load	CALL

*Call to arrange pickup. Pickup in Catalina, AZ.



ARBICO Organics® Earthworm Castings

So Good For Your Garden It's Almost Magical!

DESCRIPTION: A sustainable byproduct of vermiculture, these castings have a bounty of benefits for your soil. They provide a slow release of micronutrients and trace minerals, add microbial life, reduce transplant shock, aerate and condition the soil and add chitinase (which helps in disease suppression and root knot nematode control). Can be used indoors and outdoors on anything you grow and can be used with other fertilizers and amendments.

SUGGESTED USE: Mix into potting soil at the rate of 3%-5% by volume. Top-dress around pots beds, shrubs, trees or rows at a rate of 1/4" - 1/2" every 2-4 mos. Incorporate into the top several inches of pots or beds prior to planting or mulching. Repeat when transplanting to reduce shock. Apply onto turf and rake in for lush, green grass.

1308200	Earthworm Castings - 1 lb. Bag	\$4.95
1308201	Earthworm Castings - 5 lb. Bag	\$15.20
1308202	Earthworm Castings - 10 lb. Bag	\$25.00
1308225	Earthworm Castings - 25 lb. Bag	\$47.95



ARBICO Organics® Red Composting Worm Mix - *Eisenia fetida*, *Eisenia hortensis*, *Perionyx excavatus*

A Natural Way To Aerate Your Soil & Fertilize Your Garden.

DESCRIPTION: These worms are nature's decomposers and soil aerators. They consume organic matter and turn it into castings full of nitrogen, phosphorus, potash, magnesium and calcium. As they move through the soil, they break it up and introduce beneficial bacteria and oxygen. This stimulates fungal activity and more rapid breakdown of organic matter. Plants love soil that these worms have been in!

SUGGESTED USE: Use 2-3 worms/sq. ft. 1,000 worms cover approximately 400 sq. ft.

1308003	ARBICO Organics Earthworms (≈1,000)	\$45.00
----------------	-------------------------------------	----------------

Cannot be shipped to the following states: HI, PR, VI, GU, AS, PW

Subject to seasonal availability.



MICROBIAL INOCULANTS

These bacteria and fungi build a defense against soil pathogens as well as unlocking soil nutrients.

Paleo Power®



OMRI Listed. Powerful, Patented Glyphosate Remediator & Soil Booster.

TARGET: For use in field crops, gardens, greenhouse compost acceleration, trees, and shrubs.

DESCRIPTION: Paleo Power stands out for its patented “microbial glyphosate degradation technology.” Using beneficial microorganisms to bioremediate glyphosate in soil and plants, restores a healthy soil microbiome, increases plant yields, improves soil quality, crop productivity, and supports biological balance within the soil.

SUGGESTED USE: Shake well before use. Concentrated formula must be diluted prior to application. **Soil and Foliar:** Mix with water or other diluent. 8-16 fl. oz. per acre (1 gallon treats up to 16 acres). Apply at the beginning of the growing season and again after harvest. May be mixed with herbicides. **Garden and Greenhouse:** Mix with water at a rate of 1.0 mL (1/2 tsp) per gallon. Apply weekly as a soil drench from seed to harvest. **Compost:** During turning, apply 8–16 oz/1,000 sq ft compost pile (diluted in water).


1202010	Quart	\$40.00
1202011	Gallon	\$130.00
1202012	2.5 Gallon	\$290.00

Larger Sizes Available. Please call for ordering information.
Cannot be shipped to the following states: DC, FL, NC, PR



ARBICO Organics® Root Build 240™ Mycorrhizal Fungi

This Potent Mycorrhizal Fungi Has An Incredible 240 Spores/gr To Maximize Root Colonization.



DESCRIPTION: Root Build 240 contains both micronized Endo and Ecto mycorrhizae for a wide range of plant applications. This greater diversity in beneficial fungi meets the needs of a greater variety of plants. When introduced early in the life of a plant, the endo and ecto will increase the roots’ ability to absorb water and nutrients. Endomycorrhizae work within and around the roots of most vegetables, grasses, flowers and ornamentals while ectomycorrhizae live only on the outside of roots and focus on conifers. The high spore count in Root Build 240 means there will be maximum colonization of your plants’ roots. Endo Spores: 240 spores/gr. Ecto Spores: 1 x 10⁶ spores/gr.

SUGGESTED USE: Inoculate roots with mycorrhizal spores (1 oz. is ≈3 Tbsp.) For vegetables, grasses, flowers, shrubs, fruit trees and ornamentals.

1135001	ARBICO Organics Root Build 240 - 1 oz.	\$9.00
1135002	ARBICO Organics Root Build 240 - 2 oz.	\$12.50
1135003	ARBICO Organics Root Build 240 - 8 oz.	\$30.00
1135004	ARBICO Organics Root Build 240 - 1 lb.	\$60.00
1135005	ARBICO Organics Root Build 240 - 10 lbs.	\$350.00

*Free shipping in the contiguous 48 United States via USPS mail.

BioPhyter®



Systemic Biological Inoculant Powered by *Beauveria bassiana* to Support Plant Vigor, Root Health, & Soil Performance.

TARGET: For use in greenhouse, nursery, hydroponic, and field-grown crops.

DESCRIPTION: BioPhyter is a unique systemic microbial inoculant formulated with the endophytic spores of *Beauveria bassiana*, designed to enhance plant and soil health from within. Effective across a wide range of production systems, including greenhouse, nursery, hydroponic, and field-grown crops. Applied to soil, roots, or foliage, BioPhyter works by establishing beneficial microbial activity in the root zone and throughout the plant. This biological presence supports overall plant vigor and helps create a more resilient growing environment.

SUGGESTED USE: With flexible application methods including seed treatment, root dips, soil drenches, foliar sprays, and chemigation, BioPhyter integrates easily into existing crop production programs. Used at planting or throughout the growing season, it provides consistent biological support where plants need it most.

1222720	15.oz	\$266.25
1222721	Gallon	\$2,272.00

Cannot be shipped to the following states: CA,DE,FL,HI,IA,ID,IL,OK,OR,PR,VT



EM•1® Microbial Inoculant

Decomposes Organic Matter With Naturally Occurring Microorganisms.

TARGET: For soil in lawns, crops and ornamentals. For bioremediation indoors and for manure management and odor control in areas of heavy urination around animals and their housing. Can be applied to compost.

DESCRIPTION: EM1 is a versatile microbial product that supports stronger root development, accelerated organic matter breakdown, and the unlocking of nutrients already present in your soil which makes fertilizer inputs go further and reduces dependence on herbicides, all within a regenerative, certified organic framework.

SUGGESTED USE: Can be applied via a hose-end sprayer or other watering device. General application rate is 1 oz (2 Tbsp.) per gal/water. Hydroponics: Add EM-1 as a 3% solution several times a week.

1202098	EM•1 Microbial Inoculant - 16 oz.	\$25.50
1202101	EM•1 Microbial Inoculant - Quart	\$35.50
1202102	EM•1 Microbial Inoculant - Gallon	\$81.50
1202103	EM•1 Microbial Inoculant - 5 Gallons	\$345.50

Cannot be shipped to the following states: HI, PR, VI



HEALTHY SOIL RECIPE

Your formula to successful growing.



Healthy Soil Recipe

An All-Encompassing Kit To Create Healthy Soil & Grow Healthy Plants.

DESCRIPTION: This carefully curated package of products works synergistically to breathe life back into your soil. In doing so, your plants become healthier, more productive, and less prone to disease and pest infestations.

- **EM-1** provides a concentration of beneficial microbes.
- **AgroThrive General Purpose Fertilizer** feeds the plants and stimulates microbial activity.
- **Neptune's Harvest Liquid Humate** unlocks nutrients in the soil and streamlines uptake to plants, improves the efficacy of fertilizers, and supports microbial life in the soil.

SUGGESTED USE: Mix all three products in water for an all-in-one application. For general garden soil applications mix 2 oz. AgroThrive, 1 oz. EM-1 and 0.5 oz. Liquid Humate with 1 gallon of water. Mix well and apply to soil. See online for other application suggestions.

1200810	Garden Bundle	\$51.17
1200820	Farm Bundle	\$99.81

Cannot be shipped to the following states: AK, HI, PR, VI

PLANT & SOIL FERTILITY

- **Beneficial Microbes**
Microbial Inoculants build your soils living ecosystem. This improves plants' access to nutrients and moisture, assisting plants with their resilience to stress and disease thus creating a balanced soil environment.
- **Plant Nutrition**
Complete and balanced fertilizer provides the building blocks of optimal plant growth, from roots to fruits and flowers. Works cooperatively to stimulate microbial activity.
- **Liquid Humate**
Humic substances maximize other inputs by improving retention of water. It also unlocks nutrients in the soil which then streamlines uptake to plants.



GREAT GIFT IDEA!

***GROW YOUR BEST IN
EVERY SEASON!***



FERTILIZERS

These time-tested favorites can be the foundation of your soil fertility plan.

AgroThrive™ Fruiting & Flowering Fertilizer, 3-3-5

Multiple Organic Accreditations For One Exceptional Fertilizer.

TARGET: Gardeners looking for balanced organic nutrition for fruiting and flowering plants.

DESCRIPTION: Designed to nurture vegetables, fruit and flower-bearing plants, this premium organic formulation will not only feed your plants the nutrients they crave, it will enhance soil microbial activity by activating indigenous micro-flora in the soil. This healthy soil activity will create a smooth release for, and improved availability of, the nutrients (70% fast release, 30% slow release). You will see faster growth of vibrant blooms and higher yields of flavorful crops in no time. Derived from fish inedibles, grain, and sulfate of potash and sourced from repurposed organic material. OMRI, CDFA, USDA and WSDA listed/certified organic.

SUGGESTED USE: Mature Plant Application: Mix ½ cup of product with 1 gallon of water to cover 35 sq. ft. of garden and apply every 2 weeks. Nursery & Foliar Applications: Mix 3 Tbsp of product with 1 gallon of water to cover 150 sq. ft. and apply weekly.

1314750	AgroThrive Fruiting & Flowering Fertilizer - 32 oz.	\$20.97
1314752	AgroThrive Fruiting & Flowering Fertilizer - Gallon	\$38.97
1314753	AgroThrive Fruiting & Flowering Fertilizer - 2.5 Gallons	\$78.93

Maxicrop® Soluble Seaweed Powder, 0-0-17

Improves Germination & Helps Prevent Diseases.

TARGET: Soils that need additional minerals. Improving germination and plant vigor. Foliar feeding. Strengthening cuttings and bare root trees.

DESCRIPTION: Maxicrop Soluble Seaweed Powder is an organic powder fertilizer made from dried Norwegian seaweed (*Ascophyllum nodosum*). This highly soluble powder provides more than 70 different minerals, growth hormones, cytokinins, auxins, vitamins, and enzymes. Improves overall plant vigor and can prevent diseases such as downy and powdery mildews. Safe to use as often as necessary during the growing season for indoor and outdoor plantings.

SUGGESTED USE: 1 tsp/gal water or 2 lbs./acre over the season. 10.7 ounces of powder will make up to 65 gallons of product.

1313001	Maxicrop Soluble Seaweed Powder - 10.7 oz.	\$21.99
1313002	Maxicrop Soluble Seaweed Powder - 27 oz.	\$49.99
1313003	Maxicrop Soluble Seaweed Powder - 5 lbs.	\$89.99
1317202	Maxicrop Soluble Seaweed Powder - 44 lbs.	\$520.00



AgroThrive™ General Purpose Fertilizer, 3-3-2

This Easy-To-Use Fertilizer Has Numerous Organic Accreditations.

TARGET: Growers with a variety of plants looking for an organic, liquid bio-fertilizer.

DESCRIPTION: This all-in-one solution liquid bio-fertilizer provides balanced organic plant nutrition with the added benefit of enhancing soil microbes. Derived from sustainable sources, including repurposed organic material, AgroThrive General Purpose works to promote faster growth with healthier, stronger plants. OMRI, CDFA, USDA, and WSDA certified.

SUGGESTED USE: Mature Plant Application: Mix ½ cup of product with 1 gallon of water to cover 35 sq. ft. of garden. Apply every 2 weeks. Nursery & Foliar Applications: Mix 3 TBSP of product with 1 gallon of water to cover 150 sq. ft. Apply weekly.

1314760	AgroThrive General Purpose Fertilizer – 32 oz.	\$19.97
1314762	AgroThrive General Purpose Fertilizer – Gallon	\$36.97
1314763	AgroThrive General Purpose Fertilizer – 2.5 Gallons	\$74.93



NutriRoot®, 2-2-3

A Fertilizer & Water Management Product In One Brilliant Formulation.

DESCRIPTION: This ingenious blend of seaweed extract, nutrients, humic acid, humectants and surfactants provides valuable nutrition and microbial life to the root zone to encourage robust root development through its humectants. It will also enable the soil to extract water from the air and deliver it right to the root zone. Mitigates sand and/or dry soil. Reduces seasonal pressure and hinders water run-off.

SUGGESTED USE: Make applications at transplant, in fall after leaf senescence, in early spring before bud break or in the growing season after leaves on plants have matured. Dilute 1 1/4-1 1/2 fl oz/gal water or 1 gal/ 70-100 gals water. The rate of 1 gal/70-100 gals water will treat up to 3,000 sq ft of landscapes. Use higher rate for newly transplanted trees or for trees with root loss. Use lower rate for routine maintenance and to alleviate drought stress.

1300350	NutriRoot - Conc. - 8 fl. oz.	\$12.99
1300351	NutriRoot - Conc. - 32 fl. oz.	\$36.99
1300354	NutriRoot - Conc. - Gallon	\$99.99


Cannot be shipped to the following states: DC,OR



Important! If your area is prone to Fire ants protect your family and animals with natural controls.

Do You Have Fire Ants?

Imported fire ants (*Solenopsis invicta* and *S. richteri*) originated in South America. In the United States, imported fire ants currently inhabit all or parts of **Alabama, Arkansas, California, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, Oklahoma, Puerto Rico, South Carolina, Tennessee, Texas, and Virginia.**



Fertilome® Come And Get It II Fire Ant Killer

Kills The Whole Colony And Its Queen.

TARGET: Red Imported Fire Ants (*Solenopsis invicta*) and Harvester Ants.

DESCRIPTION: Fire Ants are notoriously hard to get rid of but even harder to live with. But this spinosad-based bait is very appealing to these insects. So much so, that they will take it back into their mound to share with the rest of the colony – including their queen. Ants start dying in 24-36 hours with mound or colony destruction in 3-14 days. Broadcast applications may take longer.

SUGGESTED USE: Apply around the perimeter of homes, ornamental plants, trees and shrubs, and in lawns and gardens.

Mounds: 4 Tbsp. for each mound. For mounds larger than 15" in diameter, use 6 Tbsp. Sprinkle over and around mound in a 4 ft. diameter circle. **Broadcast:** Use 1/3-2/3 cup/1,000 sq. ft. or 3-6 cups/10,000 sq. ft. or 2 1/2-5 lbs/acre. Use higher rates for heavier infestations, faster activity and greater overall control. Spread with a hand-held or ground-driven rotary spreader.

Extremely large mounds may require repeat applications. Use every other month during warm months to keep ants away. For outdoor use only.

1460020 Fertilome Fire Ant Killer - 1 lb. Bag

\$22.99

Cannot be shipped to the following states: AK, CA, CO, CT, DE, HI, ID, IL, IN, IA, KY, ME, MD, MA, MI, MN, MT, NV, NH, NM, NY, ND, OH, OR, PA, RI, SD, VT, WA, WV, WI, WY, DC



Orange Guard® Fire Ant Control

Control Fire Ant Mounds Without Risking The Health Of Your Family, Pets Or The Environment.

TARGET: Fire ants.

DESCRIPTION: Orange Guard Fire Ant Control contains ingredients which are on the FDA GRAS list (generally recognized as safe). Orange Guard Fire Ant Control is water based, so further dilution is easy. It works by dissolving away the waxy coating on the ant's exoskeleton, which clogs their spiracles (how they breathe), and they suffocate.

SUGGESTED USE: Puncture the mounds and then saturate them, using 1/2 gallon of either full strength or diluted (3 parts water to 1 part Orange Guard Fire Ant Control). Dilution does not harm grass and covers approx. 8 mounds.

1460005 Orange Guard Fire Ant Control - Gallon

\$36.99

Cannot be shipped to the following states: AK, CO, DC, DE, ID, IL, IN, IA, KS, KY, MA, MD, ME, MI, MN, MO, MT, ND, NE, NH, NJ, NY, OH, OR, PA, PR, RI, SD, UT, VT, VA, WA, WI, WV, WY



CRAWLING INSECT CONTROL

Control ants, roaches and more with traps, repellents and natural sprays to protect your home and yard.



Mosquito Magician® Indoor Pest Control

Effective Indoor Pest Control Made With 100% Plant Based Ingredients.



TARGET: Mosquitoes, Fleas, Ticks, Ants, Roaches and Spiders.

DESCRIPTION: The Indoor Pest Control formula is a powerful blend of concentrated natural essential oil active ingredients. This Ready to Use product is intended for use indoors and around the house. Although using 100% plant-based ingredients, it is laboratory proven to kill, repel and prevent a variety of common indoor insect pests like spiders, roaches, ants, flies, fleas, ticks and mosquitoes.

SUGGESTED USE: Shake first and then spray indoor surfaces from a distance of 10 - 12 inches. Spray areas where pests are present like counters, furniture, cabinets, floors, etc. Also spray areas where they are likely to hide like crevices, behind appliances, around windows. Spray pests directly if present, larger insects like roaches will take a heavier spray to kill. Flying insects require direct spraying.

1460011	Indoor Pest Control- 16 oz. - Lemongrass	\$25.95
1460012	Indoor Pest Control - 32 oz. - Lemongrass	\$34.95

Essentria® IC Pro

Handles Most Crawling & Flying Insects Most Anywhere You Find Them.

TARGET: Ants, aphids, American cockroach nymphs, beetles, box elder bugs, crickets, earwigs, face flies, German cockroaches, Indian meal moths, millipedes, mosquitoes, spiders, spider mites, stink bugs and more.

DESCRIPTION: Derived from botanical oils, this earth-friendly product will repel and kill a wide variety of insects in all sorts of locations. Formulated for maintenance control as well as active infestations. This water-based formula is made from food-grade inerts, has a light fragrance and is safe for use in food prep areas. For cannabis, hemp and unspecified food crop use. Safe around livestock. FIFRA 25(b) exempt.

SUGGESTED USE: Labeled for broadcast, barrier, perimeter, spot treatments and spatial repellent (mosquitoes). General application rate: 1-8 fl oz/gal water (lower rate for maintenance and higher rate for active infestations) and apply at the rate of 2 gals/1,000 sq ft. Do not apply directly to houseplants. Avoid or cover any pools or aquaria prior to spraying.



1273058	Essentria IC Pro – Quart	\$40.99
1273059	Essentria IC Pro – Gallon	\$129.99



Essentria® G Granular Insecticide

A Granular That Handles A Handful Of Outdoor Pests!

TARGET: Ants, bermuda grass mites, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, earwigs, fall armyworms, fleas, leafhoppers, millipedes, sowbugs/pillbugs, and other insect pests.

DESCRIPTION: This quick and long-lasting natural granular insecticide uses essential botanical oils clove, thyme and wintergreen to treat various pests. Easy-to-use outdoors on landscapes, turf, building facilities and around organic operations, sensitive areas such as schools, and in aquatic environments.

SUGGESTED USE: Use with a hand spreader.

For treatments around buildings, apply uniformly a band about 5-10 ft. wide. For landscapes and turf, use around 3-5 lbs./1000 sq. ft. Water in, applying about 1/8 in. - 1/4 in. of water without puddling. For ant mounds, use about 1-2 tsp./nest. For red imported fire ants, use around 1/2 cup/nest and make a 2 ft. band around nest.



1273050	Essentria G Granular Insecticide - 22 lbs.	\$73.00
---------	--	---------





Co-Founders Rick
& Sheri Frey



ABOUT US

ARBICO Organics began in 1979 when Rick Frey embarked on a new endeavor in Tucson, AZ - rearing and selling insects that parasitize developing flies (Fly Eliminators®). Together, they had a passion for the environment and the two teamed up to become pioneers of organic growing, promoting their philosophy of "bio-balance" by offering customers sustainable pest control alternatives.

Over the years, we have expanded our product line to meet our customers' diversified needs and our team continues to grow to provide our customers with support and knowledge! Providing over forty-five years of environmental stewardship and service to our customers.

We continue to challenge ourselves to provide the best products we can and to deliver them in a timely manner to our customers. What started with one bug has grown to include so much more and we continue to thank the support of our customers and our community of family, friends and coworkers who have made this all possible!



Guaranteed Live Delivery



Customer Service



Commitment to Quality

OFFICE & STORE HOURS:

Monday - Friday: 8:00AM - 4:30PM
(Arizona Time)

800-827-2847

www.arbico-organics.com

customercare@arbico.com

ASK THE EXPERTS

Take advantage of our FREE consultation! Let us help solve your gardening and farming issues with our start to finish ARBICO Organics solutions. Our trained staff will help determine what problem you have (insect, disease, weed, nematode, critter, pet issue, fertility needs), offer solutions for immediate relief and prescribe a long term sustainable program for continued success.

AUTO SHIP PROGRAM

We can automatically ship any product on a schedule so you won't run out. Popular auto ship products include: Fly Eliminators, Beneficial Nematodes, Predatory Mites as well as most in stock pest control and soil health products.

PAYMENT OPTIONS

Credit Cards (ARBICO accepts all major credit cards), **PayPal/Pay Later, ApplePay, Google Pay, Venmo and PayPal.**

Mail Checks or Money Orders To:

ARBICO Organics, 10831 N. Mavinee Dr., Ste. 185,
Oro Valley, AZ 85737-9531

We do not accept cash via mail.



CUSTOMER SERVICE

All phone calls answered by a live person during regular business hours: Monday through Friday, 8:00 AM - 4:30 PM (Arizona Time)

• Se habla Español

Toll Free: 800-827-2847

International calls: 520-825-9785

Fax: 520-825-2038

CRITICAL INFORMATION FOR CERTIFIED ORGANIC GROWERS

Please be aware that the certified status of a product can change at any time without notification from the manufacturer or OMRI. Although we make every attempt to assure that the status of the products listed as certified organic are current and up-to-date, when purchasing a product we advise you to protect your certification by checking with your certifying agency that it is acceptable or by going online to OMRI at www.omri.org.

LIVE DELIVERY & REFUND POLICY

For products other than live insects: Unused, unopened, undamaged items in original packaging can be returned within 30 days. For full details, see our Return Policy at www.arbico-organics/category/return-policy.

For live insects: We guarantee that you will receive live beneficial insects (mites and beneficial nematodes). If your insects perish en route, we will gladly send you a replacement order. We cannot accept returns or make refunds for other reasons since these are perishable products with a limited lifespan and cannot be resold. We cannot guarantee results with live insects since we have no control over how the product is applied, the extent of the problem, and other variables. But if you are not satisfied with your results, we will cancel any unshipped orders and refund the portion of any prepayment that applies to unshipped orders.

ARBICO Organics

10831 N. Mavinee Dr., Ste. 185
Oro Valley, AZ 85737-9531

800-827-2847

Please call for
product availability.



Limitations and Disclaimers

This publication is designed and produced by ARBICO Organics solely for informational purposes. Reasonable efforts have been made to provide accurate information, but errors may occur. All insect quantities are approximate (and the "double tilde" symbol ≈ so indicates). All prices are subject to change without notice. Product specifications are provided by the manufacturers and are also subject to change without notice. Photographs are for illustrative purposes only.

Notwithstanding any other statements in this catalog, **all warranties, express and implied, including warranties of merchantability and fitness for a particular purpose, are hereby disclaimed and excluded.** By placing an order with ARBICO, buyer agrees that the limited remedies described in "Our Satisfaction Guaranties" are the sole and exclusive remedies available to buyer. All damages, including incidental and consequential damages, are hereby excluded.

ARBICO Organics Brand Partners

Providing Natural & Organics Solutions for Growers of All Sizes





10831 N. Mavinee Dr., Suite 185
Oro Valley, AZ 85737

PRSRT STD
U.S. Postage
PAID
ARBICO

ARBICO FLY ELIMINATORS[®]

SERIOUS FLY CONTROL



"We've been growing Fly Eliminators in our insectary for over 40 years. Join the 1,000's of satisfied ARBICO customers who use Fly Eliminators for fly control year after year!"

Sheri Herrera de Frey,
Vice President,
ARBICO Organics[®]

Only \$21.95
Per Shipment for 2-5 Horses
USPS Shipping Included** in Prices!

Number of Horses/Animals	Units Suggested†	Value Pricing
1	1/4 Unit	\$16.99
2 - 5	1/2 Unit	\$21.95
6 - 10	1 Unit	\$34.00
11 - 15	1 1/2 Units	\$45.00
16 - 20	2 Units	\$56.95
21 - 25	2 1/2 Units	\$68.47
26 +	Please Call 1-800-827-2847	

VIP Pricing Valid Through Dec. 31, 2026
****USPS shipping included up to 5 units.**

†These are units of measurement, not warranties or guarantees of performance. The total seasonal cost of Fly Eliminators[™] depends on the recommended number of shipments which may be different than what competitors may recommend. We recommend releasing a shipment every 2-4 weeks throughout the fly season, but releases ranging from 1-6 weeks are not uncommon. Customer experiences may vary. The quantity required and frequency of application can differ according to region, size and condition of property or stables, severity of fly problem, neighbors, manure management, number of animals and start date of program. All warranties, express or implied are disclaimed. One unit bag shown. © 2026 Arizona Biological Control, Inc.

SPECIAL
OFFER

\$10 OFF

Any Order of \$75 or More

With your catalog order or online purchase at arbico-organics.com.

Special Offer Code: Winter26

Expires: 1/31/2027 • Minimum \$75 purchase.

Cannot be used on Fly Eliminators • Cannot be used with any other offers
Cannot be used on items with free shipping

Scan Here to Shop



1-800-827-2847 • www.arbico-organics.com



© 2026 ARBICO Organics[®]. All Rights Reserved.

10/2026