

TRUSTED SINCE 1926

Derived from iron (Fe) which occurs in nature

Controls weeds, disease, moss, algae, & lichens in lawns

Kills weeds, not lawns

ACTIVE INGREDIENT:	
Iron HEDTA (FeHEDT)	A) 1.50%
OTHER INGREDIENTS	<b>S:</b> 98.50%
TOTAL:	
FPΔ Fet No. /LNV-1	FPA Reg No 67702-27-4

Keep Out Of Reach Of Children CAUTION (See Back Panel for Additional Precautionary Statements) Ready to Use



# WEED BEATER Fe

Ready to Use

- ✓ Selective control of weeds in lawns
- ✓ Derived from iron, which occurs in nature
- ✓ Kills weeds down to the root
- Kills many common weeds like dandelion, clover, moss, narrow-leaved plantain, chickweed and thistle

Manufactured under a license of W. Neudorff GmnH KG, Germany EPA Reg. No. 67702-27-4 EPA Est. No. 4-NY-1 ©Bonide Products, Inc. All Rights Reserved

Distributed by: Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424



#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### **USE SITES**

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns.

Pests

## Controls or suppresses weeds such as but not limited to:

- Black medic (Medicago lupulina)
- Broadleaf plantain (Plantago major)
- Bull thistle (Cirsium vulgare)
   Canada thistle (Cirsium arvense)
- Common chickweed (Stellaria media)
- Creeping buttercup (Ranunculus)
- repens)
   Creeping charlie/Ground ivy
  (Glechoma hederacea)
- Dandelion (Taraxicum officinale)
- Dandellon (*Taraxicum ollicinale*)
   Dovefoot geranium (*Geranium molle*)
- English daisy (Bellis perennis)
- False dandelion (Hypochoeris radicata)
- Healall (Prunella vulgaris)

## Controls or suppresses diseases such as but not limited to:

Dollar spot
 Rust
 Snow mold

· Moss, liverworts, algae and lichens

Narrow-leaved plantain (Plantago lanceolata)
 Oxalis (Oxalis spp.)

Oxalis (Oxalis Spp.)
 Persian Speedwell (Veronica persica)

Prostrate knotweed (Polygonum aviculare)

 Shepard's-purse (Capsella bursapastoris)

 Silverweed cinquefoil (Potentilla anserina)

Slender speedwell (Veronica filiformis)
 White clover (Trifolium repens)

 Wild chamomile (Matricaria chamomilla)

## Shake well before using. APPLICATION DIRECTIONS

Do not dilute. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

#### WHAT WILL I SEE?

Works quickly, dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn), this does not affect the health of the grass.

## USE PRECAUTIONS

Do not apply to drought stressed grass, ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area to your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining wait until treated areas dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year, not including spot treatments.

## STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only away from open flame. PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do

not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes slight eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause alleroic reactions in some individuals.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

_	Ξ	=	-	-	 =	

FIRST AID				
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>			
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control contar or doctor for treatment advice			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.